

# Canvas Buckets & Lineman Accessories

Klein canvas buckets and accessories have been recognized for decades for their durability and dependability. They are built for strength to handle professional wear and tear.

For Professionals...  
Since 1857™



# Load Rated Canvas Buckets

## Features:



# LOAD RATED

Durable, straight-wall and tapered-wall buckets are made of heavy-duty canvas.

### ⚠️ WARNINGS:

- Inspect for damage before each use.
- Remove from service if bucket shows signs of wear.
- Never exceed the working load limit.

## Leather-Bottom Buckets

### Additional Features:

- Cat. Nos. 5104 and 5104S are constructed of No. 4 canvas.
- Cat. No. 5104VT is constructed No. 1 canvas.
- Leather reinforced bottom.
- Leather cuff extends 3" (76 mm) up the side.
- High-density polyethylene top ring for strength and chemical resistance.
- Inside pocket measures 8" x 8" (203 mm x 203 mm).
- Cat. Nos. 5104 and 5104S feature a web strap that extends down the side of the bucket.
- Cat. No. 5104VT features top with Velcro® brand fasteners and multiple attachment loops for easy access and storage.

# LOAD RATED

100 lbs. (45 kg)

Cat. No.	Diameter	Height	Extra Features	Weight
5104	12" (305 mm)	17" (432 mm)		2.71 lbs. (1.22 kg)
5104S	12" (305 mm)	17" (432 mm)	swivel snap (Cat. No. 2012)	2.93 lbs. (1.32 kg)
5104VT	12" (305 mm)	17" (432 mm)	VELCRO® closure	3.00 lbs. (1.36 kg)

VELCRO® is a registered trademark of Velcro Industries B.V.



5104S

5104VT

## Wide Opening Straight-Wall Buckets

### Additional Features:

- The 5109 series buckets are constructed of No. 6 canvas except for Cat. No. 5109SLR which is made of No. 4 canvas.
- Black molded polypropylene bottom with drain holes
- Web strap extends down the side of the bucket.
- High-density polyethylene top ring for strength and chemical resistance.

# LOAD RATED

Cat. No.	Diameter	Height	Extra Features	Load Rating	Weight
5109	12" (305 mm)	15" (381 mm)	N/A	75 lbs. (34.0 kg)	2.06 lbs. (.93 kg)
5109P	12" (305 mm)	15" (381 mm)	one 8" x 8" (203 mm x 203 mm) inside pocket	75 lbs. (34.0 kg)	2.12 lbs. (.96 kg)
5109S	12" (305 mm)	15" (381 mm)	swivel snap (Cat. No. 2012)	75 lbs. (34.0 kg)	2.35 lbs. (1.01 kg)
5109PS	12" (305 mm)	15" (381 mm)	one 8" x 8" (203 mm x 203 mm) inside pocket and swivel snap (Cat. No. 2012)	75 lbs. (34.0 kg)	2.40 lbs. (1.08 kg)
5109SLR	12" (305 mm)	15" (381 mm)	N/A	150 lbs. (68.0 kg)	5.95 lbs. (2.70 kg)



150 lbs. (68 kg)

75 lbs. (34 kg)

5109SLR

5109S

All dimensions are in inches and (millimeters).



# Load Rated Canvas Buckets



## Heavy Duty Top Closing Buckets

### Additional Features:

- No. 1 canvas.
- Top of bucket zips closed.
- 14" (356 mm) diameter accommodates standard 5 gallon bucket.
- Web strap extends down the side of the bucket.
- Leather reinforced bottom extends 3" (76 mm) up the side.
- Durable steel rim.

**LOAD  
RATED**  
**150 lbs. (68 kg)**



Holds 5  
gallon bucket  
(not included)



5104CLR17

5104CLR22

Cat. No.	Diameter	Height	Weight
5104CLR17	14" (356 mm)	17" (439 mm)	6.70 lbs. (3.04 kg)
5104CLR22	14" (356 mm)	22" (559 mm)	6.95 lbs. (3.15 kg)

**⚠️WARNING:** Completely close top before each use.

Canvas Buckets  
& Lineman Accessories




## Canvas Bucket with Connection Points

### Additional Features:

- Six small D-rings sewn to the interior of the bucket provide secure connection points for tethers.
- Extra large hook to fit onto oversized rigging equipment.
- Leather reinforced bottom.
- High-density polyethylene top ring provides strength and chemical resistance.
- 8" x 8" (203 x 203 mm) inside pocket.
- Leather reinforced bottom.

**LOAD  
RATED**  
**100 lbs. (45 kg)**

**NEW!**



5104OCTO

Cat. No.	Diameter	Height	Weight
5104OCTO	12" (305 mm)	15" (381 mm)	5.95 lbs. (2.70 kg)

All dimensions are in inches and (millimeters).



# Canvas Buckets

## Straight-Wall Buckets

**Additional Features:**

- No. 6 canvas.
- Black molded polypropylene bottom.
- Rope handle.
- Cat. No. 5106 equipped with swivel snap hook Cat. No. 2012.

Cat. No.	Diameter	Height	Extra Features	Weight (lbs.)
5106	9" (229 mm)	14" (356 mm)	N/A	1.51
5106P	9" (229 mm)	14" (356 mm)	two 7" x 7" (178 mm x 178 mm) inside pockets	1.62
5106S	9" (229 mm)	14" (356 mm)	swivel snap (Cat. No. 2012)	1.80



5106

## Tapered-Wall Buckets

**Additional Features:**

- No. 6 canvas.
- Black molded polypropylene bottom.
- Rope handle.
- Cat. No. 5113S equipped with swivel snap hook Cat. No. 2012.



5113

## Heavy-Duty Tapered-Wall Bucket

**Additional Features:**

- No. 4 canvas.
- Black molded polypropylene bottom.
- Rope handle.
- Riveted leather glove strap.
- Equipped with Cat. No. 2012 swivel snap hook.



5103S

Cat. No.	Top Diameter	Bottom Diameter	Height	Extra Features	Weight (lbs.)
5113	12" (305 mm)	9" (229 mm)	13" (330 mm)	N/A	1.55
5113S	12" (305 mm)	9" (229 mm)	13" (330 mm)	swivel snap (Cat. No. 2012)	1.84

Cat. No.	Top Diameter	Bottom Diameter	Height	Extra Features	Weight (lbs.)
5103S	12" (305 mm)	9" (229 mm)	12" (305 mm)	swivel snap (Cat. No. 2012)	1.95

## Vinyl Bucket Top

- Top cover for canvas bucket designed to keep the elements out and tools securely inside.
- Compatible with Klein Tools 5104 and 5109 series buckets.
- Attaches with VELCRO®.
- Includes safety strap loop to ensure connection to bucket.
- Bucket not included.



51TOP

Cat. No.	Diameter	Height	Weight (lbs)
51TOP	12.5" (318 mm)	3.5" (89 mm)	.4

VELCRO® is a registered trademark of Velcro Industries B.V.

## Heavy-Duty Tapered-Wall Buckets with Pockets

**Additional Features:**

- No. 4 canvas.
- Black molded polypropylene bottom.
- Rope handle.
- Riveted leather glove strap.
- Equipped with Cat. No. 2012 swivel snap hook.

Cat. No.	Top Diameter	Bottom Diameter	Height	Pockets	Extra Features	Weight (lbs.)
5171PS	12" (305 mm)	9" (229 mm)	12" (305 mm)	4 outside pockets	swivel snap (Cat. No. 2012)	2.20
5172PS	12" (305 mm)	9" (229 mm)	12" (305 mm)	15 inside pockets	swivel snap (Cat. No. 2012)	2.35



5171PS



5172PS

All dimensions are in inches and (millimeters).





# Canvas Buckets

## Oval Bucket with Pockets

### Additional Features:

- No. 6 canvas.
- Black molded polypropylene bottom.
- Sisal-roped handle.
- Tripod suspension rope for greater stability.
- Equipped with Cat. No. 2012 swivel snap hook.

Cat. No.	Length	Width	Height	Pockets	Extra Features	Weight (lbs.)
5144S	14" (356 mm)	7" (177 mm)	10" (254 mm)	15 inside	swivel snap (Cat. No. 2012)	2.17
5152S	14" (356 mm)	7" (177 mm)	10" (254 mm)	26 inside 15 outside	swivel snap (Cat. No. 2012)	2.46



5144S



5152S

## Aerial-Basket Oval Bucket with 15 Interior Pockets

### Additional Features:

- No. 6 canvas.
- Black molded polypropylene bottom.
- Two nylon 66 polymer hooks (Cat. No. 5144H) included with Cat. No. 5144.

Cat. No.	Length	Width	Height	Pockets	Extra Features	Weight (lbs.)
5144	14" (356 mm)	7" (177 mm)	10" (254 mm)	15 inside	two hooks (Cat. No. 5144H)	2.01
5144B	14" (356 mm)	7" (177 mm)	10" (254 mm)	15 inside		1.5



5144

## Hard Body Oval Buckets

- Cat. Nos. 5144BHB and 5144BHHB are constructed of high density polyethylene.
- Cat. No. 514414OS is constructed of rugged denier polyester to resist wear and tear on the jobsite.
- Black molded polypropylene bottom with drain holes.
- Cat. No. 5144H hooks sold separately.



5144BHB



5144BHB14OS



5144BHHB



**Kick Stand**  
on back of  
Cat. No. 5144BHB

Cat. No.	Pockets	Handle	Color	Length	Height	Width	Weight (lbs)
5144BHB	14	No	orange	14" (356 mm)	10" (254 mm)	7" (178 mm)	2
5144BHHB	14	Yes	orange	14" (356 mm)	10" (254 mm)	7" (178 mm)	2
5144BHB14OS	29	Yes	black	14" (356 mm)	10" (254 mm)	7" (178 mm)	3

## Hard Body Oval Bucket with Knife Sheath

- Includes leather skinning knife sheath and 14 other interior pockets.
- Orange, non-conductive plastic exterior maintains bucket shape.
- Fabric constructed of rugged denier polyester to resist wear and tear on the jobsite.
- Black molded polypropylene bottom with drain holes.
- Cat. No. 5144H hooks sold separately.

**Knife Sheath**  
inside of  
Cat. No. 5144HBS



5144HBS

Cat. No.	Interior Pockets	Handle	Color	Length	Height	Width	Weight (lbs)
5144HBS	15	Yes	orange	14" (356 mm)	10" (254 mm)	7" (178 mm)	2

All dimensions are in inches and (millimeters).



# Canvas Buckets

## Line-Hose Bag

- No. 6 canvas with Cyclocac top ring and molded bottom.
- Large enough to accommodate several pieces of hose.
- Can also be used to raise protective rubber blankets that are rolled.
- Leather cuff extends 3" (76 mm) up the side.
- Polypropylene rope handle is reinforced with leather.

Cat. No.	Diameter	Depth	Weight (lbs.)
5110-48	7" (178 mm)	48" (1219 mm)	1.91



5110-48

## Canvas Electrode Bags

- Made of tough No. 4 canvas.
- Heat-resistant, hard leather bottom.
- Cat. No. 5471FR is made of flame-resistant No. 4 canvas which meets the performance requirement of NFPA -701.
- Web loop for sliding over belt.



5471FR

5471

Cat. No.	Diameter	Depth	Weight (lbs.)
5471	2-1/2" (64 mm)	15-1/2" (394 mm)	.25
5471FR	2-1/2" (64 mm)	15-1/2" (394 mm)	.25 <b>NEW!</b>

## Canvas Tapered-Bottom Bag

- No. 10 canvas.
- Two pockets are provided for small parts.
- Bottom is tapered so parts will stay in center.
- Equipped with a snap for hanging.

Cat. No.	Diameter	Depth	Weight (lbs.)
5143	6-1/2" (165 mm)	8" (203 mm)	.30



5143

All dimensions are in inches and (millimeters).

# Lineman Accessories

## Aerial Aprons

- Includes: ten hand tool pockets, two pouches, hammer loop and two drill bit holders (Cat. Nos. 51829 and 51829M).
- Two pouches reinforced with heavy duty rivets.
- Cat. No. 5144H hooks sold separately.
- Hot stick pocket (Cat. No. 51829MHS).



51829M,  
51829MHS



Sewn-in magnet conveniently holds nuts, bolts and other small metal objects

51829M

51829MHS

Cat. No.	Pockets	Magnet	Color	Width	Height	Weight (lbs.)
51829	18	No	orange	24" (609 mm)	23" (584 mm)	4
51829M	18	Yes	orange	24" (609 mm)	23" (584 mm)	4
51829MHS	16	Yes	orange	32" (813 mm)	27.5" (699 mm)	4

## Swivel Snap Hook

### Additional Features:

- This is NOT an occupational protective hook. NOT for human support.
- Bronze swivel snap hook made for use on canvas buckets.
- Maximum safe load is 150 lbs. (68 kg).




2012

Cat. No.	Length	Width	Weight (lbs.)
2012	4-3/8" (111 mm)	1-5/8" (41 mm)	.28

## Hook for Aerial-Baskets

- All weather, durable, nylon 66 polymer.
- Most manufacturers' aerial basket trucks accommodate bucket hook.
- Replacement hook for Cat. No. 5144.



5144H

Cat. No.	Weight (lbs.)
5144H	.30

## Pole Pick and Pouch NEW!

- Helps determine the condition of a utility pole before climbing.
- Extra sharp point for piercing many types of wood poles.
- Smooth Comfordome handle fits the palm of the hand comfortably.
- Cat. No. 66141KIT includes pole pick (Cat. No. 66141) and pouch (Cat. No. 66141P).

Cat. No.	Blade Length	Overall Length	Weight (lbs.)
66141	12" (305 mm)	15.31 (389 mm)	.19



66141



66141P

## Pole Sling

- For use where a running loop wrap around pole is desired.
- Nylon web stitched with nylon thread.



5606

Cat. No.	Rated Capacity (Maximum Working Load)		Overall Length	Width	Weight (lbs.)
	Choke Hitch	Basket Hitch			
5606	3000 lbs (1350 kg)	4700 lbs (2115 kg)	39" (991 mm)	2" (51 mm)	1.33

**WARNING:** This is NOT an occupational protective device. NOT for human support.

All dimensions are in inches and (millimeters).

www.kleintools.com

