

Strippers, Cutters and Crimpers

Manufactured with the needs of the professional tool user in mind, Klein strippers, cutters, and crimpers are designed to get jobs done with precision and quality.



For Professionals...
Since 1857™



HEAVY-DUTY FORGED STEEL WIRE STRIPPERS

The durability of a plier with the sharpness and precision of a wire stripper.

4x STRONGER
Compared to traditional Klein wire strippers

MADE IN USA

Twists up to 3 Wires



Knurled jaw for twisting, grabbing and looping wire

Precision ground stripping holes

Induction hardened cutting knives for longer cut life

Hot-riveted joint ensures smooth action and no handle wobble

6-32 and 8-32 screw shearing holes

Coil spring for fast, self-opening action

KLEIN-KURVE™
comfort grip handles for reduced hand fatigue



K12054



K12055


ED&M CATEGORY WINNER
PRODUCT OF THE YEAR 17

Cat. No.	Strips and Cuts	Screw Shearing	Overall Length	Handle Color	Weight
K12054 NEW!	8-16 AWG Solid, 10-18 AWG Stranded	6-32 and 8-32	8" (203 mm)	Blue/White	0.63 lb (0.29 kg)
K12055 NEW!	10-18 AWG Solid, 12-20 AWG Stranded	6-32 and 8-32	8" (203.2 mm)	Blue/Yellow	0.63 lb (0.29 kg)

See page 295 for additional information on warnings.



Wire Strippers/Cutters



Wire Strippers/Cutters

Includes Klein-Kurve™ core features plus:

- Easy-to-read markings
- Precision shear-type blades
- Cat. No. 11054GLW features glow in the dark grips to easily locate your tool in dark or low lit areas



11054

Cat. No.	Strips and Cuts	Screw Shearing	Overall Length	Handle Color	Weight
11053	6 - 12 AWG Stranded (10 mm ² - 2.5 mm ²)	6-32 and 8-32	7-1/8" (181.0 mm)	Blue/Red	0.34 lb (0.15 kg)
11054	8 - 16 AWG Solid (8.4 mm ² - 1.3 mm ²), 10 - 18 AWG Stranded (5.3 mm ² - 0.82 mm ²)	6-32 and 8-32	7-1/8" (181.0 mm)	Blue/White	0.34 lb (0.15 kg)
11054GLW	8 - 16 AWG Solid (8.4 mm ² - 1.3 mm ²), 10 - 18 AWG Stranded (5.3 mm ² - 0.82 mm ²)	6-32 and 8-32	7-1/8" (181.0 mm)	Glow in the Dark	0.34 lb (0.15 kg)
11055	10 - 18 AWG Solid (4.0 mm ² - 0.75 mm ²), 12 - 20 AWG Stranded (2.5 mm ² - 0.50 mm ²)	6-32 and 8-32	7-1/8" (181.0 mm)	Blue/Yellow	0.34 lb (0.15 kg)
11057	20 - 30 AWG Solid (0.50 mm ² - 0.14 mm ²), 22 - 32 AWG Stranded (0.34 mm ² - 0.05 mm ²)	6-32 and 8-32	7-1/8" (181.0 mm)	Blue/Red	0.32 lb (0.15 kg)

Long-Nose Wire Stripper/Crimper

Includes Klein-Kurve™ core features plus:

- Crimps insulated and non-insulated connectors
- Tip designed to grab, pull and bend the smallest of wires
- Reinforced head (patent-pending design) reduces flex
- Optimized for ideal leverage when stripping and crimping
- Precision shear-type cutting blades for easier cutting
- Do no use to cut steel wire



1009

Cat. No.	Strips and Cuts	Bolt Size	Crimping Capacity	Overall Length	Handle Color	Weight
1009 NEW!	10 - 20 AWG Solid; 12 - 22 AWG Stranded	6 - 32 and 8 - 32	10 - 22 AWG (4.0 mm ² - 0.34 mm ²)	7-3/4" (196.9 mm)	Gray/Yellow	0.34 lb (0.15 kg)





Klein-Kurve™ Wire Strippers/Cutters

Dual NM Cable Stripper/Cutters

Includes core Klein-Kurve™ features plus:

- Cat. No. K1412 has 12/2 and 14/ stripping slots to quickly remove the outer jacket of Type NM-B nonmetallic sheathed cable and strips, cuts and loops 12 and 14 AWG solid wires
- Cat. No. K1412CAN removes outer jacket of Canadian NMD-90 Romex® Cable and strips, cuts and loops 14 and 16 AWG stranded wires
- Narrow nose fits into tight places



K1412

Cat. No.	Strips and Cuts	Screw Shearing	Overall Length	Handle Color	Weight
K1412	NM-B Cable 12/2 and 14/2; 12 and 14 AWG Solid (2.5 mm ² and 1.5 mm ²); 14 and 16 AWG Stranded (1.5 mm ² and 1.0 mm ²)	6-32 & 8-32	7-3/4" (196.9 mm)	Yellow/White	0.41 lb (0.19 kg)
K1412CAN	NMD-90 Cable 12/2 and 14/2; 12 and 14 AWG Solid (2.5 mm ² and 1.5 mm ²), 14 and 16 AWG Stranded (1.5 mm ² and 1.0 mm ²)	6-32 & 8-32	7-3/4" (196.9 mm)	Yellow/White	0.41 lb (0.19 kg)

Romex® is a registered trademark of Southwire Company.

Textured handles provide a firm, comfortable grip

Spring loaded for self-opening action

Black-oxide finish resists corrosion

Easy-to-read wire gauge markings on both sides for stripping in either direction

Wire Strippers/Cutters

Wire looping and bending holes

Precision-ground stripping holes for easy removal of insulation



Wire Strippers/Cutters

Includes core wire stripper/cutter features plus:

- Narrow nose fits into tight places
- Cat. No. 11048 strips two wires in a single motion
- Do not use for cutting steel wire or screws



DUAL-WIRE STRIPPER
11048



11045

Cat. No.	Strips and Cuts	Overall Length	Handle Color	Weight
11045	10 - 18 AWG Solid (4.0 mm ² - 0.75 mm ²)	6-1/4" (158.8 mm)	Yellow	0.27 lb (0.12 kg)
11046	16 - 26 AWG Stranded (1.0 mm ² - 0.14 mm ²)	6-1/4" (158.8 mm)	Red	0.27 lb (0.12 kg)
11047	22 - 30 AWG Solid (0.34 mm ² - 0.05 mm ²)	6-1/4" (158.8 mm)	Yellow	0.27 lb (0.12 kg)
11048	10, 12, 14 AWG Solid (4.0 mm ² , 2.5 mm ² , 1.5 mm ²)	6-1/4" (158.8 mm)	Yellow	0.27 lb (0.12 kg)
11049	8 - 16 AWG Stranded (6 mm ² - 1.0 mm ²)	6-1/4" (158.8 mm)	Red	0.27 lb (0.12 kg)

See page 295 for additional information on warnings.



Wire Strippers/Cutters

Wire Strippers/Cutters

- Strips six standard wire sizes without nicking wire
- Wide blades of 1/2" (13 mm) make clean cuts with little effort
- Serrated nose jaws to bend, shape or pull wire; holes for looping wire ends
- Spring-loaded for self-opening action
- Comfortable, plastic-covered handles



1011

Cat. No.	Strips and Cuts	Overall Length	Handle Color	Weight
1011M	0.15 to 4.0 mm ² Stranded Wire	6-1/8" (155.6 mm)	Blue	0.23 lb (0.10 kg)
1011	10 - 20 AWG Solid (4.0 mm ² - 0.50 mm ²), 12 - 22 AWG stranded (2.5 mm ² - 0.34 mm ²)	6-1/8" (155.6 mm)	Blue	0.23 lb (0.10 kg)

Adjustable Wire Strippers/Cutters - Solid and Stranded Wire

- Cuts, strips and loops 12-26 solid and stranded wire
- A handy, light, compact tool for stripping insulation
- Convenient hole for looping or bending wire
- Black-oxide finish with plastic-dipped handles
- Adjustable slide stop with set screw for repeat stripping work
- Do not use to cut steel or bolts



1004

Cat. No.	Strips and Cuts	Hold-Open Spring	Overall Length	Handle Color	Weight
1004	12 - 26 AWG Solid and Stranded (2.5 mm ² - 0.14 mm ²)	Yes	5" (127.0 mm)	Yellow	0.18 lb (0.08 kg)
1003	12 - 26 AWG Solid and Stranded (2.5 mm ² - 0.14 mm ²)	No	5" (127.0 mm)	Yellow	0.14 lb (0.06 kg)

Adjustable Wire Stripper/Cutter - Solid and Stranded Wire

- Simply dial desired wire size for fast, easy stripping
- Finely honed nose cutter easily gets into tight areas
- Wire gauge dial sets stripping dies to proper size to help prevent nicked wire
- Black-oxide finish with plastic-dipped handles
- Spring-loaded design - tool opens automatically after each action



Cat. No.	Strips and Cuts	Hold-Open Spring	Overall Length	Handle Color	Weight
74007	12 - 24 AWG Solid and Stranded (2.5 mm ² - 0.25 mm ²)	No	5-1/8" (130.2 mm)	Yellow	0.15 lb (0.07 kg)



Wire Strippers/Cutters

NM Cable Ripper

- Easy-to-use cable ripper
- Slit the outer jacket of Romex® cable (all sizes) and other nonmetallic (type NM) sheathed cable
- Measure conductor wire gauge



74017

Cat. No.	Measures Wire Gage	Overall Length	Weight
74017	8 - 14 AWG (6 mm ² - 1 mm ²)	4" (101.6 mm)	1.3 oz (37 g)

Romex® is a registered trademark of Southwire Company.

Katapult™ Wire Stripper/Cutters

KATAPULT™

- Cuts and strips 22 AWG wire with ease
- Compound-action wire stripping: grip and strip via single action squeezing motion
- Precision machined stripping holes easily remove jacket insulation without damaging the wire
- Removes up to 1" (24 mm) in length of the insulation layer (jacket layer) in a single step
- Tension loaded wire-grip gently holds the cable in place while retaining the cable geometry
- Additional cutting blades available



11063W

Cat. No.	Strips and Cuts	Hold-Open Spring	Overall Length	Handle Color	Weight
11063W	8 - 24 AWG Solid, 10 - 22 AWG Stranded	Yes	6-19/32" (167.5 mm)	Blue/Black	0.75 lb (0.34 kg)

Cat. No.	Application	Weight
Replacement Blades		
VDV110-046	RG6 Coaxial Cable	0.16 oz (4.5 g)
11082	10 AWG Max Wire	0.16 oz (4.5 g)
11073	8 - 22 AWG (6.0 mm ² - 0.34 mm ²)	0.16 oz (4.5 g)
11074	16 - 26 AWG (1.0 mm ² - 0.14 mm ²)	0.16 oz (4.5 g)
Wire Stop/Gauge		
11081	Adjustable Wire Stop/Gauge	0.16 oz (4.5 g)

Self-Adjusting Wire Stripper/Cutter

- Adjustable stopper to control the length of the core strip
- Convenient wire cutter in handle
- Grooved grips are designed for added comfort



11061

Cat. No.	Strips and Cuts	Hold-Open Spring	Overall Length	Handle Color	Weight
11061	10 - 20 AWG Solid, 12 - 22 AWG Stranded, 12/2 and 14/2 Romex® Wire	No	8-1/4" (209.6 mm)	Blue/Black	0.79 lb (0.36 kg)

Romex® is a registered trademark of Southwire Company.



Combination Wire-Stripping and Crimping Tools

Multi-Purpose 6-in-1 Tool

- Cleanly shears bolts
- Easily cuts and strips wire
- Comfortable, plastic-covered handles
- Measures stud sizes
- Gauges wire sizes
- Crimps insulated terminals




1000

Cat. No.	Strips and Cuts	Bolt Size	Crimping Capacity	Overall Length	Handle Color	Weight
1000	8 - 22 AWG Solid (6.0 mm ² - 0.34 mm ²), 10 - 26 AWG Stranded (4.0 mm ² - 1.0 mm ²)	4-40, 6-32, 8-32, 10-24, 10-32	10 - 22 AWG	7-3/4" (196.9 mm)	Red	0.44 lb (0.20 kg)

Multi-Purpose Electrician's Tool

- Cleanly shears bolts
- Two wire cutters-one at tip, the other halfway back near stripping holes-double the utility of this tool
- Full-sized, plastic-covered cushioned handles for comfort
- Color-coded crimping dies for 10-22 AWG insulated and non-insulated terminals
- Pivot nut adjusts tension
- Wire-looping holes near tip



1001

Cat. No.	Strips and Cuts	Bolt Size	Crimping Capacity	Overall Length	Handle Color	Weight
1001	8 - 22 AWG Solid (6.0 mm ² - 0.34 mm ²), 10 - 26 AWG Stranded (4.0 mm ² - 1.0 mm ²)	4-40, 6-32, 8-32, 10-24, 10-32	10 - 22 AWG	8-1/2" (215.9 mm)	Red	0.47 lb (0.21 kg)

Multi-Purpose Long-Nose Tool

- Cleanly shears bolts
- Easily cuts and strips wire
- Plastic-covered cushioned handles for comfort
- Narrow, serrated pliers plier nose pulls, loops and bends wire
- Long, curved cutting blade
- Cutters and strippers are in front of the pivot for maximum ease-of-use when reaching into tight places
- Crimps insulated and non-insulated terminals and 7 to 8 mm ignition terminals



1010

Cat. No.	Strips and Cuts	Bolt Size	Crimping Capacity	Overall Length	Handle Color	Weight
1010	10 - 20 AWG Solid, 12 - 22 AWG Stranded	4-40, 5-40, 6-32, 8-32, 10-32, 10-24	10 - 22 Gauge	8-1/4" (209.6 mm)	Blue	0.43 lb (0.20 kg)



Crimping Tools

Crimping/Cutting Tool

- Cat. No. 1006 is designed for crimping non-insulated solderless terminals and connectors
- Cat. Nos. 1005 and J1005 are marked for insulated and non-insulated solderless terminals and connectors
- Tapered nose design for working in confined areas
- Specially hardened wire cutter in nose
- Hot-riveted joint for smooth action and no handle wobble



1005



Plastic-Dipped



JOURNEYMAN™
Dual-Material

Cat. No.	Handle Finish	Crimps	Overall Length	Handle Color	Weight
1005	Plastic-dipped	10 - 22 AWG (4.0 mm ² - 0.34 mm ²)	9-3/4" (247.7 mm)	Red	0.80 lb (0.36 kg)
1006	Plastic-dipped	10 - 22 AWG (4.0 mm ² - 0.34 mm ²)	9-3/4" (247.7 mm)	Black	0.85 lb (0.39 kg)
Journeyman™ Series – Dual-material handles for better grip					
J1005	Journeyman	10 - 22 AWG (4.0 mm ² - 0.34 mm ²)	9-3/4" (247.7 mm)	Red/Black	0.84 lb (0.38 kg)

Large Crimp Tool-Compound-Action

- Ultra-comfortable hand grips for easy use
- All-in-one, integral crimp nest. No removable parts or rotating dies
- High-leverage handles and compound-action mechanism for superior mechanical advantage
- Adjustment screw allows user to control crimp depth



2006

Cat. No.	Handle Finish	Crimps	Overall Length	Handle Color	Weight
2006	Molded Grips	#6 - 4/0 AWG battery lugs and terminals	19-1/2" (495.3 mm)	Red	3.8 lb (1.7 kg)

Ratcheting Crimpers - Insulated Terminals

- Cat. No. T1715 full-cycle ratcheting crimper crimps insulated terminals in wire sizes 22-16 (front cavity), 16-14 (middle cavity), and 12-10 (rear cavity)
- Cat. No. T1710 compound-action tool crimps 10-22 AWG insulated terminals to meet or exceed MIL-SPEC pull-out tests and features a special locator to quickly position terminal to double crimp
- Built-in ratchet with safety release assures uniform crimps every time
- Compound lever-action of narrow span handles puts more crimping power into each squeeze
- Comfort-grip plastic handles



T1715



T1710

Cat. No.	Crimps	Overall Length	Handle Color	Weight
T1715	22-16/16-14/ 12-10	9" (228.6 mm)	Black	1.1 lb (0.5 kg)
T1710	10 - 22 AWG	9" (228.6 mm)	Black	1.1 lb (0.5 kg)

See page 295 for additional information on warnings.

