



LB-STND-005-3
User Guide

Model No. VS16374

Thank you for choosing ViewSonic

As a world leading provider of visual solutions, ViewSonic is dedicated to exceeding the world's expectations for technological evolution, innovation, and simplicity. At ViewSonic, we believe that our products have the potential to make a positive impact in the world, and we are confident that the ViewSonic product you have chosen will serve you well.

Once again, thank you for choosing ViewSonic !



Compliance Information

NOTE: This section addresses all connected requirements and statements regarding regulations. Confirmed corresponding applications shall refer to nameplate labels and relevant markings on unit.

FCC Compliance Statement

This device complies with part 15 of FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy, and if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Warning: You are cautioned that changes or modifications not expressly approved by the party responsible for compliance could void your authority to operate the equipment.

Copyright Information

Copyright © ViewSonic® Corporation, 2017. All rights reserved.

Macintosh and Power Macintosh are registered trademarks of Apple Inc.

Microsoft, Windows, and the Windows logo are registered trademarks of Microsoft Corporation in the United States and other countries.

ViewSonic, the three birds logo, OnView, ViewMatch, and ViewMeter are registered trademarks of ViewSonic Corporation.

Disclaimer: ViewSonic Corporation shall not be liable for technical or editorial errors or omissions contained herein; nor for incidental or consequential damages resulting from furnishing this material, or the performance or use of this product.

In the interest of continuing product improvement, ViewSonic Corporation reserves the right to change product specifications without notice. Information in this document may change without notice.

No part of this document may be copied, reproduced, or transmitted by any means, for any purpose without prior written permission from ViewSonic Corporation.

Product Registration

To fulfill possible future product needs, and to receive additional product information as it becomes available, please visit your region section on ViewSonic’s website to register your product online.

Registering your product will best prepare you for future customer service needs.

Please print this user guide and fill the information in the “For Your Records” section.

Your display serial number is located on the rear side of the display.

For additional information, please see the “Customer Support” section in this guide.

For Your Records

| | |
|-------------------------|---------------------------------------|
| Product Name: | LB-STND-005-3 |
| Model Number: | VS16374 |
| Document Number: | LB-STND-005-3_UG_ENG Rev. 1A 11-01-16 |
| Serial Number: | _____ |
| Purchase Date: | _____ |

Proper product disposal is necessary at the end of product life

ViewSonic respects the environment and is committed to working and living green.

Thank you for being part of a Smarter, Greener Computing effort.



Please visit the ViewSonic website to learn more.

USA & Canada: <http://www.viewsonic.com/company/green/recycle-program/>
















Europe: <http://www.viewsoniceurope.com/uk/support/recycling-information/>

Taiwan: <http://recycle.epa.gov.tw/recycle/index2.aspx>

Physical Dimensions(mm)










Enclosed Parts


| | | | | | |
|---|---|--|--|---|---|
| <p>A</p>  | | <p>B *4</p>  | | | |
| <p>C</p>  | | <p>D *2</p>  | <p>K</p>  | | |
| <p>E</p>  | <p>F</p>  | <p>G-1</p>  <p>5 mm</p> | <p>H *4</p>  <p>M6*L30</p> | <p>N-1</p>  | <p>N-2</p>  |
| <p>L</p>  | | <p>I *8</p>  <p>M8*L40</p> | <p>J *2</p>  <p>M4*L10</p> | | |
| | | <p>M</p>  | | | |

Tools Needed










Make sure mount bracket being upright-before display to be installed



Appendix: Trouble Shooting on Battery and Fuse

When motorized LIFT or Actuator do not functioned, please follow the steps for solutions.

1. Press the buttons on Remote Control.
2. If any LED does not flash for counter move, please replace the battery of Remote Control.

Battery Specs:

Type : **A23**



Current: **12V (23A)**

Q'ty: **1 pc**

3. If remote control works well, but LIFT/Actuator no move at all, please replace the fuse at Fuse Box. (see illustration drawing)




4. Please follow the steps to replace fuse.
 - Take off the power cord from socket.
 - Pull out the fuse tray.
 - Remove the existing fuse.
 - Install the new fuse.
 - Push back the fuse box.
 - Connect the power cord.
 - Repeat Step 3 to see if all moves normal.
 - Specs on Fuse:
Current: 10A, Length: 20 mm.
5. Make sure designated trouble shooting has to be conducted by qualified technician. Shall you contact your distributor/reseller if any question remaining.




RF Remote Control Setting


1. Please find out the PIN code on the sticker attached on the lift column of the stand.




2. The PIN code can be also found out on the control box.



3. Open the battery cover of the handset, there is a 6-Digit DIPSWITCH inside.




4. Make sure the Setting of the DIP SWITCH is the same as the PIN code showing on the PIN code sticker.





WARNING!
Pinch Point



| Stand | |
|----------------------|--|
| Model No. | LB-STND-005-3 |
| Tilt | 0° ~ 90° |
| Swivel | 360 degree |
| Height adjust range | 500mm (19.69") |
| Screw type | M4, M5, M6, M8 |
| Wall mount pattern | 800x600mm max. |
| Material | 120 kg max. 264.55 lb max. |
| Input voltage | AC-in 100~240V 50/60Hz |
| Control panel | Physical button control (UP/DOWN/HORIZONTAL/VERTICAL) |
| Physical dimensions | 1275(W) x 947(D) x 1672(H) |
| Net weight | 45.4kg |
| Operation Conditions | Temperature: 32°F to 104°F (0°C to 40°C) Humidity: 20% ~ 80% non-condensing Altitude: ≤2000M |
| Storage Conditions | Temperature: -4°F to 140°F (-20°C to 60°C) Humidity: 10% ~ 90% non-condensing Altitude: ≤2000M |

| Remote control | |
|-----------------------|--|
| Model No. | TH3 |
| Battery | 12V |
| Dimensions | 115.7x56.7x20mm |
| Transmit frequency | 315MHz |
| Data Transmit mode | ASK Transmit |
| Operation Conditions | Temperature: 32°F to 104°F (0°C to 40°C) Humidity: 20% ~ 80% non-condensing Altitude: ≤2000M |
| FCC ID | W6JTH3-4 |
| IC ID | 22680-TH3 |

Other Information

Customer Support

For technical support or product service, see the table below or contact your reseller.
NOTE: You will need the product serial number.

| Country/Region | Website | T = Telephone C = CHAT ONLINE | Email |
|--|-------------------------|--|---|
| Australia New Zealand | www.viewsonic.com.au | AUS= 1800 880 818 NZ= 0800 008 822 | service@au.viewsonic.com |
| Canada | www.viewsonic.com | T = 1-866-463-4775 | service.ca@viewsonic.com |
| Europe | www.viewsoniceurope.com | http://www.viewsoniceurope.com/eu/support/call-desk/ | |
| Hong Kong | www.hk.viewsonic.com | T= 852 3102 2900 | service@hk.viewsonic.com |
| India | www.in.viewsonic.com | T= 1800-419-0959 | service@in.viewsonic.com |
| Korea | www.kr.viewsonic.com | T= 080 333 2131 | service@kr.viewsonic.com |
| Latin America (Argentina) | www.viewsonic.com/la/ | C= http://www.viewsonic.com/la/soporte/servicio-tecnico | soporte@viewsonic.com |
| Latin America (Chile) | www.viewsonic.com/la/ | C= http://www.viewsonic.com/la/soporte/servicio-tecnico | soporte@viewsonic.com |
| Latin America (Columbia) | www.viewsonic.com/la/ | C= http://www.viewsonic.com/la/soporte/servicio-tecnico | soporte@viewsonic.com |
| Latin America (Mexico) | www.viewsonic.com/la/ | C= http://www.viewsonic.com/la/soporte/servicio-tecnico | soporte@viewsonic.com |
| Nexus Hightech Solutions, Cincinnati #40 Desp. 1 Col. De los Deportes Mexico D.F. Tel: 55) 6547-6454 55)6547-6484 Other places please refer to http://www.viewsonic.com/la/soporte/servicio-tecnico#mexico | | | |
| Latin America (Peru) | www.viewsonic.com/la/ | C= http://www.viewsonic.com/la/soporte/servicio-tecnico | soporte@viewsonic.com |
| Macau | www.hk.viewsonic.com | T= 853 2870 0303 | service@hk.viewsonic.com |
| Middle East | ap.viewsonic.com/me/ | Contact your reseller | service@ap.viewsonic.com |
| Puerto Rico & Virgin Islands | www.viewsonic.com | T= 1-800-688-6688 (English) C = http://www.viewsonic.com/la/soporte/servicio-tecnico | service.us@viewsonic.com soporte@viewsonic.com |
| Singapore/ Malaysia/ Thailand | www.ap.viewsonic.com | T= 65 6461 6044 | service@sg.viewsonic.com |
| South Africa | ap.viewsonic.com/za/ | Contact your reseller | service@ap.viewsonic.com |
| United States | www.viewsonic.com | T= 1-800-688-6688 | service.us@viewsonic.com |



ViewSonic®