




## RX 8140PS-RX 8161PS Precision Diagonal Cutters with Tapered Head & ESD Safe Handle for hard materials










### PRODUCT DETAILS

- PS Series precision oval head diagonal cutters developed according to the scientific ERGO™ process, Oval and robust head
- Designed to get the most precise cut on guidewires, catheter coil wires & cardiology & urology stents
- ERGO™ handles with two-component combination, thermoplastic surface, for comfortable grip, on tough polypropylene core for rigidity
- Micro-bevel cut
- Sharp & fully aligned edges
- High performance alloyed steel
- Burnished finish
- Numerically controlled machine grinding guarantees edge angle accuracy & contact, increases the tool's reliability & consistency
- Precision induction-hardened edges 63-65 HRC
- Screw joint minimises friction & maximises alignment of cutting edges
- ESD safe handles in two-component synthetic material
- Bio spring limits the tension throughout the working cycle of the tool & can be adjusted to 3 different positions or removed
- Robust head for cutting multiple hard wire stents, guidewires and multiple catheter fillars










PRODUCT ATTRIBUTES








Product: **RX8140PS**

	Oval		S		Micro-Bevel®
	0.1-1.0 mm		0.01-0.04 in		0.2-0.5 mm
	0.01-0.02 in	<b>A</b>	135.5 mm	<b>A</b>	5.33 in
<b>B</b>	10,5 mm	<b>B</b>	0,41 in	<b>C</b>	10 mm
<b>C</b>	0.39 in	<b>D</b>	6 mm	<b>D</b>	0,24 inch
<b>E</b>	0,8 mm	<b>E</b>	0,03 in	<b>g</b>	70 g








Product: **RX8141PS**

	Oval		S		Flush
	0.1-1.0 mm		0.01-0.04 in		0.2-0.5 mm
	0.01-0.02 in	<b>A</b>	135.5 mm	<b>A</b>	5.33 in
<b>B</b>	10,5 mm	<b>B</b>	0,41 in	<b>C</b>	10 mm
<b>C</b>	0.39 in	<b>D</b>	6 mm	<b>D</b>	0,24 inch
<b>E</b>	0,8 mm	<b>E</b>	0,03 in	<b>g</b>	70 g








Product: **RX 8142PS**

	Oval		S		Micro-Bevel®
	0.1-1.0 mm		0.01-0.04 in		
		<b>A</b>	135.5 mm	<b>A</b>	5.33 in
<b>B</b>	10,5 mm	<b>B</b>	0,41 in	<b>C</b>	10 mm
<b>C</b>	0.39 in	<b>D</b>	6 mm	<b>D</b>	0,24 inch
<b>E</b>	0,8 mm	<b>E</b>	0,03 in	<b>g</b>	70 g

Product: **RX8150PS**

	Oval		M		Micro-Bevel®
	0.1-1.0 mm		0.01-0.04 in		0.2-0.8 mm
	0.01-0.03 in	<b>A</b>	135.5 mm	<b>A</b>	5.33 in
<b>B</b>	12,5 mm	<b>B</b>	0,5 in	<b>C</b>	12,5 mm
<b>C</b>	0.49 in	<b>D</b>	6 mm	<b>D</b>	0,24 inch
<b>E</b>	1,2 mm	<b>E</b>	0,05 in	<b>g</b>	70 g

Product: **RX 8161PS**

	Oval		L		Flush
	0.3-1.6 mm		0.01-0.06 in		0.3-0.8 mm
	0.01-0.03 in	<b>A</b>	147 mm	<b>A</b>	5.80 in
<b>B</b>	16 mm	<b>B</b>	0,63 in	<b>C</b>	16 mm
<b>C</b>	0.63 in	<b>D</b>	8 mm	<b>D</b>	0,31 inch
<b>E</b>	1,6 mm	<b>E</b>	0,06 in	<b>g</b>	70 g