

415 FERRIC CHLORIDE

Safety Data Sheet

Section 1: Identification

Product Identifier and Other Means of Identification

Product Identifier: 415

Other Means of Identification: Ferric Chloride / Chlorure Ferrique

Related Part # 415-500ML, 415-1L, 415-4L, 415-20L

Recommended Use and Restriction on Use

Use: Etchant for printed circuit boards and photoengraving processes

Uses Advised Against: Not available

Details of Manufacturer or Importer

Manufacturer

MG Chemicals
1210 Corporate Drive
Burlington, Ontario L7L 5R6
CANADA

MG Chemicals (Head Office)
9347-193 Street
Surrey, British Columbia V4N 4E7
CANADA

☎ +1-800-340-0772

FAX +1-800-340-0773

E-MAIL support@mgchemicals.com

WEB www.mgchemicals.com

☎ +1-905-331-1396

FAX +1-905-331-2682

E-MAIL info@mgchemicals.com

E-MAIL (Competent Person): sds@mgchemicals.com

Emergency Phone Number

For hazardous material incidents ONLY (leaks, spills, fires, exposures or accidents)
USA or CANADA—Call Verisk 3E at **+1-866-519-4752** or **+1-760-476-3962**
(Service access code: 335388)

For emergencies involving the transport of dangerous goods; 24/7 service
CANADA—Call CANUTEC collect at **+1-613-996-6666** or ***666** on cellular phones

415 FERRIC CHLORIDE

Section 2: Hazard(s) Identification



Classification of Hazardous Chemical

GHS Categories

Criteria	Category	Signal Word	Pictograms
Eye Damage	1B	Danger	Corrosion
Corrosive to Metals	1	Warning	Corrosion
Skin Irritation	2	Warning	Exclamation
Acute Toxicity Oral	4	Warning	Exclamation
Hazardous to the Aquatic Environment Acute	3	none	none

Note: The degree of severity is ranked within each hazard class from 1 (Highest Severity) to up to 5 (Lowest Severity), which is opposite to HMIS and NFPA conventions. Severity category rankings do not allow comparisons between classes.

Label Elements

Signal Word	DANGER
Pictograms	Hazard Statements
	H318: Causes serious eye damage H290: May be corrosive to metals
	H315: Causes skin irritation H302: Harmful if swallowed
<i>No symbol mandated</i>	H402: Harmful to aquatic life

Section continued on the next page

415 FERRIC CHLORIDE

Continued...

Prevention	Precautionary Statements
P102	Keep out of reach of children.
P280	Wear eye protection, face protection, and protective gloves.
P234	Keep only in original packaging.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
Response	Precautionary Statements
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor.
P390	Absorb spillage to prevent material-damage.
P302 + P352	IF ON SKIN: Wash with plenty of water.
P332 + P313	If skin irritation occurs: Get medical advice or attention.
P362 + P364	Take off all contaminated clothing and wash it before reuse.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.
P330	Rinse mouth.
Storage	Precautionary Statements
P406	Store in corrosion resistant container with a resistant inner lining.
Disposal	Precautionary Statements
P501	Dispose of contents in accordance to local, regional, national, and international regulations.

Hazards Not Otherwise Classified

Other Criteria	Hazard Statements/Precautionary Statement	Signal Word	Pictograms
None	None	None	None

415 FERRIC CHLORIDE

Section 3: Composition/Information on Ingredients

CAS #	Chemical Name	% (weight)
7705-08-0	iron trichloride (FeCl ₃)	37-42%
7647-01-0	hydrochloric acid	1.0%
7758-94-3	iron dichloride (FeCl ₂)	<1.0%

Section 4: First-Aid Measures

<i>Exposure Condition</i>	<i>GHS Code/Symptoms/Precautionary Statements</i>
IF IN EYES	P305 + P351 + P338, P310
Immediate Symptoms	<i>burns, severe irritation, redness, pain</i>
Response	Rinse cautiously with water for 30 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE or doctor
IF ON SKIN	P302 + P352, P362 + P364, P332 + 313
Immediate Symptoms	<i>redness, pain, brown stain on skin</i>
Response	Wash with plenty of water. If skin irritation occurs. Get medical advice or attention. Take off immediately all contaminated clothing and wash it before reuse.
IF SWALLOWED	P330, P301 + P312
Immediate Symptoms	<i>irritation, abdominal pain, nausea, vomiting, diarrhea</i>
Response	Rinse mouth. If you feel unwell, call a POISON CENTRE or doctor.
IF INHALED	P304 + P340
Immediate Symptoms	<i>irritation, cough, sore throat</i>
Response	Remove person to fresh air and keep comfortable for breathing.

415 FERRIC CHLORIDE

Section 5: Fire-Fighting Measures

Extinguishing Media	In case of fire: Use extinguishing media suitable for surrounding material.
Specific Hazards	Not flammable or combustible. Produces irritating and toxic fumes in fires or in contact with hot surfaces. Prolonged contact with metals in an enclosed space may produce explosive quantities of hydrogen gas.
Combustion Products	Above >200 °C, toxic and corrosive gases including chlorine, hydrogen chloride, and iron oxides may be released.
Fire-Fighter	Wear self-contained breathing apparatus and full fire-fighting turn-out gear.

Section 6: Accidental Release Measures

Personal Protection	See personal protection recommendations in Section 8.
Precautions for Response	Avoid breathing the mist, spray or fumes.
Environmental Precautions	Avoid releasing to the environment. Prevent spill from entering drains and waterways.
Containment Methods	Contain with inert and non-flammable absorbent (such as soil, sand, vermiculite).
Cleaning Methods	Neutralize with lime ($\text{Ca}(\text{OH})_2$ or CaCO_3) or soda ash/sodium carbonate (Na_2CO_3). Collect liquid in a plastic container. Wash spill area with soap and water to remove the last traces of residue.
Disposal Methods	Dispose of spill waste according to Section 13.

415 FERRIC CHLORIDE

Section 7: Handling and Storage

Prevention	Keep out of reach of children. Do not eat, drink or smoke when using this product. Take off all contaminated clothing and wash it before reuse. Avoid release to the environment.
Handling	Keep only in original packaging. Absorb spillage to prevent material-damage. Collect spillage. Wear eye protection, face protection, and protective gloves. Wash thoroughly after handling.
Storage	Store in corrosion resistant container with a resistant inner lining.

Section 8: Exposure Controls/Personal Protection

Substances with Occupational Exposure Limit Values

Chemical Name	Country	Long Term Exposure Limits (PEL)	Short Term Exposure Limits (STEL)
iron trichloride ^{a)} (soluble iron salt)	ACGIH	1 mg/m ³	Not established
	U.S.A. OSHA PEL	1 mg/m ³	Not established
	Canada AB	1 mg/m ³	Not established
	Canada BC	1 mg/m ³	Not established
	Canada ON	1 mg/m ³	Not established
	Canada QC	1 mg/m ³	Not established
iron dichloride ^{a)} (soluble iron salt)	ACGIH	1 mg/m ³	Not established
	U.S.A. OSHA PEL	1 mg/m ³	Not established
	Canada AB	1 mg/m ³	Not established
	Canada BC	1 mg/m ³	Not established
	Canada ON	1 mg/m ³	Not established
	Canada QC	1 mg/m ³	Not established
hydrogen chloride	ACGIH	Not established	2 ppm (Ceiling)
	U.S.A. OSHA PEL	Not established	5 ppm (Ceiling)
	Canada AB	Not established	2 ppm (Ceiling)
	Canada BC	Not established	4.7 ppm (Ceiling)
	Canada ON	Not established	4.7 ppm (Ceiling)
	Canada QC	Not established	5 ppm (Ceiling)

Section continued on the next page

415 FERRIC CHLORIDE

Continued...

Note: Ingredients are listed in descending weight contribution order (from greatest to least). The ACGIH¹, OSHA (Table Z-1), and Canadian provinces exposure limits were consulted. Limits from the RTECS² database and from suppliers' SDS were also consulted. Short term exposure limits (STEL) are for 15 min and long term permissible exposure limits (PEL) for 8 h.

a) Limit for iron salts, soluble as Fe

Engineering Controls

Ventilation Keep airborne concentrations below the occupational exposure limits (OEL).

Personal Protective Equipment

Eye protection Wear appropriate protective eyeglasses or chemical safety goggles.

RECOMMENDATION: Ensure that glasses have side shields for lateral protection.

Skin Protection For likely contacts, use of protective butyl rubber or other chemically resistant gloves.

For incidental contacts, use nitrile or other chemically resistant gloves.

Respiratory Protection For over-exposures up to 10 x OEL of mist or spray, wear respirator such as a N95 particulate respirator or an AG acid gas respirator.

Above 10 x OEL, use a positive-pressure, air-supplied respirator or a self-contained breathing apparatus.

RECOMMENDATION: Consult your local safety supply store to ensure that your respirator has a NIOSH (U.S.) approved filter cartridges appropriate for the ingredients listed in Section 3. The respirator should be fitted to the employee by a professional.

General Hygiene Considerations

Wash hands thoroughly with water and soap after handling.

415 FERRIC CHLORIDE

Section 9: Physical and Chemical Properties

Physical State	Liquid	Lower Flammability Limit	Not applicable
Appearance	Dark red-brown	Upper Flammability Limit	Not applicable
Odor	Slight acidic/iron	Vapor Pressure @20 °C	Negligible
Odor Threshold	Not available	Vapor Density	1 (Air = 1)
pH	<2	Relative Density @25 °C	1.38–1.49
Freezing/Melting Point	-50 °C [-58 °F]	Solubility in Water	Soluble
Initial Boiling Point	110 °C [230 °F]	Partition Coefficient n-octanol/water	Not available
Flash Point	Not applicable	Auto-ignition Temperature ^{b)}	Not available
Evaporation Rate	>1 (BuAc=1)	Decomposition Temperature	Not available
Flammability	Non Flammable	Viscosity @25 °C	Not available

Section 10: Stability and Reactivity

Reactivity	Reacts with metals to form flammable hydrogen gas. React with alkalis (bases).
Chemical Stability	Chemically stable at normal temperatures and pressures
Conditions to Avoid	Avoid extreme heat, open flames, and incompatible substances. Do not use in a manner that forms fumes, vapors, or mist. Above >200 °C, toxic and corrosive gases including chlorine, hydrogen chloride, and iron oxides may be released.
Incompatibilities	Alkali metals, allyl chloride, ethylene oxide, nylon, styrene, strong oxidizing agents, strong bases
Polymerization	Will not occur
Decomposition	Will not decompose under normal conditions. For thermal decomposition, see combustion products in Section 5.

415 FERRIC CHLORIDE

Section 11: Toxicological Information

Summary of Effects and Symptoms by Routes of Exposure

Eyes	Causes redness, severe irritation, pain, or burns.
Skin	Causes redness, pain, or brown stains on skin.
Inhalation	Inhalation of vapors or mist may cause coughing, respiratory tract irritation, or sore throat. Exposure to large doses of hydrogen chloride can cause cough, labored breathing, and shortness of breath.
Ingestion	May cause severe irritation to the mouth, throat, esophagus, and stomach. In large doses, it may also cause abdominal pain, nausea, vomiting, diarrhea.
Chronic	No known effects

Acute Toxicity (Lethal Exposure Concentrations)

Chemical Name	LD50 oral	LD50 dermal	LC50 inhalation
iron trichloride	316 mg/kg Rat	Not available	Not available
iron dichloride	300 mg/kg Rat	2 000 mg/kg Rat	Not available
hydrochloric acid	238—277 mg/kg Rat	5 010 mg/kg Rabbit ^{a)}	4.2 mg/L 1 h Rat (gas)

Note: Toxicity data from the RTECS² and ECHA databases were consulted. The data from supplier SDSs were also consulted.

a) Monsanto reported value

Section continued on the next page

415 FERRIC CHLORIDE

Other Toxicological Effects

Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritation	Mixture causes severe eye damage.
Sensitization (allergic reactions)	Based on available data, the classification criteria are not met.
Carcinogenicity (risk of cancer)	Not classified or listed as a carcinogen under IARC, ACGIH, CA Prop 65, or NTP.
Mutagenicity (risk of heritable genetic effects)	Based on available data, the classification criteria are not met.
Reproductive Toxicity (risk to sex functions)	Based on available data, the classification criteria are not met.
Teratogenicity (risk of fetus malformation)	Based on available data, the classification criteria are not met.
STOT-single exposure	Does not give rise to classification, because the concentration of hydrochloric acid is below the classification threshold.
STOT-repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.

Section 12: Ecological Information

Ecological classifications are based on the IMDG/GHS criteria in conjunction with ecotoxicological data from our suppliers, the European Chemical Agency database (<http://echa.europa.eu>), and other reliable sources.

Iron trichloride is a category 3 acute aquatic pollutant with a LC50 48 h of 23 mg/L for *Oryzias latipes*; EC50 9.6 mg/L *Daphnia magna* (water flea).

Iron dichloride is a category 3 acute aquatic pollutant with a LC50 96 h of 46.6 mg/L for *Oryzias latipes*; EC50 19.0 mg/L *Daphnia magna* (water flea).

Hydrochloric acid is a category 2 acute aquatic pollutant with a LC50 24 h of 4 mg/L for *Carassius auratus* (goldfish); EC50 48 h of 1.5 mg/L *Daphnia magna* (water flea).

Section continued on the next page

415 FERRIC CHLORIDE

Acute Ecotoxicity

Category 3

Harmful to aquatic life

Avoid release to the environment. Collect spillage.

Chronic Ecotoxicity

Based on available data, the classification criteria are not met.

Biodegradability

The content is not readily biodegradable.

Bioaccumulation

Not available

Other Effects

Not available

Section 13: Disposal Information

Dispose of contents in accordance with all local, regional, national, and international regulations.

Section 14: Transport Information

Ground

Refer to TDG regulations (Canadian Transportation of Dangerous Goods regulations);
USA DOT 49 CFR (Parts 100 to 185) **Regulations.**

Sizes 5 L and under

415-500ML, 415-1L, 415-4L

Limited Quantity



Sizes greater than 5 L

415-20L

UN number: UN2582

Shipping Name:
FERRIC CHLORIDE SOLUTION

Class: 8

Packing Group: III

Marine Pollutant: No



Section continued on the next page

415 FERRIC CHLORIDE

Air

Refer to ICAO-IATA Dangerous Goods Regulations.

Sizes 1 L and under

415-500ML*

Limited Quantity

Y841

Combination Pack

Net QTY per Inner

Container 0.5 L

Total Net Qty/Pkg = 1 L



Sizes up to 5 L (Passenger), 60 L (Cargo)

415-500ML, 415-1L, 415-4 L**

UN number: UN2582

Shipping Name: FERRIC CHLORIDE SOLUTION

Class: 8

Packing Group: III

Marine Pollutant: No

Special Provision A803: Must use Packing Group II packaging.



Attention: 415-20L is forbidden by air

* Must be repackaged in combination pack with 1 L max net quantity.

** Size 415-4L may be transported by cargo aircraft only.

Sea

Refer to IMDG regulations.

Sizes 5 L and under

415-500ML, 415-1L, 415-4L

Limited Quantity



Sizes greater than 5 L

415-20L

UN number: UN2582

Shipping Name: FERRIC CHLORIDE SOLUTION

Class: 8

Packing Group: III

Marine Pollutant: No



Note: Shipper must be appropriately trained and certified before involvement with the transport of dangerous goods.

415 FERRIC CHLORIDE

Section 15: Regulatory Information

Canada

Domestic Substance List (DSL) / Non-Domestic Substance Lists (NDSL)

All hazardous ingredients are listed on the DSL/NDSL.

Hazardous Products Act (R.S.C., 1985, c. H-3)

The safety data sheet and label comply with the Hazardous Product Act and WHMIS 2015.


USA

Other Classifications

HMIS® RATING

HEALTH:	2
FLAMMABILITY:	0
PHYSICAL HAZARD:	1
PERSONAL PROTECTION:	

NFPA® 704 CODES



Approximate HMIS and NFPA Risk Ratings Legend:

0 (Low or none); 1 (Slight); 2 (Moderate); 3 (Serious); 4 (Severe)

CAA (Clean Air Act, USA)

This product does not contain any class 1 ozone depleting substances.

This product does not contain any class 2 ozone depleting substances.

This product does not contain ingredients that are listed as hazardous air pollutants.

Section continued on the next page

415 FERRIC CHLORIDE

EPCRA (Emergency Planning and Right to Know Act, USA, 40 CFR 372.45)

This product contains iron dichloride (CAS# 7758-94-3; reportable quantity = 100 lb), iron trichloride (CAS# 7705-08-0; reportable quantity = 1 000 lb), and hydrochloric acid (CAS# 7647-01-0; reportable quantity = 5 000 lb), which can be subject to the CERCLA reporting requirements.

This product does not contain ingredient listed in section 313 Title III of the SARA of 1986 and 40 CFR part 372.

TSCA (Toxic Substances Control Act of 1976, USA)

All substances are TSCA listed.

California Proposition 65 (Chemicals known to cause cancer or reproductive toxicity)

This product does not contain any listed substances in California.

Europe

RoHS (Restriction of Hazardous Substances Directive)

This product does not contain any lead, cadmium, mercury, hexavalent chromium, PBB's, PBDE's, DEHP, BBP, DBP, or DIBP and complies with European RoHS regulations.

WEEE (Waste Electrical and Electronic Equipment Directive)

This product is not a piece of electrical or electronics equipment and is therefore not governed by this regulation.

Section 16: Other Information

SDS Prepared by MG Chemicals' Regulatory Department

Date of Issue 26 February 2020

Supersedes 13 February 2019

Reason for Changes: Update to the emergency phone number information.

Reference

- 1) All toxicological data were checked against the RTECS (Registry of Toxic Effects of Chemical Substances®)
- 2) ACGIH 2017 TLVs and BEIs: Based on the documentation of the threshold limit values for chemical substances and physical agents & biological exposure indices, American Conference of Governmental of Industrial Hygienist Cincinnati, OH (2017).

Section continued on the next page

415 FERRIC CHLORIDE

Abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists (USA)
BBP	Butyl benzyl phthalate
DBP	Dibutyl phthalate
DEHP	Bis(2-ethylhexyl) phthalate
DIBP	Diisobutyl phthalate
EC50	Half maximal effective concentration
EL50	Half maximal effective loading
IARC	International Agency for Research on Cancer
NOELR	No observable effect loading ratio
NTP	National Toxicology Program
GHS	Globally Harmonized System of Classification of Labeling of Chemicals
LC50	Lethal Concentration 50%
LCLo	Lowest published lethal concentration
LD50	Lethal Dose 50%
OEL	Occupational Exposure Limit
PEL	Permissible Exposure Limit
SDS	Safety Data Sheet
STEL	Short-Term Exposure Limit
TCLo	Lowest published toxic concentration
TWA	Time Weighted Average
VOC	Volatile Organic Content

Technical Queries Contact us regarding any questions, improvement suggestions, or problems with this product. Application notes, instructions, and FAQs are located at www.mgchemicals.com.

Email: support@mgchemicals.com

Mailing Addresses *Manufacturing & Support*
1210 Corporate Drive
Burlington, Ontario, Canada
L7L 5R6

Head Office
9347-193rd Street
Surrey, British Columbia, Canada
V4N 4E7

Disclaimer

This safety data sheet is provided as an information resource only. *M.G. Chemicals, Ltd.* believes the information contained herein is accurate and compiled from reliable sources. It is the responsibility of the user to query and verify any information seeming suspect where doubt on the validity may exist. The buyer assumes all responsibility of using and handling the product in accordance with local, regional, national, and international regulations.