

QUESTION

1. A patient with a long history of alcohol abuse presents with a 2-week history of weight loss, weakness, and decreased appetite. Physical examination shows a thin, elderly man with a yellowish tint to his skin and sclera. Laboratory studies show a total bilirubin of 3.5 mg/dL, with a direct bilirubin of 2.8 mg/dL. The patient's liver function tests are as follows:
- | Test | Value |
|----------|---------|
| ALT | 120 U/L |
| AST | 150 U/L |
| ALP | 300 U/L |
| Gamma-GT | 450 U/L |
2. A 65-year-old man with a long history of alcohol abuse presents with a 2-week history of weight loss, weakness, and decreased appetite. Physical examination shows a thin, elderly man with a yellowish tint to his skin and sclera. Laboratory studies show a total bilirubin of 3.5 mg/dL, with a direct bilirubin of 2.8 mg/dL. The patient's liver function tests are as follows:
- | Test | Value |
|----------|---------|
| ALT | 120 U/L |
| AST | 150 U/L |
| ALP | 300 U/L |
| Gamma-GT | 450 U/L |
3. A 65-year-old man with a long history of alcohol abuse presents with a 2-week history of weight loss, weakness, and decreased appetite. Physical examination shows a thin, elderly man with a yellowish tint to his skin and sclera. Laboratory studies show a total bilirubin of 3.5 mg/dL, with a direct bilirubin of 2.8 mg/dL. The patient's liver function tests are as follows:
- | Test | Value |
|----------|---------|
| ALT | 120 U/L |
| AST | 150 U/L |
| ALP | 300 U/L |
| Gamma-GT | 450 U/L |
4. A 65-year-old man with a long history of alcohol abuse presents with a 2-week history of weight loss, weakness, and decreased appetite. Physical examination shows a thin, elderly man with a yellowish tint to his skin and sclera. Laboratory studies show a total bilirubin of 3.5 mg/dL, with a direct bilirubin of 2.8 mg/dL. The patient's liver function tests are as follows:
- | Test | Value |
|----------|---------|
| ALT | 120 U/L |
| AST | 150 U/L |
| ALP | 300 U/L |
| Gamma-GT | 450 U/L |
5. A 65-year-old man with a long history of alcohol abuse presents with a 2-week history of weight loss, weakness, and decreased appetite. Physical examination shows a thin, elderly man with a yellowish tint to his skin and sclera. Laboratory studies show a total bilirubin of 3.5 mg/dL, with a direct bilirubin of 2.8 mg/dL. The patient's liver function tests are as follows:
- | Test | Value |
|----------|---------|
| ALT | 120 U/L |
| AST | 150 U/L |
| ALP | 300 U/L |
| Gamma-GT | 450 U/L |