



Mastercool[®] Inc.
"World Class Quality"

1 ASPEN DRIVE, RANDOLPH, NJ 07869
PHONE: 973-252-9119 / FAX: 973-252-2455
WEB: WWW.MASTERCOOL.COM


THERMAL IMAGING CAMERA



SPECIFICATIONS:

- Thermal Image Resolution: 32 x 32 pixels
- Visual Image Resolution: 640 x 480
- Measurement Range: -4 to 662°F (-20 to 350°C)
- Accuracy (Tamb=20 to 26°C): ±2% of reading, or 4°F (2°C) whichever is greater
- Thermal Sensitivity: 0.1°F (0.1°C)
- Frame Rate: 9 Hz
- Field of View: 33 x 33 deg
- Emissivity Range: 0.95 default – adjustable 0.1 to 1 step 0.01
- Focus: Focus free
- LCD Size: 2.8" (71 mm)
- LCD: Color
- Memory Type: micro SD card up to 32 gb
- Spectral Range: 8 to 14 um
- Battery Type: 3.7V Li-ion rechargeable battery
- Battery Life (with back-lit): 3 hours continuous use
- Dimensions: 96.29 x 74.03 x 233.68mm (3.79 x 2.91 x 9.20 inch)

VISIBLE CAMERA:



52325 THERMAL IMAGING CAMERA

with carry case, micro SD card, USB cord, batteries and instructions

- Fully Automatic
- Focus Free
- Superior Measurement/Accuracy
- Micro SD Card Storage