



Item # _____

Job _____



Basix™

Basix™ – Reliable performance for any application.

Basix™ is constructed from a strong steel alloy to endure the rigors of a daily routine while providing a safe, ergonomic and flexible work area for the user. The Basix line of carts is available in four styles: Basix, Basix Compact, Basix Plus and Basix Plus Compact. Basix Plus and Basix Plus Compact are covered under separate specification sheets due to the many enhancements over the standard line.

- **Safe** - The polymer base protects the cart and surrounding environment from incidental contact. The base is designed to allow the 5" (127mm) casters to be mounted outboard of the cabinet, which keeps the cart stable when a fully loaded drawer is accessed.
- **Ergonomic** - Polymer top provides a user-friendly work surface. Optional accessory push handles can be mounted in an ergonomic fashion to allow for easy pushing or pulling of the cart.
- **Flexible** - User defined configurations can be accommodated by filling an empty cart shell with desired 3", 6", 9" and 12" (76, 152, 229, 305 mm) drawer heights.
- **Accessible** – Full-extension drawers and a full array of accessories put equipment and supplies where needed for convenient access. Optional drawer dividers keep supplies neat and organized.
- **Mobile** - This cabinet comes with 5" (127mm) diameter casters (2 with swivel brakes, 2 with swivel-lock) allowing it to be rolled easily from location to location or moved for convenience when cleaning.
- **Accessories** - A full array of task support accessories are available for above the work surface or the side of the cart.



MBX4101TL, MB-TE (Teal)



MBX3210TL, MB-SG (Seafoam Green)
with Accessory Package MBXANES-1



InterMetro Industries Corporation
North Washington Street
Wilkes-Barre, PA 18705
www.metro.com

36-20



Basix™ Carts and Drawers

M	B	X	3	1	1	0	S	B					
Metro	Basix	Standard	3" Drawers	6" Drawers	9" Drawers	12" Drawers	Color Tone ¹	Lock Type ²					
¹ Color Tone:		S- Solid - Cart body color matches drawer front color											
		T- Two Tone - Cart body color is light taupe											
² Lock Type:		B- Breakaway Lock Bar L- Keyed Lock											

Part No.	Drawer Space (in.) (mm)		Drawer Config.	Color	Lock	Height (in.) (mm)		Width (in.) (mm)		Length (in.) (mm)		Approx. Pkd. Wt. (lbs.) (kg)	
MBX3110SB	24	610	3 - 3" 1 - 6" 1 - 9"	Solid	Breakaway Lock Bar	38 1/2	978	24 1/8	613	30	762	151	72
MBX3110TB	24	610	3 - 3" 1 - 6" 1 - 9"	Two Tone	Breakaway Lock Bar	38 1/2	978	24 1/8	613	30	762	151	72
MBX3110SL	24	610	3 - 3" 1 - 6" 1 - 9"	Solid	Key Lock	38 1/2	978	24 1/8	613	30	762	151	72
MBX3110TL	24	610	3 - 3" 1 - 6" 1 - 9"	Two Tone	Key Lock	38 1/2	978	24 1/8	613	30	762	151	72
MBX1210TL	24	610	1 - 3" 2 - 6" 1 - 9"	Two Tone	Key Lock	38 1/2	978	24 1/8	613	30	762	151	72
MBX4101SB	30	762	4 - 3" 1 - 6" 1 - 12"	Solid	Breakaway Lock Bar	45	1140	24 1/8	613	30	762	159	75
MBX4101TB	30	762	4 - 3" 1 - 6" 1 - 12"	Two Tone	Breakaway Lock Bar	45	1140	24 1/8	613	30	762	159	75
MBX3210TB	30	762	3 - 3" 2 - 6" 1 - 9"	Two Tone	Breakaway Lock Bar	45	1140	24 1/8	613	30	762	159	75
MBX4101SL	30	762	4 - 3" 1 - 6" 1 - 12"	Solid	Key Lock	45	1140	24 1/8	613	30	762	159	75
MBX4101TL	30	762	4 - 3" 1 - 6" 1 - 12"	Two Tone	Key Lock	45	1140	24 1/8	613	30	762	159	75
MBX2201TL	30	762	2 - 3" 2 - 6" 1 - 12"	Two Tone	Key Lock	45	1140	24 1/8	613	30	762	159	75
MBX3210TL	30	762	3 - 3" 2 - 6" 1 - 9"	Two Tone	Key Lock	45	1140	24 1/8	613	30	762	159	75

Basix™ Carts and Drawers

M	B	X	24	S	B
Metro	Basix	Standard Drawer Space (in.)	24	Vertical	Color Tone Lock Type



MBX24SL with drawers

Empty Carts

Part No.	Drawer Space		Drawer Config.	Color	Lock	Height		Width		Length	
	(in.)	(mm)				(in.)	(mm)	(in.)	(mm)	(in.)	(mm)
MBX24SB	24	610	Empty	Solid	Breakaway Lock Bar	38 ¹ / ₂	978	24 ¹ / ₈	613	30	762
MBX24TB	24	610	Empty	Two Tone	Breakaway Lock Bar	38 ¹ / ₂	978	24 ¹ / ₈	613	30	762
MBX24SL	24	610	Empty	Solid	Key Lock	38 ¹ / ₂	978	24 ¹ / ₈	613	30	762
MBX24TL	24	610	Empty	Two Tone	Key Lock	38 ¹ / ₂	978	24 ¹ / ₈	613	30	762
MBX30SB	30	762	Empty	Solid	Breakaway Lock Bar	45	1140	24 ¹ / ₈	613	30	762
MBX30TB	30	762	Empty	Two Tone	Breakaway Lock Bar	45	1140	24 ¹ / ₈	613	30	762
MBX30SL	30	762	Empty	Solid	Key Lock	45	1140	24 ¹ / ₈	613	30	762
MBX30TL	30	762	Empty	Two Tone	Key Lock	45	1140	24 ¹ / ₈	613	30	762

Drawers

Part No.	Description	Interior Dimension						Weight Capacity	
		Height		Width		Length		(lbs.)	(kg)
		(in.)	(mm)	(in.)	(mm)	(in.)	(mm)		
MBX103	3" Deep Drawer	2 ⁷ / ₈	73	17	432	22 ¹ / ₄	565	50	24
MBX106	6" Deep Drawer	6 ¹ / ₄	159	17	432	22 ¹ / ₄	565	50	24
MBX109	9" Deep Drawer	9 ³ / ₈	238	17	432	22 ¹ / ₄	565	50	24
MBX112	12" Deep Drawer	12 ¹ / ₂	318	17	432	22 ¹ / ₄	565	50	24

Colors

MB-BG Blue Gray	MB-CB Crash Cart Blue	MB-CR Cranberry	MB-DB Dark Blue	MB-DT Dark Taupe	MB-HG Hunter Green	MB-LA Lavender
MB-LT Light Taupe	MB-MA Mauve	MB-RE Red	MB-SB Slate Blue	MB-SG Seafoam Green	MB-TE Teal	MB-YE Yellow

Job _____



Basix™

Basix Specifications:

- Cart Body: Double wall construction
Inner wall: 22 gauge (.030"/.8mm) steel
Outer wall: 20 gauge (.036"/.9mm) steel
Finish: Powder coated
- Base: Blow-molded, high-density polyethylene
Steel reinforced caster channels
Caster mounts located outside of cart body footprint to provide counterbalance to full extension drawers
- Work Surface: .125" (3mm) ABS , raised on four sides
Dimensions: 1¹/₄" H x 18¹/₂" W x 26³/₄" L (32H x 470W x 679mmL)
Usable work space: 17" x 25" (432mm x 635mm)
- Casters: 5" (127mm) diameter with polyurethane tread
2 swivel-brake, 2 swivel-lock (coverts from swivel to rigid)
200 lbs. (90kg) per caster, 600lbs. (270kg) per cart
- Drawers: 50 lbs. (23kg) load rating per drawer
- Body: 22 Gauge (.030"/.8mm) steel w/16 gauge (.060"/2mm) lock clips
Finish: Powder coated
- Fronts: .032" (.8mm) coated aluminum
Finish: Powder coated
- Pull: Polymer
- Slides: Zinc-Plated Steel
Load Rating: 100 Lbs.(45kg)/set
- Lock: Bright Nickel Type 3
G Cam, 7/8" (22mm) Cylinder
2 Keys,
Coded on lock and keys

All Metro Catalog Sheets are available on our Web Site: www.metro.com



InterMetro Industries Corporation
North Washington Street, Wilkes-Barre, PA 18705
Phone: 570-825-2741 • Fax: 570-825-2852
For Product Information Call: 1-800-433-2232

L03-244
Revised 1/09

Information and specifications are subject to change
without notice. Please confirm at time of order.

Copyright © 2003 InterMetro Industries Corp.

36-20

Basix™

