Item #



Job _____

Basix Plus[™]-

All the basics, plus lighter, cleaner and easier.

Basix Plus[™] is constructed from a combination of materials to endure the rigors of a daily routine while providing a safe, ergonomic and flexible work area for the user. The cabinet is made of steel to provide a solid structure. The drawers are made from aluminum to reduce the overall weight of the cart. The polymer base reduces overall weight and provides impact protection to the cart and surrounding environment.

- **Lighter** Basix Plus carts are made lighter than typical all-steel carts by utilizing aluminum drawers and polymer components such as the polymer base, cart top and corner extrusions.
- **Cleaner** Polymer corner extrusions provide accessory attachment channels that are accessible for cleaning. The cart's steel shell is not compromised by pre-drilled holes.
- **Easier** Lighter weight carts are easier to push, and reduce back strain. Accessible accessory channels are easier to clean. Accessory attachment panel provides flexibility for easier accessory positioning.
- **Safe** The base allows the casters to be mounted outboard of the cabinet providing an anti-tip mechanism. The polymer base doubles as the cart's bumper.
- **Ergonomic** Push handles are molded into to the polymer cart top providing a natural position to either push or pull the cart. Cart top has a contoured front lip to provide a comfortable work space.
- **Flexible** User defined configurations can be accommodated by filling an empty cart shell with desired drawer heights. Choose from 3", 6", 9" and 12" (76, 152, 229, 305 mm) drawer heights.
- Accessible Full-extension drawers and a full array of accessories put equipment and supplies where needed for convenient access.



MBP3210TL, MB-DB (Dark Blue)



MBP3210TL, MB-LT (Light Taupe) with Accessory Package MBPANES-2



Basix Plus



InterMetro Industries Corporation North Washington Street Wilkes-Barre, PA 18705 www.metro.com



Basix Plus[™] Carts and Drawers

	Μ	В	Р	3	1		1	0		S		Ν	
	Metro Type ²	Basix	Plus	3" Drawers	6" Drawers	9"	Drawers	12" Dra	awers	Color Ton	e ¹	Lock	
	¹ Color To			rt body color n Cart body colo			color						
		er Space	Drawer			Heig		Wic			ngth	Approx.	
Part No.	(in.)	(mm)	Config. 3 - 3"	Color	Lock	(in.)	(mm)	(in.)	(mm)	(in.)	(mm)	(lbs.)	(kg
MBP3110S	SN 24	610	1 - 6" 1 - 9"	Solid	None	381/2	978	241/8	613	30	762	151	72
MBP3110T	[−] N 24	610	3 - 3" 1 - 6" 1 - 9"	Two Tone	None	38 ¹ / ₂	978	241/8	613	30	762	151	72
MBP1210T	N 24	610	1 - 3" 2 - 6" 1 - 9"	Two Tone	None	38 ¹ /2	978	241/8	613	30	762	151	72
MBP3110S	SB 24	610	3 - 3" 1 - 6" 1 - 9"	Solid	Breakaway Lock Bar	38 ¹ / ₂	978	241/8	613	30	762	151	72
MBP3110T	TB 24	610	3 - 3" 1 - 6" 1 - 9"	Two Tone	Breakaway Lock Bar	381/2	978	24 ¹ / ₈	613	30	762	151	72
MBP31105	SL 24	610	3 - 3" 1 - 6" 1 - 9"	Solid	Key Lock	38 ¹ / ₂	978	241/8	613	30	762	151	72
MBP31107	FL 24	610	3 - 3" 1 - 6" 1 - 9"	Two Tone	Key Lock	38 ¹ / ₂	978	24 ¹ /8	613	30	762	151	72
MBP12101	TL 24	610	1 - 3" 2 - 6" 1 - 9"	Two Tone	Key Lock	38 ¹ / ₂	978	24 ¹ /8	613	30	762	151	72
MBP01207	ΓL 24	610	1 - 6" 2 - 9"	Two Tone	Key Lock	38 ¹ / ₂	978	24 ¹ / ₈	613	30	762	151	72
MBP4101S	SN 30	762	4 - 3" 1 - 6" 1 - 12"	Solid	None	45	1140	241/8	613	30	762	159	75
MBP4101T	⁻ N 30	762	4 - 3" 1 - 6" 1 - 12"	Two Tone	None	45	1140	241/8	613	30	762	159	75
MBP3210T	⁻ N 30	762	3 - 3" 2 - 6" 1 - 9"	Two Tone	None	45	1140	241/8	613	30	762	159	75
MBP3210S	SN 30	762	3 - 3" 2 - 6" 1 - 9"	Solid	None	45	1140	241/8	613	30	762	159	75
MBP4101S	SB 30	762	4 - 3" 1 - 6" 1 - 12"	Solid	Breakaway Lock Bar	45	1140	241/8	613	30	762	159	75
MBP4101T	ГВ 30	762	4 - 3" 1 - 6" 1 - 12"	Two Tone	Breakaway Lock Bar	45	1140	241/8	613	30	762	159	75
MBP41018	GL 30	762	4 - 3" 1 - 6" 1 - 12"	Solid	Key Lock	45	1140	241/8	613	30	762	159	75
MBP41011	ΓL 30	762	4 - 3" 1 - 6" 1 - 12"	Two Tone	Key Lock	45	1140	241/8	613	30	762	159	75
MBP32101	TL 30	762	3 - 3" 2 - 6" 1 - 9"	Two Tone	Key Lock	45	1140	241/8	613	30	762	159	75



Basix Plus[™] Carts and Drawers

МВ	Р	24	S	Ν	
Metro	Basix		Vertical	Color Tone	Lock Type
	S	Drawer pace (in)		



MBP30TL with drawers


Empty Carts

	Drawer Space		pace Drawer			Hei	ight	Ler	ngth	Wi	Width	
Part No.	(in.)	(mm)	Config.	Color	Lock	(in.)	(mm)	(in.)	(mm)	(in.)	(mm)	
MBP24SN	24	610	Empty	Solid	None	38 ¹ /2	978	241/8	613	30	762	
MBP24TN	24	610	Empty	Two Tone	None	38 ¹ /2	978	241/8	613	30	762	
MBP24SB	24	610	Empty	Solid	Breakaway Lock Bar	38 ¹ /2	978	241/8	613	30	762	
MBP24TB	24	610	Empty	Two Tone	Breakaway Lock Bar	38 ¹ /2	978	241/8	613	30	762	
MBP24SL	24	610	Empty	Solid	Key Lock	38 ¹ /2	978	241/8	613	30	762	
MBP24TL	24	610	Empty	Two Tone	Key Lock	38 ¹ /2	978	241/8	613	30	762	
MBP30SN	30	762	Empty	Solid	None	45	1140	241/8	613	30	762	
MBP30TN	30	762	Empty	Two Tone	None	45	1140	24 ¹ /8	613	30	762	
MBP30SB	30	762	Empty	Solid	Breakaway Lock Bar	45	1140	241/8	613	30	762	
MBP30TB	30	762	Empty	Two Tone	Breakaway Lock Bar	45	1140	24 ¹ /8	613	30	762	
MBP30SL	30	762	Empty	Solid	Key Lock	45	1140	24 ¹ /8	613	30	762	
MBP30TL	30	762	Empty	Two Tone	Key Lock	45	1140	24 ¹ /8	613	30	762	

Drawers

Drawers					imensions		1.		
Part No.	Description	Hei (in.)	ght (mm)	(in.)	idth (mm)	Len (in.)	igth (mm)	(lbs.)	Capacity (kg)
	3" Deep Drawer	27/8	73	17	432	221/4	565	50	24
MBP106	6" Deep Drawer	6 ¹ /4	159	17	432	221/4	565	50	24
MBP109	9" Deep Drawer	9 ¹ / ₄	234	17	432	221/4	565	50	24
MBP112	12" Deep Drawer	12 ¹ /2	318	17	432	221/4	565	50	24

Colors



Basix[™] Plus

Job

Basix[™] Plus Specifications:

Cart Body:		Double wall construction Inner wall: 22 gauge (.030"/.8mm) steel Outer wall: 20 gauge (.036"/.9mm) steel Finish: Powder coated						
Base:		Blow-molded, high-density polyethylene Steel reinforced caster channels Caster mounts located outside of cart body footprint to provide counterbalance to full-extension drawers						
Corner Extru	sions:	3 channel PVC 125 (3mm) wall thickness						
Work Surface	9:	.125" (3mm) ABS, 19 ¹ / ₂ " x 27 ¹ / ₄ " (495 x 692mm) Molded in handgrips Raised on three sides 1 ⁵ / ₈ " (41mm) Front lip ¹ / ₂ " (13mm) H Usable work space: 16" x 23" (406 x 584mm) Molded in pencil holder, pill/paper clip holders						
Casters:		5" (127mm) diameter with polyurethane tread 2 swivel-brake, 2 swivel-lock (converts from swivel to rigid) 200 lbs. (90kg) per caster, 600lbs. (270kg) per cart						
Drawers:		50 lbs. (23kg) load rating per drawer						
	Body:	.032" (.8mm) coated aluminum Finish: Powder coated						
	Fronts:	.032" (.8mm) coated aluminum Finish: Powder coated						
	Pull:	Polymer						
	Slides:	Zinc-Plated Steel Load Rating: 100 Lbs.(45kg)/set						
Lock:		Bright Nickel Type 3 G Cam, ⁷ / ₃ " (22mm) Cylinder 2 Keys, Coded on lock and keys						

All Metro Catalog Sheets are available on our Web Site: www.metro.com



InterMetro Industries Corporation North Washington Street, Wilkes-Barre, PA 18705 Phone: 570-825-2741 • Fax: 570-825-2852 For Product Information Call: 1-800-433-2232

L03-245 Revised 1/09 Information and specifications are subject to change without notice. Please confirm at time of order. Copyright © 2003 InterMetro Industries Corp.