

U-WAVE-TM/TMB compatible Digimatic micrometers/heads

* Current product

Order No.	Product name	Unit	Connecting unit	
293-140	QuantuMike	mm	02AZF310	
*293-140-30				
293-141				
*293-141-30				
293-142				
*293-142-30				
293-143				
*293-143-30				
293-180				
*293-180-30				
293-181				
*293-181-30				
293-182				
*293-182-30				
293-183				
*293-183-30				
293-230		Coolant proof micrometer		inch/mm
*293-230-30				
293-231				
*293-231-30				
293-232				
*293-232-30				
293-233				
*293-233-30				
293-234				
*293-234-30				
293-235				
*293-235-30				
293-236				
*293-236-30				
293-237				
*293-237-30				
293-238				
293-250	mm			
293-250-10				
*293-250-30				
293-251				
293-251-10				
*293-251-30				
293-252				
293-252-10				
*293-252-30				
293-253				
293-253-10				
*293-253-30				
293-254				
293-254-10				
*293-254-30				
293-255				
293-255-10				
*293-255-30				
293-256				
293-256-10				
*293-256-30				

* Current product

Order No.	Product name	Unit	Connecting unit
293-257	Coolant proof micrometer	mm	02AZF310
293-257-10			
*293-257-30			
293-330			
*293-330-30			
293-331			
*293-331-30			
293-332			
*293-332-30			
293-333			
*293-333-30			
293-334			
*293-334-30			
293-335			
*293-335-30			
293-336			
*293-336-30			
293-350		inch/mm	
293-350-10			
*293-350-30			
293-351			
293-351-10			
*293-351-30			
293-352			
293-352-10			
*293-352-30			
293-353			
293-353-10			
*293-353-30			
293-354			
293-354-10			
*293-354-30			
293-355			
293-355-10			
*293-355-30			
293-356			
293-356-10			
*293-356-30			
293-357			
293-357-10			
*293-357-30			
293-960	mm		
*293-960-30			
293-961			
*293-961-30			
293-962			
*293-962-30			
293-963			
*293-963-30			
293-964			
293-965			
293-966			
*293-966-30			

* Current product

Order No.	Product name	Unit	Connecting unit
314-251	V-anvil micrometer	mm	02AZF310
314-251-10			
*314-251-30			
314-252			
314-252-10			
*314-252-30			
314-253			
314-253-10			
*314-253-30			
314-261			
314-261-10			
*314-261-30			
314-262			
314-262-10			
*314-262-30			
314-351		inch/mm	
314-351-10			
*314-351-30			
314-352			
314-352-10			
*314-352-30			
314-353			
314-353-10			
*314-353-30			
314-361			
314-361-10			
*314-361-30			
314-362			
314-362-10			
*314-362-30			
317-251	mm		
*317-251-30			
317-252			
*317-252-30			
317-351		inch/mm	
*317-351-30			
317-352	mm		
*317-352-30			
323-250			
*323-250-30			
323-251			
*323-251-30			
323-252			
*323-252-30			
323-253			
*323-253-30			
323-350		inch/mm	
*323-350-30			
323-351			
*323-351-30			
323-352			
*323-352-30			
323-353			
*323-353-30			

* Current product

Order No.	Product name	Unit	Connecting unit
324-251	Gear tooth micrometer	mm	02AZF310
324-251-10			
*324-251-30			
324-252			
324-252-10			
*324-252-30			
324-253			
324-253-10			
*324-253-30			
324-254			
324-254-10			
*324-254-30			
324-351		inch/mm	
324-351-10			
*324-351-30			
324-352			
324-352-10			
*324-352-30			
324-353			
324-353-10			
*324-353-30			
324-354			
324-354-10			
*324-354-30			
326-251	Screw thread micrometer	mm	
326-251-10			
*326-251-30			
326-252			
326-252-10			
*326-252-30			
326-253			
326-253-10			
*326-253-30			
326-254			
326-254-10			
*326-254-30			
326-351		inch/mm	
326-351-10			
*326-351-30			
326-352			
326-352-10			
*326-352-30			
326-353			
326-353-10			
*326-353-30			
326-354			
326-354-10			
*326-354-30			
329-250	Depth micrometer	mm	
329-250-10			
*329-250-30			
329-251			
329-251-10			
*329-251-30			
329-350	inch/mm		

* Current product

Order No.	Product name	Unit	Connecting unit
329-350-10	Depth micrometer	inch/mm	02AZF310
*329-350-30			
329-351			
329-351-10			
*329-351-30			
331-251	Spline micrometer	mm	02AZF310
*331-251-30			
331-252			
*331-252-30			
331-253			
*331-253-30			
331-254			
*331-254-30			
331-261			
*331-261-30			
331-262			
*331-262-30			
331-263			
*331-263-30			
331-264			
*331-264-30			
331-351		inch/mm	
*331-351-30			
331-352			
*331-352-30			
331-353			
*331-353-30			
331-354			
*331-354-30			
331-361			
*331-361-30			
340-251	Outside micrometer	mm	02AZF310
340-251-10			
*340-251-30			
340-252			
340-252-10			
*340-252-30			
340-351		inch/mm	
340-351-10			
*340-351-30			
340-352			
340-352-10			
*340-352-30	Point micrometer	mm	02AZF310
342-251			
*342-251-30			
342-252			
*342-252-30			
342-253			

* Current product

Order No.	Product name	Unit	Connecting unit			
*342-253-30	Point micrometer	mm	02AZF310			
342-254						
*342-254-30						
342-261						
*342-261-30						
342-262						
*342-262-30						
342-263						
*342-263-30						
342-264						
*342-264-30						
342-271				Crimp height micrometer		
*342-271-30						
342-351				Point micrometer	inch/mm	02AZF310
*342-351-30						
342-352						
*342-352-30						
342-353						
*342-353-30						
342-354						
*342-354-30						
342-361						
*342-361-30						
342-362						
*342-362-30						
342-363						
*342-363-30						
342-364						
*342-364-30	Crimp height micrometer					
342-371						
*342-371-30	Caliper type outside micrometer	mm	02AZF310			
343-250						
*343-250-30						
343-251						
*343-251-30						
343-252						
*343-252-30						
343-253		inch/mm				
*343-253-30						
343-350						
*343-350-30						
343-351						
*343-351-30						
343-352		Caliper type inside micrometer		mm	02AZF310	
*343-352-30						
343-353						
*343-353-30						
345-250	inch/mm					
345-250-10						
*345-250-30						
345-251						
345-251-10						
*345-251-30						
345-350						

* Current product

Order No.	Product name	Unit	Connecting unit
345-350-10	Caliper type inside micrometer	inch/mm	
*345-350-30			
345-351			
345-351-10			
*345-351-30			
350-251	Digimatic micrometer head	mm	02AZF310
350-251-10			
*350-251-30			
350-252			
350-252-10			
*350-252-30			
350-253			
350-253-10			
*350-253-30			
350-254			
350-254-10			
*350-254-30			
350-261			
350-261-10			
*350-261-30			
350-271			
350-271-10			
*350-271-30			
350-272			
350-272-10			
350-272-20			
*350-272-30			
350-273			
350-273-10			
*350-273-30			
350-274			
350-274-10			
350-274-20			
*350-274-30			
350-281			
350-281-10			
*350-281-30			
350-282			
350-282-10			
*350-282-30			
350-283			
350-283-10			
*350-283-30			
350-284			
350-284-10			
*350-284-30			
350-351	inch/mm		
350-351-10			
*350-351-30			
350-352			
350-352-10			
*350-352-30			
350-353			
350-353-10			

* Current product

Order No.	Product name	Unit	Connecting unit			
*350-353-30	Digimatic micrometer head	inch/mm				
350-354						
350-354-10						
*350-354-30						
350-357-10						
*350-357-30						
350-361						
350-361-10						
*350-361-30						
350-381						
350-381-10						
*350-381-30						
350-382						
350-382-10						
*350-382-30						
350-383						
350-383-10						
*350-383-30						
350-384						
350-384-10						
*350-384-30						
369-250				Disk micrometer	mm	02AZF310
*369-250-30						
369-251						
*369-251-30						
369-252						
*369-252-30						
369-253						
*369-253-30						
369-350						
*369-350-30						
369-351						
*369-351-30						
369-352						
*369-352-30						
369-353						
*369-353-30						
389-251	Sheet metal micrometer	mm				
*389-251-30						
389-252						
*389-252-30						
389-261						
*389-261-30						
389-262						
*389-262-30						
389-271						
*389-271-30						
389-272						
*389-272-30						
389-351						
*389-351-30						
389-352						
*389-352-30						
389-361						
		inch/mm				

* Current product

Order No.	Product name	Unit	Connecting unit
*389-361-30	Sheet metal micrometer	inch/mm	02AZF310
389-362			
*389-362-30			
389-371			
*389-371-30			
389-372			
*389-372-30			
395-251	Tube micrometer	mm	
*395-251-30			
395-252			
*395-252-30			
395-253			
*395-253-30			
395-254			
*395-254-30			
395-261			
*395-261-30			
395-262			
*395-262-30			
395-263			
*395-263-30			
395-264			
*395-264-30			
395-271			
*395-271-30			
395-272			
*395-272-30			
395-273			
*395-273-30			
395-274			
*395-274-30			
395-351		inch/mm	
*395-351-30			
395-352			
*395-352-30			
395-353			
*395-353-30			
395-354			
*395-354-30			
395-362			
*395-362-30			
395-363			
*395-363-30			
395-364			
*395-364-30			
395-371			
*395-371-30			
395-372			
*395-372-30			
395-373			
*395-373-30			
395-374			
*395-374-30			

* Current product

Order No.	Product name	Unit	Connecting unit
406-250	Outside micrometer, non-rotating spindle	mm	02AZF310
*406-250-30			
406-251			
*406-251-30			
406-252			
*406-252-30			
406-253			
*406-253-30			
406-350		inch/mm	
*406-350-30			
406-351			
*406-351-30			
406-352			
*406-352-30			
406-353			
*406-353-30			
422-230		Blade micrometer, non-rotating spindle	
*422-230-30			
422-231			
*422-231-30			
422-232			
*422-232-30			
422-233			
*422-233-30			
422-260			
*422-260-30			
422-261			
*422-261-30			
422-270			
*422-270-30			
422-271			
*422-271-30			
422-330	inch/mm		
*422-330-30			
422-331			
*422-331-30			
422-332			
*422-332-30			
422-333			
*422-333-30			
422-360			
*422-360-30			
422-361			
*422-361-30			
422-370			
*422-370-30			
422-371			
*422-371-30			

U-WAVE-TC/TCB compatible Digimatic caliper/depth gage

* Current product

Order No.	Product name	Unit	Connecting unit
500-150-20	ABS Digimatic caliper	mm	02AZF300
*500-150-30			
500-151-20			
*500-151-30			
500-152-20			
*500-152-30			
500-153			
*500-153-30			
500-154-20			
*500-154-30			
500-155-20			
*500-155-30			
500-156-20			
*500-156-30			
500-157-20			
*500-157-30			
500-158-20			
*500-158-30			
500-161-21			
*500-161-30			
500-162-21			
*500-162-30			
500-167			
*500-167-30			
500-168			
*500-168-30			
500-170-20			
*500-170-30			
500-171-20			
*500-171-30			
500-172-20			
*500-172-30			
500-173			
*500-173-30			
500-174-20			
*500-174-30			
500-175-20			
*500-175-30			
500-176-20			
*500-176-30			
500-177-20			
*500-177-30			
500-178-20			
*500-178-30			
500-201-21	mm		
*500-201-30	inch/mm		
500-202-21	mm		
*500-202-30	inch/mm		
500-203-21	mm		
*500-203-30	inch/mm		
500-204-21	mm		
*500-204-30	mm		
500-205			
*500-205-30			

* Current product

Order No.	Product name	Unit	Connecting unit	
500-233-21	ABS Digimatic caliper	mm	02AZF300	
*500-233-30				
500-234-21				
*500-234-30				
500-235-21				
*500-235-30				
500-236-21				
*500-236-30				
500-443				
500-444				
500-445				
500-463				inch/mm
500-464				
500-465				
571-201-20				Depth gage
*571-201-30				
571-202-20				
*571-202-30				
571-203-20				
*571-203-30				
571-211-20	inch/mm			
*571-211-30				
571-212-20				
*571-212-30				
571-213-10				
*571-213-30				
573-191-20	ABS low force caliper	mm		
*573-191-30		inch/mm		
573-291-20				
*573-291-30				
500-712-10	ABS coolant proof caliper	mm	02AZF310	
*500-712-20				
500-713-10				
*500-713-20				
500-714-10				
*500-714-20				
500-716-11				
*500-716-20				
500-717-11				
*500-717-20				
500-718-11				
*500-718-20				
500-719-10				
*500-719-20				
500-720-11		inch/mm		
*500-720-20				
500-721-10		mm		
*500-721-20				
500-722-10				
*500-722-20				
500-723-10				
*500-723-20				
500-724-10				
*500-724-20				

* Current product

Order No.	Product name	Unit	Connecting unit		
500-727-11	ABS coolant proof caliper	mm	02AZF310		
*500-727-20					
500-728-11					
*500-728-20					
500-735-10					
500-735-20					
500-736-10					
*500-736-20					
500-737-10					
*500-737-20					
500-738-10					
*500-738-20					
500-762-10					
*500-762-20					
500-763-10					
*500-763-20					
500-764-10					
*500-764-20					
500-769-10					
*500-769-20					
550-301-10	ABS Digimatic caliper, nib style jaws	mm			
*550-301-20		inch/mm			
550-311-10		mm			
*550-311-20		inch/mm			
550-341-10		inch/mm			
*550-341-20	inch/mm				
551-301-10	ABS Digimatic caliper, nib style and standard jaws	mm			
*551-301-20		inch/mm			
551-311-10		inch/mm			
*551-311-20		mm			
551-331-10		mm			
*551-331-20	inch/mm				
551-341-10	inch/mm				
*551-341-20	inch/mm				
571-100-20	Tire tread depth gage	mm			
*571-200-20					
571-251-10	Depth gage		mm		
*571-251-20					
571-252-10					
*571-252-20					
571-253-10					
*571-253-20					
571-254-10					
*571-254-20					
571-255-10					
*571-255-20					
571-261-10				inch/mm	mm
*571-261-20					
571-262-10					
*571-262-20					
571-263-10					
*571-263-20					

* Current product

Order No.	Product name	Unit	Connecting unit	
571-264-10	Depth gage	inch/mm	02AZF310	
*571-264-20				
571-265-10				
*571-265-20				
571-301-10				
*571-301-20				
571-302-10				
*571-302-20				
571-311-10				
571-311-20				
571-312-10				
*571-312-20				
573-601		Dedicated caliper		mm
*573-601-20				
573-602				
*573-602-20				
573-604				
*573-604-20				
573-605				
*573-605-20				
573-606				
*573-606-20				
573-608				
*573-608-20				
573-611				
*573-611-20				
573-612				
*573-612-20				
573-614				
*573-614-20				
573-615				
*573-615-20				
573-616				
*573-616-20				
573-618				
*573-618-20				
573-621				
*573-621-20				
573-622				
*573-622-20				
573-625				
*573-625-20				
573-626				
*573-626-20				
573-634				
*573-634-20				
573-635				
*573-635-20				
573-645				
*573-645-20				
573-646				
*573-646-20				
573-647				
*573-647-20				

* Current product

Order No.	Product name	Unit	Connecting unit
573-648	Dedicated caliper	mm	02AZF310
*573-648-20			
573-651			
*573-651-20			
573-652			
*573-652-20			
573-653			
*573-653-20			
573-654			
*573-654-20			
573-661			
573-661-20			
573-662			
*573-662-20			
573-676			
*573-676-20			
573-677			
*573-677-20			
573-679			
*573-679-20			
573-701		inch/mm	
*573-701-20			
573-702			
*573-702-20			
573-704			
*573-704-20			
573-705			
*573-705-20			
573-706			
*573-706-20			
573-708			
*573-708-20			
573-721			
*573-721-20			
573-725			
*573-725-20			
573-734			
*573-734-20			
573-745			
*573-745-20			
573-746			
*573-746-20			
573-751			
*573-751-20			
573-752			
*573-752-20			
573-761			
*573-761-20			