

U-WAVE-TM compatible Digimatic micrometers/heads

This list is provided with E12000(3)

Currently available/ Discontinued products	Product name	mm/inch	Order No.	Measuring range
Currently available products	QuantuMike	mm	293-140-30	0 - 25 mm
			293-141-30	25 - 50 mm
			293-142-30	50 - 75 mm
			293-143-30	75 - 100 mm
		inch/mm	293-180-30	0 - 1 in
			293-181-30	1 - 2 in
			293-182-30	2 - 3 in
	293-183-30		3 - 4 in	
	Coolant proof micrometer	mm	293-230-30	0 - 25 mm
			293-231-30	25 - 50 mm
			293-232-30	50 - 75 mm
			293-233-30	75 - 100 mm
			293-234-30	0 - 25 mm
			293-235-30	25 - 50 mm
			293-236-30	50 - 75 mm
			293-237-30	75 - 100 mm
			293-250-30	100 - 125 mm
			293-251-30	125 - 150 mm
			293-252-30	150 - 175 mm
			293-253-30	175 - 200 mm
			293-254-30	200 - 225 mm
			293-255-30	225 - 250 mm
			293-256-30	250 - 275 mm
			293-257-30	275 - 300 mm
		inch/mm	293-330-30	0 - 1 in
			293-331-30	1 - 2 in
			293-332-30	2 - 3 in
			293-333-30	3 - 4 in
			293-334-30	0 - 1 in
			293-335-30	0 - 1 in
			293-336-30	1 - 2 in
			293-350-30	4 - 5 in
			293-351-30	5 - 6 in
			293-352-30	6 - 7 in
			293-353-30	7 - 8 in
			293-354-30	8 - 9 in
			293-355-30	9 - 10 in
	V-anvil micrometer	mm	314-251-30	1 - 15 mm
			314-252-30	10 - 25 mm
			314-253-30	25 - 40 mm
			314-261-30	1 - 15 mm
			314-262-30	10 - 25 mm
		inch/mm	314-351-30	0.05 - 0.6 in
	314-352-30		0.4 - 1 in	
	314-353-30		1 - 1.6 in	
	Uni-micrometer	mm	317-251-30	0 - 25 mm
			317-252-30	25 - 50 mm
inch/mm		317-351-30	0 - 1 in	
		317-352-30	1 - 2 in	
Disk micrometer	mm	323-250-30	0 - 25 mm	
		323-251-30	25 - 50 mm	
		323-252-30	50 - 75 mm	
		323-253-30	75 - 100 mm	

U-WAVE-TM compatible Digimatic micrometers/heads

Currently available/ Discontinued products	Product name	mm/inch	Order No.	Measuring range
Currently available products	Disk micrometer	inch/mm	323-350-30	0 - 1 in
			323-351-30	1 - 2 in
			323-352-30	2 - 3 in
			323-353-30	3 - 4 in
	Gear tooth micrometer	mm	324-251-30	0 - 25 mm
			324-252-30	25 - 50 mm
			324-253-30	50 - 75 mm
			324-254-30	75 - 100 mm
		inch/mm	324-351-30	0 - 1 in
			324-352-30	1 - 2 in
			324-353-30	2 - 3 in
			324-354-30	3 - 4 in
	Screw thread micrometer with interchangeable spindle tip	mm	326-251-30	0 - 25 mm
			326-252-30	25 - 50 mm
			326-253-30	50 - 75 mm
			326-254-30	75 - 100 mm
		inch/mm	326-351-30	0 - 1 in
			326-352-30	1 - 2 in
			326-353-30	2 - 3 in
			326-354-30	3 - 4 in
	Interchangeable rod type depth micrometer	mm	329-250-30	0 - 150 mm
			329-251-30	0 - 300 mm
		inch/mm	329-350-30	0 - 6 in
			329-351-30	0 - 12 in
	Spline micrometer	mm	331-251-30	0 - 25 mm
			331-252-30	25 - 50 mm
			331-253-30	50 - 75 mm
			331-254-30	75 - 100 mm
			331-261-30	0 - 25 mm
			331-262-30	25 - 50 mm
			331-263-30	50 - 75 mm
			331-264-30	75 - 100 mm
		inch/mm	331-351-30	0 - 1 in
			331-352-30	1 - 2 in
			331-353-30	2 - 3 in
			331-354-30	3 - 4 in
			331-361-30	0 - 1 in
			331-362-30	1 - 2 in
			331-363-30	2 - 3 in
			331-364-30	3 - 4 in
Outside micrometer with interchangeable anvils	mm	340-251-30	0 - 150 mm	
		340-252-30	150 - 300 mm	
	inch/mm	340-351-30	0 - 6 in	
		340-352-30	6 - 12 in	
Point micrometer	mm	342-251-30	0 - 25 mm	
		342-252-30	25 - 50 mm	
		342-253-30	50 - 75 mm	
		342-254-30	75 - 100 mm	
		342-261-30	0 - 25 mm	
		342-262-30	25 - 50 mm	
	inch/mm	342-263-30	50 - 75 mm	
		342-264-30	75 - 100 mm	
		342-351-30	0 - 1 in	
		342-352-30	1 - 2 in	
		342-353-30	2 - 3 in	
		342-354-30	3 - 4 in	
			342-361-30	0 - 1 in

U-WAVE-TM compatible Digimatic micrometers/heads

Currently available/ Discontinued products	Product name	mm/inch	Order No.	Measuring range
Currently available products	Point micrometer	inch/mm	342-362-30	1 - 2 in
			342-363-30	2 - 3 in
			342-364-30	3 - 4 in
	Crimp height micrometer	mm	342-271-30	0 - 20 mm
		inch/mm	342-371-30	0 - 0.8 in
	Caliper type outside micrometer	mm	343-250-30	0 - 25 mm
			343-251-30	25 - 50 mm
			343-252-30	50 - 75 mm
			343-253-30	75 - 100 mm
		inch/mm	343-350-30	0 - 1 in
			343-351-30	1 - 2 in
			343-352-30	2 - 3 in
	Caliper type inside micrometer	mm	345-250-30	5 - 30 mm
			345-251-30	25 - 50 mm
		inch/mm	345-350-30	0.2 - 1.2 in
	Digimatic micrometer head	mm	350-251-30	0 - 25 mm
			350-252-30	0 - 25 mm
			350-253-30	0 - 25 mm
			350-254-30	0 - 25 mm
			350-261-30	0 - 25 mm
			350-271-30	0 - 25 mm
			350-272-30	0 - 25 mm
			350-273-30	0 - 25 mm
			350-274-30	0 - 25 mm
			350-281-30	0 - 25 mm
			350-282-30	0 - 25 mm
			350-283-30	0 - 25 mm
			350-284-30	0 - 25 mm
		inch/mm	350-351-30	0 - 1 in
			350-352-30	0 - 1 in
			350-353-30	0 - 1 in
			350-354-30	0 - 1 in
			350-357-30	0 - 1 in
			350-361-30	0 - 1 in
			350-381-30	0 - 1 in
			350-382-30	0 - 1 in
			350-383-30	0 - 1 in
			350-384-30	0 - 1 in
	Disk micrometer with non-rotating spindle	mm	369-250-30	0 - 25 mm
			369-251-30	25 - 50 mm
			369-252-30	50 - 75 mm
			369-253-30	75 - 100 mm
		inch/mm	369-350-30	0 - 1 in
			369-351-30	1 - 2 in
			369-352-30	2 - 3 in
	Sheet metal micrometer	mm	389-251-30	0 - 25 mm
			389-252-30	25 - 50 mm
389-261-30			0 - 25 mm	
389-262-30			25 - 50 mm	
389-271-30			0 - 25 mm	
inch/mm		389-272-30	25 - 50 mm	
		389-351-30	0 - 1 in	
		389-352-30	1 - 2 in	
		389-361-30	0 - 1 in	

U-WAVE-TM compatible Digimatic micrometers/heads

Currently available/ Discontinued products	Product name	mm/inch	Order No.	Measuring range		
Currently available products	Sheet metal micrometer	inch/mm	389-362-30	1 - 2 in		
			389-371-30	0 - 1 in		
			389-372-30	1 - 2 in		
	Tube micrometer (spherical-flat)	mm	395-251-30	0 - 25 mm		
			395-252-30	25 - 50 mm		
			395-253-30	50 - 75 mm		
			395-254-30	75 - 100 mm		
		inch/mm	395-351-30	0 - 1 in		
			395-352-30	1 - 2 in		
			395-353-30	2 - 3 in		
	Tube micrometer (spherical and cylindrical anvil)	mm	395-354-30	3 - 4 in		
			395-261-30	0 - 25 mm		
			395-262-30	0 - 25 mm		
			395-263-30	0 - 25 mm		
		inch/mm	395-264-30	0 - 25 mm		
			395-362-30	0 - 1 in		
	Tube micrometer (spherical anvil and spindle)	mm	395-363-30	0 - 1 in		
			395-364-30	0 - 1 in		
			395-271-30	0 - 25 mm		
		inch/mm	395-272-30	0 - 25 mm		
			395-273-30	25 - 50 mm		
			395-274-30	50 - 75 mm		
			395-275-30	75 - 100 mm		
			395-371-30	0 - 1 in		
			395-372-30	1 - 2 in		
			395-373-30	2 - 3 in		
	395-374-30	3 - 4 in				
	Digimatic straight line micrometer outside micrometer	mm	406-250-30	0 - 25 mm		
			406-251-30	25 - 50 mm		
			406-252-30	50 - 75 mm		
			406-253-30	75 - 100 mm		
		inch/mm	406-350-30	0 - 1 in		
			406-351-30	1 - 2 in		
			406-352-30	2 - 3 in		
			406-353-30	3 - 4 in		
			Blade micrometer with non-rotating spindle	mm	422-230-30	0 - 25 mm
					422-231-30	25 - 50 mm
	422-232-30	50 - 75 mm				
	422-233-30	75 - 100 mm				
	422-260-30	0 - 25 mm				
	422-261-30	25 - 50 mm				
	inch/mm	422-270-30		0 - 25 mm		
		422-271-30		0 - 25 mm		
		422-330-30		0 - 1 in		
		422-331-30		1 - 2 in		
	QuantuMike	mm	422-332-30	2 - 3 in		
			422-333-30	3 - 4 in		
422-360-30			0 - 1 in			
422-361-30			1 - 2 in			
inch/mm		422-370-30	0 - 1 in			
		422-371-30	0 - 1 in			
		293-140	0 - 25 mm			
mm	293-141	25 - 50 mm				
	293-142	50 - 75 mm				
	293-143	75 - 100 mm				
	293-180	0 - 1 in				
	293-181	1 - 2 in				
inch/mm	293-182	2 - 3 in				

U-WAVE-TM compatible Digimatic micrometers/heads

Currently available/ Discontinued products	Product name	mm/inch	Order No.	Measuring range
Discontinued products	QuantuMike	inch/mm	293-183	3 - 4 in
	Coolant proof micrometer	mm	293-230	0 - 25 mm
			293-231	25 - 50 mm
			293-232	50 - 75 mm
			293-233	75 - 100 mm
			293-234	0 - 25 mm
			293-235	25 - 50 mm
			293-236	50 - 75 mm
			293-237	75 - 100 mm
			293-238	0 - 25 mm
			293-250	100 - 125 mm
			293-250-10	100 - 125 mm
			293-251	125 - 150 mm
			293-251-10	125 - 150 mm
			293-252	150 - 175 mm
			293-252-10	150 - 175 mm
			293-253	175 - 200 mm
			293-253-10	175 - 200 mm
		293-254	200 - 225 mm	
		293-254-10	200 - 225 mm	
		293-255	225 - 250 mm	
		293-255-10	225 - 250 mm	
		293-256	250 - 275 mm	
		293-256-10	250 - 275 mm	
		293-257	275 - 300 mm	
		293-257-10	275 - 300 mm	
		inch/mm	293-330	0 - 1 in
			293-331	1 - 2 in
			293-332	2 - 3 in
			293-333	3 - 4 in
			293-334	0 - 1 in
			293-335	0 - 1 in
			293-336	1 - 2 in
			293-350	4 - 5 in
	293-350-10		4 - 5 in	
	293-351		5 - 6 in	
	293-351-10		5 - 6 in	
	293-352		6 - 7 in	
	293-352-10		6 - 7 in	
	293-353		7 - 8 in	
	293-353-10		7 - 8 in	
	293-354		8 - 9 in	
	293-354-10		8 - 9 in	
	293-355	9 - 10 in		
	293-355-10	9 - 10 in		
	293-356	10 - 11 in		
	293-356-10	10 - 11 in		
293-357	11 - 12 in			
293-357-10	11 - 12 in			
V-anvil micrometer	mm	314-251	1 - 15 mm	
		314-251-10	1 - 15 mm	
		314-252	10 - 25 mm	
		314-252-10	10 - 25 mm	
		314-253	25 - 40 mm	
		314-253-10	25 - 40 mm	
		314-261	1 - 15 mm	
314-261-10	1 - 15 mm			

U-WAVE-TM compatible Digimatic micrometers/heads

Currently available/ Discontinued products	Product name	mm/inch	Order No.	Measuring range
Discontinued products	V-anvil micrometer	mm	314-262	10 - 25 mm
			314-262-10	10 - 25 mm
		inch/mm	314-351	0.05 - 0.6 in
			314-351-10	0.05 - 0.6 in
			314-352	0.4 - 1 in
			314-352-10	0.4 - 1 in
			314-353	1 - 1.6 in
			314-353-10	1 - 1.6 in
			314-361	0.05 - 0.6 in
			314-361-10	0.05 - 0.6 in
	314-362	0.4 - 1 in		
	314-362-10	0.4 - 1 in		
	Uni-micrometer	mm	317-251	0 - 25 mm
			317-252	25 - 50 mm
		inch/mm	317-351	0 - 1 in
			317-352	1 - 2 in
	Disk micrometer	mm	323-250	0 - 25 mm
			323-251	25 - 50 mm
			323-252	50 - 75 mm
			323-253	75 - 100 mm
		inch/mm	323-350	0 - 1 in
			323-351	1 - 2 in
			323-352	2 - 3 in
			323-353	3 - 4 in
	Gear tooth micrometer	mm	324-251	0 - 25 mm
			324-251-10	0 - 25 mm
			324-252	25 - 50 mm
			324-252-10	25 - 50 mm
			324-253	50 - 75 mm
			324-253-10	50 - 75 mm
			324-254	75 - 100 mm
		324-254-10	75 - 100 mm	
		inch/mm	324-351	0 - 1 in
			324-351-10	0 - 1 in
			324-352	1 - 2 in
			324-352-10	1 - 2 in
			324-353	2 - 3 in
			324-353-10	2 - 3 in
	324-354		3 - 4 in	
	324-354-10	3 - 4 in		
	Micrometer with interchangeable spindle tip	mm	326-251	0 - 25 mm
			326-251-10	0 - 25 mm
326-252			25 - 50 mm	
326-252-10			25 - 50 mm	
326-253			50 - 75 mm	
326-253-10			50 - 75 mm	
326-254			75 - 100 mm	
326-254-10		75 - 100 mm		
inch/mm		326-351	0 - 1 in	
		326-351-10	0 - 1 in	
		326-352	1 - 2 in	
		326-352-10	1 - 2 in	
		326-353	2 - 3 in	
		326-353-10	2 - 3 in	
	326-354	3 - 4 in		
326-354-10	3 - 4 in			
Interchangeable rod type depth micrometer	mm	329-250	0 - 150 mm	

U-WAVE-TM compatible Digimatic micrometers/heads

Currently available/ Discontinued products	Product name	mm/inch	Order No.	Measuring range
Discontinued products	Interchangeable rod type depth micrometer	mm	329-250-10	0 - 150 mm
			329-251	0 - 300 mm
			329-251-10	0 - 300 mm
		inch/mm	329-350	0 - 6 in
			329-350-10	0 - 6 in
			329-351	0 - 12 in
	329-351-10		0 - 12 in	
	Spline micrometer	mm	331-251	0 - 25 mm
			331-252	25 - 50 mm
			331-253	50 - 75 mm
			331-254	75 - 100 mm
			331-261	0 - 25 mm
			331-262	25 - 50 mm
			331-263	50 - 75 mm
			331-264	75 - 100 mm
		inch/mm	331-351	0 - 1 in
			331-352	1 - 2 in
			331-353	2 - 3 in
			331-354	3 - 4 in
			331-361	0 - 1 in
			331-362	1 - 2 in
	mm	340-251	0 - 150 mm	
		340-251-10	0 - 150 mm	
		340-252	150 - 300 mm	
		340-252-10	150 - 300 mm	
		inch/mm	340-351	0 - 6 in
			340-351-10	0 - 6 in
	340-352		6 - 12 in	
	340-352-10		6 - 12 in	
	Point micrometer	mm	342-251	0 - 25 mm
			342-252	25 - 50 mm
			342-253	50 - 75 mm
			342-254	75 - 100 mm
			342-261	0 - 25 mm
			342-262	25 - 50 mm
			342-263	50 - 75 mm
			342-264	75 - 100 mm
		inch/mm	342-351	0 - 1 in
			342-352	1 - 2 in
			342-353	2 - 3 in
			342-354	3 - 4 in
			342-361	0 - 1 in
342-362			1 - 2 in	
Crimp height micrometer	mm	342-271	0 - 20 mm	
	inch/mm	342-371	0 - 0.8 in	
Caliper type outside micrometer	mm	343-250	0 - 25 mm	
		343-251	25 - 50 mm	
		343-252	50 - 75 mm	
		343-253	75 - 100 mm	
	inch/mm	343-350	0 - 1 in	
		343-351	1 - 2 in	
		343-352	2 - 3 in	
			343-353	3 - 4 in

U-WAVE-TM compatible Digimatic micrometers/heads

Currently available/ Discontinued products	Product name	mm/inch	Order No.	Measuring range
Discontinued products	Caliper type inside micrometer	mm	345-250	5 - 30 mm
			345-250-10	5 - 30 mm
			345-251	25 - 50 mm
			345-251-10	25 - 50 mm
		inch/mm	345-350	0.2 - 1.2 in
			345-350-10	0.2 - 1.2 in
			345-351	1 - 2 in
			345-351-10	1 - 2 in
	Digimatic micrometer head	mm	350-251	0 - 25 mm
			350-251-10	0 - 25 mm
			350-252	0 - 25 mm
			350-252-10	0 - 25 mm
			350-253	0 - 25 mm
			350-253-10	0 - 25 mm
			350-254	0 - 25 mm
			350-254-10	0 - 25 mm
			350-261	0 - 25 mm
			350-261-10	0 - 25 mm
			350-271	0 - 25 mm
			350-271-10	0 - 25 mm
			350-272	0 - 25 mm
			350-272-10	0 - 25 mm
			350-272-20	0 - 25 mm
			350-273	0 - 25 mm
			350-273-10	0 - 25 mm
			350-274	0 - 25 mm
			350-274-10	0 - 25 mm
			350-274-20	0 - 25 mm
			350-281	0 - 25 mm
			350-281-10	0 - 25 mm
			350-282	0 - 25 mm
			350-282-10	0 - 25 mm
			350-283	0 - 25 mm
			350-283-10	0 - 25 mm
			350-284	0 - 25 mm
		350-284-10	0 - 25 mm	
		inch/mm	350-351	0 - 1 in
			350-351-10	0 - 1 in
			350-352	0 - 1 in
			350-352-10	0 - 1 in
			350-353	0 - 1 in
			350-353-10	0 - 1 in
			350-354	0 - 1 in
	350-354-10		0 - 1 in	
	350-357-10		0 - 1 in	
	350-361		0 - 1 in	
	350-361-10	0 - 1 in		
350-381	0 - 1 in			
350-381-10	0 - 1 in			
350-382	0 - 1 in			
350-382-10	0 - 1 in			
350-383	0 - 1 in			
350-383-10	0 - 1 in			
350-384	0 - 1 in			
350-384-10	0 - 1 in			
Disk micrometer with non-rotating spindle	mm	369-250	0 - 25 mm	
		369-251	25 - 50 mm	

U-WAVE-TM compatible Digimatic micrometers/heads

Currently available/ Discontinued products	Product name	mm/inch	Order No.	Measuring range
Discontinued products	Disk micrometer with non-rotating spindle	mm	369-252	50 - 75 mm
			369-253	75 - 100 mm
		inch/mm	369-350	0 - 1 in
			369-351	1 - 2 in
			369-352	2 - 3 in
	Sheet metal micrometer	mm	369-353	3 - 4 in
			389-251	0 - 25 mm
			389-252	25 - 50 mm
			389-261	0 - 25 mm
			389-262	25 - 50 mm
		inch/mm	389-271	0 - 25 mm
			389-272	25 - 50 mm
			389-351	0 - 1 in
			389-352	1 - 2 in
			389-361	0 - 1 in
	Tube micrometer (spherical-flat)	mm	389-362	1 - 2 in
			389-371	0 - 1 in
			389-372	1 - 2 in
			395-251	0 - 25 mm
		inch/mm	395-252	25 - 50 mm
			395-253	50 - 75 mm
			395-254	75 - 100 mm
	Tube micrometer (spherical and cylindrical anvil)	mm	395-351	0 - 1 in
			395-352	1 - 2 in
			395-353	2 - 3 in
		inch/mm	395-354	3 - 4 in
			395-261	0 - 25 mm
			395-262	0 - 25 mm
	Tube micrometer (spherical anvil and spindle)	mm	395-263	0 - 25 mm
			395-264	0 - 25 mm
			395-362	0 - 1 in
			395-363	0 - 1 in
		Tube micrometer (spherical anvil and spindle)	inch/mm	395-364
	395-271			0 - 25 mm
	395-272			25 - 50 mm
	mm		395-273	0 - 75 mm
			395-274	75 - 100 mm
			395-371	0 - 1 in
			395-372	1 - 2 in
	Digimatic straight line micrometer outside micrometer	inch/mm	395-373	2 - 3 in
			395-374	3 - 4 in
			406-250	0 - 25 mm
406-251			25 - 50 mm	
mm		406-252	50 - 75 mm	
		406-253	75 - 100 mm	
		406-350	0 - 1 in	
Blade micrometer with non-rotating spindle	mm	406-351	1 - 2 in	
		406-352	2 - 3 in	
		406-353	3 - 4 in	
		422-230	0 - 25 mm	
Blade micrometer with non-rotating spindle	mm	422-231	25 - 50 mm	
		422-232	50 - 75 mm	
		422-233	75 - 100 mm	
		422-260	0 - 25 mm	
		422-261	25 - 50 mm	
		422-270	0 - 25 mm	

**U-WAVE-TM compatible
Digimatic micrometers/heads**

Currently available/ Discontinued products	Product name	mm/inch	Order No.	Measuring range
Discontinued products	Blade micrometer with non-rotating spindle	mm	422-271	0 - 25 mm
		inch/mm	422-330	0 - 1 in
			422-331	1 - 2 in
			422-332	2 - 3 in
			422-333	3 - 4 in
			422-360	0 - 1 in
			422-361	1 - 2 in
			422-370	0 - 1 in
			422-371	0 - 1 in

**U-WAVE-TC compatible
Digimatic caliper/depth gage**

● Water / dust-proof type

Currently available/ Discontinued products	Product name	mm/inch	Order No.	Measuring range
Currently available products	ABSOLUTE coolant proof caliper	mm	500-712-20	0 - 150 mm
			500-713-20	0 - 200 mm
			500-714-10	0 - 300 mm
			500-716-20	0 - 150 mm
			500-717-20	0 - 200 mm
			500-718-11	0 - 300 mm
			500-719-20	0 - 150 mm
			500-721-20	0 - 150 mm
			500-722-20	0 - 200 mm
			500-723-20	0 - 150 mm
			500-724-20	0 - 200 mm
		500-727-20	0-150 mm	
		500-728-20	0-200 mm	
		mm/inch	500-720-20	0 - 6 in
			500-735-20	0 - 6 in
			500-736-20	0 - 8 in
			500-737-20	0 - 6 in
			500-738-20	0 - 8 in
	500-762-20		0 - 6 in	
	500-763-20		0 - 8 in	
	500-769-20		0 - 6 in	
	500-764-10		0 - 12 in	
	Dedicated caliper		mm	573-601-20
		573-602-20		0 - 200 mm
		573-604		0 - 300 mm
		573-605-20		10.1 - 160 mm
		573-606-20		10.1 - 210 mm
		573-608		10.1 - 310 mm
		573-611-20		0 - 150 mm
		573-612-20		0 - 200 mm
		573-614		0 - 300 mm
		573-615-20		10.1 - 160 mm
		573-616-20		10.1 - 210 mm
		573-618		10.1 - 310 mm
		573-621-20		0 - 150 mm
573-622-20		0 - 150 mm		
573-625-20		0 - 150 mm		
573-626-20		0 - 150 mm		
573-634-20		0 - 150 mm		
573-635-20		0 - 150 mm		
573-645-20		10.1 - 160 mm		
573-646-20		20.1 - 170 mm		
573-647-20	10.1 - 160 mm			
573-648-20	20.1 - 170 mm			
Dedicated caliper	mm	573-651-20	0 - 150 mm	
		573-652-20	0 - 150 mm	
		573-653-20	0 - 150 mm	
		573-654-20	0 - 150 mm	
		573-661-20	0 - 150 mm	
		573-662-20	0 - 150 mm	
		573-676-20	0 - 150 mm	
	573-677-20	0 - 200 mm		
	573-679	0 - 300 mm		
	mm/inch	573-701-20	0 - 6 in	
		573-702-20	0 - 8 in	
573-704		0 - 12 in		
573-705-20		0.404 - 6.4 in		

U-WAVE-TC compatible Digimatic caliper/depth gage

● Water / dust-proof type

Currently available/ Discontinued products	Product name	mm/inch	Order No.	Measuring range	
Currently available products	Dedicated caliper	mm/inch	573-706-20	0.404 - 8.4 in	
			573-708	0.404 - 12.4 in	
			573-721-20	0 - 6 in	
			573-725-20	0 - 6 in	
			573-734-20	0 - 6 in	
			573-745-20	0.404 - 6 in	
			573-746-20	0.804 - 6 in	
			573-751-20	0 - 6 in	
			573-752-20	0 - 6 in	
	Depth gage	mm	mm	571-251-20	0 - 150 mm
				571-252-20	0 - 200 mm
				571-253-10	0 - 300 mm
				571-254-20	10 - 160 mm (0 - 150 mm)
				571-255-20	10 - 210 mm (0 - 200 mm)
				571-301-20	150 mm
		mm/inch	mm/inch	571-302-20	200 mm
				571-261-20	0 - 6 in
				571-262-20	0 - 8 in
				571-263-10	0 - 12 in
				571-264-20	0.4 - 6.4 in (0 - 6 in)
				571-265-20	0.4 - 8.4 in (0 - 8 in)
				571-311-20	0 - 6 in
	Tire tread depth gage	mm	571-100-20	0 - 25 mm	
		mm/inch	571-200-20	0 - 1 in	
	ABSOLUTE Digimatic caliper, with nib style jaws	mm	550-301-20	0 - 200 mm (10.1 - 210 mm)	
			550-331-10	0 - 300 mm (10.1 - 310 mm)	
		mm/inch	550-311-20	0 - 8 in (0.404 - 8.4 in)	
			550-341-10	0 - 12 in (0.404 - 12.4 in)	
	ABSOLUTE Digimatic caliper, with nib style and standard Jaws	mm	551-301-20	0 - 200 mm (10.1 - 210 mm)	
			551-331-10	0 - 300 mm (10.1 - 310 mm)	
		mm/inch	551-311-20	0 - 8 in (0.404 - 8.4 in)	
			551-341-10	0 - 12 in (0.404 - 12.4 in)	
Currently available products	ABSOLUTE Digimatic caliper	mm	500-150-30	0 - 100 mm	
			500-151-30	0 - 150 mm	
			500-152-30	0 - 200 mm	
			500-153	0 - 300 mm	
			500-154-30	0 - 150 mm	
			500-155-30	0 - 150 mm	
			500-156-30	0 - 200 mm	
			500-157-30	0 - 200 mm	
			500-158-30	0 - 150 mm	
			500-161-30	0 - 150 mm	
			500-162-30	0 - 200 mm	
			500-201-30	0 - 100 mm	
			500-203-30	0 - 150 mm	
			500-233-30	0 - 150 mm	
			500-234-30	0 - 150 mm	
			500-235-30	0 - 200 mm	
			500-236-30	0 - 200 mm	
			500-205	0 - 300 mm	
	mm/inch	mm/inch	500-167	0 - 12 in	
			500-168	0 - 12 in	
			500-170-30	0 - 4 in	
			500-171-30	0 - 6 in	
			500-172-30	0 - 8 in	

U-WAVE-TC compatible Digimatic caliper/depth gage

● Water / dust-proof type

Currently available/ Discontinued products	Product name	mm/inch	Order No.	Measuring range	
Currently available products	ABSOLUTE Digimatic caliper	mm/inch	500-173	0 - 12 in	
			500-174-30	0 - 6 in	
			500-175-30	0 - 6 in	
			500-176-30	0 - 8 in	
			500-177-30	0 - 8 in	
			500-178-30	0 - 6 in	
			500-202-30	0 - 6 in	
	500-204-30	0 - 8 in			
	Depth gage	mm	571-201-30	0 - 150 mm	
			571-202-30	0 - 200 mm	
			571-203-20	0 - 300 mm	
		mm/inch	571-211-30	0 - 6 in	
			571-212-30	0 - 8 in	
	ABSOLUTE low force caliper	mm	573-191-30	0 - 180 mm	
mm/inch		573-291-30	0 - 7 in		
Currently available products	ABSOLUTE solar caliper	mm	500-443	0 - 100 mm	
			500-444	0 - 150 mm	
			500-445	0 - 200 mm	
		mm/inch	500-463	0 - 4 in	
			500-464	0 - 6 in	
			500-465	0 - 8 in	
Discontinued products	ABSOLUTE coolant proof caliper	mm	500-712-10	0 - 150 mm	
			500-713-10	0 - 200 mm	
			500-716-11	0 - 150 mm	
			500-717-11	0 - 200 mm	
			500-719-10	0 - 150 mm	
			500-721-10	0 - 150 mm	
			500-722-10	0 - 200 mm	
		500-723-10	0 - 150 mm		
		500-724-10	0 - 200 mm		
		500-727-11	0 - 150 mm		
		500-728-11	0 - 200 mm		
		mm/inch	500-720-11	0 - 6 in	
			500-735-10	0 - 6 in	
			500-736-10	0 - 8 in	
	500-737-10		0 - 6 in		
	500-738-10		0 - 8 in		
	500-762-10		0 - 6 in		
	500-763-10		0 - 8 in		
	500-769-10		0 - 6 in		
	Dedicated caliper		mm	573-601	0 - 150 mm
				573-602	0 - 200 mm
				573-605	10.1 - 160 mm
				573-606	10.1 - 210 mm
				573-611	0 - 150 mm
		573-612		0 - 200 mm	
		573-615		10.1 - 160 mm	
		573-616		10.1 - 210 mm	
573-621		0 - 150 mm			
573-622		0 - 150 mm			
573-625		0 - 150 mm			
573-626		0 - 150 mm			
573-634		0 - 150 mm			
573-635	0 - 150 mm				
573-645	10.1 - 160 mm				
573-646	20.1 - 170 mm				

**U-WAVE-TC compatible
Digimatic caliper/depth gage**

● Water / dust-proof type

Currently available/ Discontinued products	Product name	mm/inch	Order No.	Measuring range
Discontinued products	Dedicated caliper	mm	573-647	10.1 - 160 mm
			573-648	20.1 - 170 mm
			573-651	0 - 150 mm
			573-652	0 - 150 mm
			573-653	0 - 150 mm
			573-654	0 - 150 mm
			573-661	0 - 150 mm
			573-662	0 - 150 mm
			573-676	0 - 150 mm
		573-677	0 - 200 mm	
		mm/inch	573-701	0 - 6 in
			573-702	0 - 8 in
			573-705	0.404 - 6.4 in
			573-706	0.404 - 8.4 in
			573-721	0 - 6 in
			573-725	0 - 6 in
			573-734	0 - 6 in
			573-745	0.404 - 6 in
			573-746	0.804 - 6 in
	573-751		0 - 6 in	
	Depth gage	mm	571-251-10	0 - 150 mm
			571-252-10	0 - 200 mm
			571-254-10	10 - 160 mm (0 - 150 mm)
			571-255-10	10 - 210 mm (0 - 200 mm)
			571-301-10	150 mm
			571-302-10	200 mm
		mm/inch	571-261-10	0 - 6 in
			571-262-10	0 - 8 in
			571-264-10	0.4 - 6.4 in (0 - 6 in)
			571-265-10	0.4 - 8.4 in (0 - 8 in)
			571-311-10	0 - 6 in
			571-312-10	0 - 8 in
ABSOLUTE Digimatic caliper, with nib style jaws			mm	550-301-10
	mm/inch	550-311-10	0 - 8 in (0.404 - 8.4 in)	
ABSOLUTE Digimatic caliper, with nib style and standard jaws	mm	551-301-10	0 - 200 mm (10.1 - 210 mm)	
	mm/inch	551-311-10	0 - 8 in (0.404 - 8.4 in)	
Discontinued products	ABSOLUTE Digimatic caliper	mm	500-150-20	0 - 100 mm
			500-151-20	0 - 150 mm
			500-152-20	0 - 200 mm
			500-154-20	0 - 150 mm
			500-155-20	0 - 150 mm
			500-156-20	0 - 200 mm
			500-157-20	0 - 200 mm
			500-158-20	0 - 150 mm
			500-161-21	0 - 150 mm
			500-162-21	0 - 200 mm
			500-201-21	0 - 100 mm
			500-203-21	0 - 150 mm
			500-233-21	0 - 150 mm
			500-234-21	0 - 150 mm
		500-235-21	0 - 200 mm	
		500-236-21	0 - 200 mm	
		mm/inch	500-170-20	0 - 4 in
			500-171-20	0 - 6 in
			500-172-20	0 - 8 in

**U-WAVE-TC compatible
Digimatic caliper/depth gage**

● Water / dust-proof type

Currently available/ Discontinued products	Product name	mm/inch	Order No.	Measuring range
Discontinued products	ABSOLUTE Digimatic caliper	mm/inch	500-174-20	0 - 6 in
			500-175-20	0 - 6 in
			500-176-20	0 - 8 in
			500-177-20	0 - 8 in
			500-178-20	0 - 6 in
			500-202-21	0 - 6 in
	Depth gage	mm	571-201-20	0 - 150 mm
			571-202-20	0 - 200 mm
		mm/inch	571-211-20	0 - 6 in
			571-212-20	0 - 8 in
	ABSOLUTE low force caliper	mm	573-191-20	0 - 180 mm
		mm/inch	573-291-20	0 - 7 in