





























Lumina Flipper-60

60" Conference Table



Assembly Instructions

Lumina Flipper-60

Part	Drawing	Description	Qty	Part	Drawing	Description	Qty																																
P1		Top Platform	1 EA	<div style="border: 1px solid black; border-radius: 15px; padding: 10px;"> <p style="text-align: center;">Hardware List</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">A</td> <td style="text-align: center;"></td> <td>Screw M6X15mm</td> <td style="text-align: right;">8 EA</td> </tr> <tr> <td style="text-align: center;">B</td> <td style="text-align: center;"></td> <td>Screw M6X38mm</td> <td style="text-align: right;">2 EA</td> </tr> <tr> <td style="text-align: center;">C</td> <td style="text-align: center;"></td> <td>3" Locking Caster</td> <td style="text-align: right;">2 EA</td> </tr> <tr> <td style="text-align: center;">D</td> <td style="text-align: center;"></td> <td>3" Non-Locking Caster</td> <td style="text-align: right;">2 EA</td> </tr> <tr> <td style="text-align: center;">E</td> <td style="text-align: center;"></td> <td>Allen Wrench</td> <td style="text-align: right;">1 EA</td> </tr> <tr> <td style="text-align: center;">F</td> <td style="text-align: center;"></td> <td>Caster Wrench</td> <td style="text-align: right;">1 EA</td> </tr> <tr> <td style="text-align: center;">G</td> <td style="text-align: center;"></td> <td>Screw M6X25mm</td> <td style="text-align: right;">4 EA</td> </tr> <tr> <td style="text-align: center;">H</td> <td style="text-align: center;"></td> <td>Caster Lock Washer</td> <td style="text-align: right;">4 EA</td> </tr> </table> <p style="text-align: center; margin-top: 10px;"><i>We recommend that you assemble this unit on a table.</i></p> </div>				A		Screw M6X15mm	8 EA	B		Screw M6X38mm	2 EA	C		3" Locking Caster	2 EA	D		3" Non-Locking Caster	2 EA	E		Allen Wrench	1 EA	F		Caster Wrench	1 EA	G		Screw M6X25mm	4 EA	H		Caster Lock Washer	4 EA
A		Screw M6X15mm	8 EA																																				
B		Screw M6X38mm	2 EA																																				
C		3" Locking Caster	2 EA																																				
D		3" Non-Locking Caster	2 EA																																				
E		Allen Wrench	1 EA																																				
F		Caster Wrench	1 EA																																				
G		Screw M6X25mm	4 EA																																				
H		Caster Lock Washer	4 EA																																				

Missing Parts or UPS Damaged Parts

For Your Convenience you can
EMAIL us at
furniture@baltinc.com
24HOURS 7 DAYS A WEEK

***Should you require assistance during assembly,
please call our Customer Service Department
Monday - Friday 8 a.m. - 5 p.m.
Central Standard Time 1-800-749-2258***


Do not use unless all screws are tight. At least every six months, check all screws to be sure they are tight. If parts are missing, broken, damaged, or worn, stop use of the product until repairs are made by your dealer using factory authorized parts.

Lumina Flipper- 60


Assembly Instructions

READ THROUGH INSTRUCTIONS FROM BEGINNING TO END BEFORE STARTING TO ASSEMBLE UNIT.

- 1.) Identify and Separate all the Parts and Hardware.
- 2.) Attach the Cross Brace (P-4) to the Right Leg (P-3) using two Screws (G) as shown in Illustration # 1. Attach the Left Leg (P-2) to the other end of Cross Brace (P-4) using two Screws (G). Attach the Top Support Brace (P-5) between the Right Leg (P-3) and the Left Leg (P-2) using four Screws (A).




- 3.) Attach the Right and Left Leg / Brace assembly to the Top Platform (P-1) using two Screws (B) through the Top Support Brace (P-5) and four Screws (A) through the top leg plates.



Lumina Flipper


- 4.) Place one Caster Lock Washer (H) on each Caster's threaded stem before attaching. Screw in two Locking Casters (C) in the front threaded holes and two Non-Locking Casters (D) in the rear holes of the Right and Left Legs as shown in Illustration # 3. Tighten the Casters using Caster Wrench (F). Set your table on the Casters and tighten all Screws (A,B & G) using Allen Wrench (E).


































Lumina Flipper-72

72" Conference Table



Assembly Instructions

Lumina Flipper-72

Part	Drawing	Description	Qty	Part	Drawing	Description	Qty																																
P1		Top Platform	1 EA	<div style="border: 1px solid black; border-radius: 15px; padding: 10px;"> <h3 style="text-align: center;">Hardware List</h3> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">A</td> <td style="text-align: center;"></td> <td>Screw M6X15mm</td> <td>8 EA</td> </tr> <tr> <td style="text-align: center;">B</td> <td style="text-align: center;"></td> <td>Screw M6X38mm</td> <td>2 EA</td> </tr> <tr> <td style="text-align: center;">C</td> <td style="text-align: center;"></td> <td>3" Locking Caster</td> <td>2 EA</td> </tr> <tr> <td style="text-align: center;">D</td> <td style="text-align: center;"></td> <td>3" Non-Locking Caster</td> <td>2 EA</td> </tr> <tr> <td style="text-align: center;">E</td> <td style="text-align: center;"></td> <td>Allen Wrench</td> <td>1 EA</td> </tr> <tr> <td style="text-align: center;">F</td> <td style="text-align: center;"></td> <td>Caster Wrench</td> <td>1 EA</td> </tr> <tr> <td style="text-align: center;">G</td> <td style="text-align: center;"></td> <td>Screw M6X25mm</td> <td>4 EA</td> </tr> <tr> <td style="text-align: center;">H</td> <td style="text-align: center;"></td> <td>Lock Washer</td> <td>4 EA</td> </tr> </table> <p style="text-align: center; margin-top: 10px;"><i>We recommend that you assemble this unit on a table.</i></p> </div>				A		Screw M6X15mm	8 EA	B		Screw M6X38mm	2 EA	C		3" Locking Caster	2 EA	D		3" Non-Locking Caster	2 EA	E		Allen Wrench	1 EA	F		Caster Wrench	1 EA	G		Screw M6X25mm	4 EA	H		Lock Washer	4 EA
A		Screw M6X15mm	8 EA																																				
B		Screw M6X38mm	2 EA																																				
C		3" Locking Caster	2 EA																																				
D		3" Non-Locking Caster	2 EA																																				
E		Allen Wrench	1 EA																																				
F		Caster Wrench	1 EA																																				
G		Screw M6X25mm	4 EA																																				
H		Lock Washer	4 EA																																				
P2		Left Leg	1 EA																																				
P3		Right Leg	1 EA																																				
P4		Cross Brace	1EA																																				
P5		Top Support Brace	1 EA																																				

Missing Parts or UPS Damaged Parts

For Your Convenience you can
EMAIL us at
furniture@baltinc.com
24HOURS 7 DAYS A WEEK

Should you require assistance during assembly,

please call our Customer Service Department
Monday - Friday 8 a.m. - 5 p.m.
Central Standard Time 1-800-749-2258


Do not use unless all screws are tight. At least every six months, check all screws to be sure they are tight. If parts are missing, broken, damaged, or worn, stop use of the product until repairs are made by your dealer using factory authorized parts.

Lumina Flipper- 72


Assembly Instructions

READ THROUGH INSTRUCTIONS FROM BEGINNING TO END BEFORE STARTING TO ASSEMBLE UNIT.

- 1.) Identify and Separate all the Parts and Hardware.
- 2.) Attach the Cross Brace (P-4) to the Right Leg (P-3) using two Screws (G) as shown in Illustration # 1. Attach the Left Leg (P-2) to the other end of Cross Brace (P-4) using two Screws (G). Attach the Top Support Brace (P-5) between the Right Leg (P-3) and the Left Leg (P-2) using four Screws (A).



- 3.) Attach the Right and Left Leg / Brace assembly to the Top Platform (P-1) using two Screws (B) through the Top Support Brace (P-5) and four Screws (A) through the top leg plates.



Lumina Flipper

- 4.) Place one Caster Lock Washer (H) on each Caster's threaded stem before attaching. Screw in two Locking Casters (C) in the front threaded holes and two Non-Locking Casters (D) in the rear holes of the Right and Left Legs as shown in Illustration # 3. Tighten the Casters using Caster Wrench (F). Set your table on the Casters and tighten all Screws (A,B & G) using Allen Wrench (E).





Illustration # 3
































Lumina Flipper-48HR

48" Half-round Conference Table



Assembly Instructions

Lumina Flipper-48HR

Part	Drawing	Description	Qty	Part	Drawing	Description	Qty																																
P1		Top Platform	1 EA	<div style="border: 2px solid black; border-radius: 15px; padding: 10px;"> <p style="text-align: center;">Hardware List</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 5%;">A</td> <td style="width: 15%;"></td> <td style="width: 60%;">Screw M6X15mm</td> <td style="width: 20%;">8 EA</td> </tr> <tr> <td>B</td> <td></td> <td>Screw M6X38mm</td> <td>1 EA</td> </tr> <tr> <td>C</td> <td></td> <td>3" Locking Caster</td> <td>2 EA</td> </tr> <tr> <td>D</td> <td></td> <td>3" Non-Locking Caster</td> <td>2 EA</td> </tr> <tr> <td>E</td> <td></td> <td>Allen Wrench</td> <td>1 EA</td> </tr> <tr> <td>F</td> <td></td> <td>Caster Wrench</td> <td>1 EA</td> </tr> <tr> <td>G</td> <td></td> <td>Screw M6X25mm</td> <td>4 EA</td> </tr> <tr> <td>H</td> <td></td> <td>Caster Lock Washer</td> <td>4 EA</td> </tr> </table> </div>				A		Screw M6X15mm	8 EA	B		Screw M6X38mm	1 EA	C		3" Locking Caster	2 EA	D		3" Non-Locking Caster	2 EA	E		Allen Wrench	1 EA	F		Caster Wrench	1 EA	G		Screw M6X25mm	4 EA	H		Caster Lock Washer	4 EA
A		Screw M6X15mm	8 EA																																				
B		Screw M6X38mm	1 EA																																				
C		3" Locking Caster	2 EA																																				
D		3" Non-Locking Caster	2 EA																																				
E		Allen Wrench	1 EA																																				
F		Caster Wrench	1 EA																																				
G		Screw M6X25mm	4 EA																																				
H		Caster Lock Washer	4 EA																																				
P2		Left Leg	1 EA																																				
P3		Right Leg	1 EA																																				
P4		Cross Brace	1 EA																																				
P5		Top Support Brace	1 EA																																				

We recommend that you assemble this unit on a table.

Missing Parts or UPS Damaged Parts

For Your Convenience you can
EMAIL us at
furniture@baltinc.com
24HOURS 7 DAYS A WEEK

***Should you require assistance during assembly,
please call our Customer Service Department
Monday - Friday 8 a.m. - 5 p.m.
Central Standard Time 1-800-749-2258***

Do not use unless all screws are tight. At least every six months, check all screws to be sure they are tight. If parts are missing, broken, damaged, or worn, stop use of the product until repairs are made by your dealer using factory authorized parts.

Lumina Flipper- Half Round

Assembly Instructions

READ THROUGH INSTRUCTIONS FROM BEGINNING TO END BEFORE STARTING TO ASSEMBLE UNIT.

- 1.) Identify and Separate all the Parts and Hardware.
- 2.) Attach the Cross Brace (P-4) to the Right Leg (P-3) using two Screws (G) as shown in Illustration # 1. Attach the Left Leg (P-2) to the other end of Cross Brace (P-4) using two Screws (G). Attach the Top Support Brace (P-5) between the Right Leg (P-3) and the Left Leg (P-2) using four Screws (A).




Illustration #1

- 3.) Attach the Right and Left Leg / Brace assembly to the Top Platform (P-1) using one Screw (B) through the Top Support Brace (P-5) and four Screws (A) through the top leg plates. (See Illustration # 2).




Illustration # 2

Lumina Flipper- 48 HR

- 4.) Place one Caster Lock Washer (H) on each Caster's threaded stem before attaching. Screw in two Locking Casters (C) in the front threaded holes and two Non-Locking Casters (D) in the rear holes of the Right and Left Legs as shown in Illustration # 3. Tighten the Casters using Caster Wrench (F). Set your table on the Casters and tighten all Screws (A,B & G) using Allen Wrench (E).





Illustration #3






Lumina Modesty Panel



Assembly Instructions

Lumina Modesty Panel

Part	Drawing	Description	Qty	Part	Drawing	Description	Qty
P1		Modesty Panel	1 EA	Hardware List			
A		Screw M6X10mm	3 EA	B		Allen Wrench	1 EA

Missing Parts or UPS Damaged Parts

For Your Convenience you can
EMAIL us at

support@moorecoinc.com

24HOURS 7 DAYS A WEEK

Should you require assistance during assembly,

please call our Customer Service Department

Monday - Friday 8 a.m. - 5 p.m.

Central Standard Time 1-800-749-2258

Do not use unless all screws are tight. At least every six months, check all screws to be sure they are tight. If parts are missing, broken, damaged, or worn, stop use of the product until repairs are made by your dealer using factory authorized parts.

Lumina Modesty Panel

Assembly Instructions

READ THROUGH INSTRUCTIONS FROM BEGINNING TO END BEFORE STARTING TO ASSEMBLE UNIT.

1.) Identify and Separate all the Parts and Hardware.

2.) Place the Modesty Panel (P-1) over the table's cross bar as shown in Illustration #1. Center the Modesty Panel between the legs and secure in place using three Screws (A). Tighten the Screws using Allen Wrench (B).




Illustration #1




Illustration #2