
OWL LABS



MEETING OWL 3

Meet the Meeting Owl® 3 device, our premium 360° camera, mic, and speaker that creates the most immersive meeting experience for hybrid teams.

KEY BENEFITS

- See and hear everything with 360° in-room video and audio and the upgraded Owl Intelligence System (OIS™) that uses computer vision to automatically focus on whoever is speaking
- Eliminates friction with a plug and play meeting setup and start to support most video conferencing platforms including, including Zoom, Microsoft Teams and Google Meet
- WiFi-enabled to get smarter over time through continuous software innovations and feature launches to the Owl Intelligence System
- Connect to a second Meeting Owl through Owl Connect or to an Expansion Mic to support meetings in larger spaces
- Pairs with our <u>collaborative room solutions</u>: the <u>Whiteboard Owl</u>, the <u>Meeting HQ</u>.

DIFFERENTIATORS

- Meet faster: From unboxing to your first meeting in 6+ minutes
- Effortless updates: Gets smarter with OTA updates in 2 minutes flat
- Adaptable tech: Expands to spaces up to 28 ft with two Meeting Owls
- Better meetings: Quicker and smoother speaker transitions with speaker detection in 3 seconds or less

Learn More



LOVED BY

100K+ organizations globally

2K+ schools, universities, and educational institutions

84 out of 100 of the Fortune 100

HOOTS AND HOLLERS










OWL LABS®






Typical front-of-room camera experience

Meeting room setup made simple



Place your Owl on a table or desk.



Plug in power. Connect USB-C to an in-room computer or laptop.



Download the Meeting Owl App for desktop, mobile, or tablet and set up your Owl.



In your video conferencing platform, choose Meeting Owl for audio and video.

FEATURED IN

The New York Times

WIRED

FAST @MPANY

Forbes

INSIDER

WSJ

The Boston Globe

TE TechCrunch

USA TODAY NA - - His -- Ossal

The Meeting Owl has completely transformed our ability to work well across our team and our organization.

__ RORY SUTHERLAND, VICE CHAIRMAN, OGILVY

READ CASE STUDY 7

Learn More

Meeting Owl® 3 Specifications

OWL LABS®

Camera	Microphone	Speaker	Connection
Single custom-designed 360° panoramic fisheye camera to eliminate image distortion Camera view shows optional 360° panoramic view of the room and face-to-face view that auto-focuses on whoever is speaking Output Resolution: 1080p HD Video Pickup Radius: 10′ (3m) Field of View: 360°	8 omni-directional beamforming Smart Mics Smart Mics equalize speaker volume to amplify quiet voices Audio Pickup Radius: 18' (5.5m) Ability to pair two Meeting Owls with Owl Connect to expand video and audio range by 8' (2.5m) in any direction	Three built-in speakers for 360° coverage and clear in-room sound Speaker Output Level: 80 db SPL	Plug and play connection to host computer via USB-C Option to connect to the Meeting HQ for one-touch meeting start (with adapter) Option to connect to the Whiteboard OWI via Bluetooth Option to connect to the Expansion Mic via micro-HDMI
Processing Power	Dimensions	Power Supply	Warranty
Qualcomm® Snapdragon™ 605 processor	Dimensions: 4.4" W x 4.4" D x 10.72" H (111mm W x 111mm D x 272mm H) Weight: 2.61lb (1.2kg)	AC Input: 100-240V Line cord: Specific to region	2-year warranty (Option to extend warranty to 3 years with Owl Care)

USAGE

Software	Compatibility	Management	Security
Al-powered Owl Intelligence System™ to intelligently focus on whoever is speaking	Plug and play connection to host computer via USB-C Works with Zoom, Microsoft Teams, Skype	Meeting Owl App: • Mobile: iOS and Android • Tablet: iPad	Meeting Owl 3 does not record any video or audio content Video and audio are streamed to
Intelligently autofocuses on the active speaker using vision, voice, and motion	for Business, Slack, Webex, and many more	Desktop: Mac and Windows	the host computer via USB-C connection
Options for presenter enhancement, digital whiteboarding capabilities,	Compatible with virtually all web-based video conferencing platforms	Required for first-time setup and adjusting settings during	Option to secure the Meeting Owl 3 with Lock Adapter
and different camera controls to customize your meeting experience	Extend range by pairing with another Meeting Owl (Pro or 3) or add on Expansion Mic	meetings The Nest: Manage your	Full security and privacy details
Ability to pair two Meeting Owl 3s or Pros using Owl Connect to expand video and audio coverage in larger rooms	Works with the Meeting HQ* and the Whiteboard Owl	fleet of Owls through our web-based portal	

SETUP *Adapter required

Meeting Owl 3 Power adapter and line cord USB-C to USB-C cable Setup Guide Table Card + Owl holder Setup Setup Placement: 3' (1m) from the in-room TV or monitor and within 18' (5.5m) of in-room participants Setup Options: Center of the table, tripod-mounted, or ceiling-mounted

OWLLABS®

WHITEBOARD OWL

Bring remote participants into the discussion with the Whiteboard Owl[™] camera, our dedicated whiteboard camera that live-streams and enhances content for better engagement and participation for all.



KEY BENEFITS


- Delivers more inclusive and collaborative hybrid meetings and classes by leveraging your in-room whiteboard
- Enhances whiteboard visibility and makes presenter transparent for remote participants with Whiteboard Enhance, which ensures writing can always be viewed
- Makes meetings and classes run seamlessly with included magnetic tags to quickly switch between the Meeting Owl and the Whiteboard Owl
- Automatically captures whiteboard content to share with participants so collaboration can continue when the meeting is over

REQUIREMENTS

- 1. Meeting Owl Pro or 3
- 2. In-room non-glass whiteboard and markers
- 3. Computer or Meeting HQ

Supports whiteboard enhancement, automatic whiteboard content capture, and ongoing computer vision software enhancements

Learn More





66


Our teachers loved the Whiteboard Owl, particularly our math teachers who were lost without the whiteboard during the previous school year. Students liked being able to still see the teacher while they were writing on the board with the Whiteboard Enhance feature.

— KENNETH COAKLEY, DIRECTOR OF TECHNOLOGY, THE PENNINGTON SCHOOL

READ CASE STUDY



Remote participant view



Whiteboard Capture portal

FROM OWL LABS, FEATURED IN

The New York Times WIRED The Boston Blobe

WSJ

FAST @MPANY

Forbes

INSIDER



MEETING OWL



PAIRS WITH THE AWARD-WINNING





Learn More

OWLLABS®

Setup made simple

- Place the Whiteboard Tags in the top-left and bottom-right corners of the whiteboard.
- Mount your Whiteboard Owl to the wall, ceiling, or tripod 7-16 feet(2-5 meters) from the whiteboard
- **3.** Connect your Whiteboard Owl to power.
- **4.** Open the Meeting Owl App to set up your Whiteboard Owl and pair it with your Meeting Owl.
- Once you start a meeting, engage the Whiteboard Owl by turning over a magnetic tag.



6. To access whiteboard content, open share.owllabs.com and enter the passphrase that appears on the Meeting Owl Stage view. From there, whiteboard content can be viewed and downloaded during the meeting.

Setup options



Wall mount



Ceiling



Tripod

Whiteboard Owl™ **Specifications**



Camera	Dimensions	Power Supply	Connection
Pixel Resolution: 4208 x 3120	Size: 5" H x 5.25" W (13cm H x 13.5cm W)	AC Input: 100-240V, 50/60Hz, 0.5A	WiFi
Output Resolution: 1080p Horizontal Field of View: 68°	Weight: 0.75 lbs (0.35 kg)	DC Output: 12V, 1A	Warranty
			2-year warranty

USAGE

Activation	Software	Compatibility	Security
Magnetic tag flip Meeting Owl app	Content Capture: View and download high-res whiteboard images during the meeting Whiteboard Enhancement: Automatically improves whiteboard visibility with increased clarity, reduced glare, and shadow removal Presenter Transparency: Presenters are made transparent so remote participants can see writing on the whiteboard at all times	Video Conferencing: Zoom, Google Meet, Slack, GoToMeeting, Microsoft Teams, and more Whiteboards: Non-glass whiteboards up to 15' x 20' from maximum recommended distance of 16'	Whiteboard Images: Whiteboard Capture images are only accessible for up to 2 hours after the meeting has ended. Software Updates: Over-the-air software updates are downloaded from Owl Labs' secure servers. Full security details

SETUP

What's Included	Setup	Requirements
Power cord 2 magnetic Whiteboard Tags Drywall screws and anchor 2 adhesive mounting strips Quick Start Guide	Placement: 7-16 feet (2-5 meters) from the whiteboard Mounting Options: Wall-mount, tripod-mount, or ceiling-mount	Meeting Owl Pro or 3 Non-glass whiteboard