OWL LABS

EXPANSION MIC

for Meeting Owl® 3

Extend the audio range of your Meeting Owl 3 by by 8 feet (2.5 meters) in the direction of the mic, so all voices are heard.



KEY BENEFITS

- Ensure that the Meeting Owl 3 hears voices that are quieter or further away by extending the audio pick-up range from 18ft to 26ft in the direction of the mic.
- Keep the conversation flowing easily for participants further from the Meeting Owl 3 by putting a mute button at their fingertips.
- Designed to work exclusively with the Meeting Owl 3 for optimal performance and complementary design. Not compatible with Meeting Owl Pro or Original.
- Connects to the Meeting Owl 3 using a micro-HDMI to micro-HDMI cable.
- Includes mounting bracket with adhesive strips and screws for more confident and secure installation.

FROM OWL LABS, FEATURED IN

The New Hork Times

WSJ



WIRED

Forbes

FAST @MPANY

The Boston Globe

INSIDER


TE TechCrunch

Learn More







Expansion Mic setup is simple



Remove the expansion port cover on the Meeting Owl. Then plug the cable into the Expansion Mic and the Meeting Owl.




Place the Expansion Mic at least 6 feet (1.8m) away from the Meeting Owl. The Meeting Owl should be at least 18 inches (0.5m) from the monitor/TV.



Move the Expansion Mic so it's facing away from the Meeting Owl.

Position it so the microphone is facing where people will be speaking.

How it works






"The Meeting Owl has completely transformed our ability to work well across our team and our organization."

_ RORY SUTHERLAND, VICE CHAIRMAN, OGILVY

READ CASE STUDY

Learn More

OWL LABS



MEETING OWL 3

Meet the Meeting Owl® 3 device, our premium 360° camera, mic, and speaker that creates the most immersive meeting experience for hybrid teams.

KEY BENEFITS

- See and hear everything with 360° in-room video and audio and the upgraded Owl Intelligence System (OIS™) that uses computer vision to automatically focus on whoever is speaking
- Eliminates friction with a plug and play meeting setup and start to support most video conferencing platforms including, including Zoom, Microsoft Teams and Google Meet
- WiFi-enabled to get smarter over time through continuous software innovations and feature launches to the Owl Intelligence System
- Connect to a second Meeting Owl through Owl Connect or to an Expansion Mic to support meetings in larger spaces
- Pairs with our <u>collaborative room solutions</u>: the <u>Whiteboard Owl</u>, the <u>Meeting HQ</u>.

DIFFERENTIATORS

- Meet faster: From unboxing to your first meeting in 6+ minutes
- Effortless updates: Gets smarter with OTA updates in 2 minutes flat
- Adaptable tech: Expands to spaces up to 28 ft with two Meeting Owls
- Better meetings: Quicker and smoother speaker transitions with speaker detection in 3 seconds or less

Learn More



LOVED BY

100K+ organizations globally

2K+ schools, universities, and educational institutions

84 out of 100 of the Fortune 100

HOOTS AND HOLLERS










OWL LABS®






Typical front-of-room camera experience

Meeting room setup made simple



Place your Owl on a table or desk.



Plug in power. Connect USB-C to an in-room computer or laptop.



Download the Meeting Owl App for desktop, mobile, or tablet and set up your Owl.



In your video conferencing platform, choose Meeting Owl for audio and video.

FEATURED IN

The New York Times

WIRED

FAST @MPANY

Forbes

INSIDER

WSJ

The Boston Globe

TE TechCrunch

USA TODAY NA - - His -- Ossal

The Meeting Owl has completely transformed our ability to work well across our team and our organization.

__ RORY SUTHERLAND, VICE CHAIRMAN, OGILVY

READ CASE STUDY 7

Learn More

Meeting Owl® 3 Specifications

OWL LABS®

Camera	Microphone	Speaker	Connection
Single custom-designed 360° panoramic fisheye camera to eliminate image distortion Camera view shows optional 360° panoramic view of the room and face-to-face view that auto-focuses on whoever is speaking Output Resolution: 1080p HD Video Pickup Radius: 10′ (3m) Field of View: 360°	8 omni-directional beamforming Smart Mics Smart Mics equalize speaker volume to amplify quiet voices Audio Pickup Radius: 18' (5.5m) Ability to pair two Meeting Owls with Owl Connect to expand video and audio range by 8' (2.5m) in any direction	Three built-in speakers for 360° coverage and clear in-room sound Speaker Output Level: 80 db SPL	Plug and play connection to host computer via USB-C Option to connect to the Meeting HQ for one-touch meeting start (with adapter) Option to connect to the Whiteboard OWI via Bluetooth Option to connect to the Expansion Mic via micro-HDMI
Processing Power	Dimensions	Power Supply	Warranty
Qualcomm® Snapdragon™ 605 processor	Dimensions: 4.4" W x 4.4" D x 10.72" H (111mm W x 111mm D x 272mm H) Weight: 2.61lb (1.2kg)	AC Input: 100-240V Line cord: Specific to region	2-year warranty (Option to extend warranty to 3 years with Owl Care)

USAGE

Software	Compatibility	Management	Security
Al-powered Owl Intelligence System™ to intelligently focus on whoever is speaking	Plug and play connection to host computer via USB-C Works with Zoom, Microsoft Teams, Skype	Meeting Owl App: • Mobile: iOS and Android • Tablet: iPad	Meeting Owl 3 does not record any video or audio content Video and audio are streamed to
Intelligently autofocuses on the active speaker using vision, voice, and motion	for Business, Slack, Webex, and many more	Desktop: Mac and Windows	the host computer via USB-C connection
Options for presenter enhancement, digital whiteboarding capabilities,	Compatible with virtually all web-based video conferencing platforms	Required for first-time setup and adjusting settings during	Option to secure the Meeting Owl 3 with Lock Adapter
and different camera controls to customize your meeting experience	Extend range by pairing with another Meeting Owl (Pro or 3) or add on Expansion Mic	meetings The Nest: Manage your	Full security and privacy details
Ability to pair two Meeting Owl 3s or Pros using Owl Connect to expand video and audio coverage in larger rooms	Works with the Meeting HQ* and the Whiteboard Owl	fleet of Owls through our web-based portal	

SETUP *Adapter required

Meeting Owl 3 Power adapter and line cord USB-C to USB-C cable Setup Guide Table Card + Owl holder Setup Setup Placement: 3' (1m) from the in-room TV or monitor and within 18' (5.5m) of in-room participants Setup Options: Center of the table, tripod-mounted, or ceiling-mounted