



Meets ANSI/ESD S20.20 and Packaging Standard ANSI/ESD S541

Features

- Convenient storage tray made of conductive material, provide a reliable path-to-ground
- Includes steel wire frame which allows trays to stack, improving productivity and saving valuable space
- Static dissipative foam bottom laminated to Plastek™, provides ESD and shock protection
- Rs: 1×10^2 to $< 1 \times 10^5$ ohms per ANSI/ESD STM11.11, meets ANSI/ESD S20.20 and Packaging standard ANSI/ESD S541
- Printed with ESD protective symbol as required by ANSI/ESD S541
- Chemical and moisture resistant
- Ideal for use where corrugated and/or paper products cannot be used
- Economical alternative to injection molded products
- Reusable, ensuring best value
- Product ships assembled
- Made in America

Specifications

Properties	Typical Values
Resin Type	Polypropylene
Conductive	Inherently
Surface Resistance	1×10^2 to $< 1 \times 10^5$ ohms
Humidity Independent	Yes
Temperature Tolerance	17° F to +230° F
Melting Point	324° F

Item No.	Tray Size - L x W x D
39160	18" x 11-3/8" x 1-3/4"
39161	22-3/4" x 17" x 2-1/2"



Made in the United States of America

If not otherwise noted, tolerance $\pm 10\%$
Specifications and procedures subject to change without notice.

PLASTEK™ TEK TRAYS

PROTEKTIVE PAK
 13520 MONTE VISTA AVENUE, CHINO, CA 91710
 PHONE (909) 627-2578
ProtektivePak.com

DRAWING NUMBER
 39160

DATE:
 April
 2016

PROTEKTIVE PAK