

## IP-60 Low Temperature Cooler, 1.5" Rigid Coil Probe

### Title:

P60N2A101B, 120V / 60Hz

\$1,705.00

### Product variations:

P60N2A101B, 120V / 60Hz ▼

Select voltage

---

### Enter Quantity

1

Add to cart

### Low Temperature Coolers Catalog:

[Immersion Probe Style](#)

[IP-60RC](#)

### Image:



**Electrical Requirements (VAC/Hz/Ph/A) (50Hz):**

240/50/1/2.5

**Part Number for 50 Hz Model:**

P60N2A102E

**Regulatory Approvals (50Hz):**

CE

**Electrical Requirements (VAC/Hz/Ph/A) (60Hz):**

120/60/1/5

**Part Number for 60 Hz Model:**

P60N2A101B

**Catalog Page Number:**

114-115

**Maximum Ambient Temperature °C:**

30°

**Maximum Ambient Temperature °F:**

86°

**Overall Dimensions (L x W x D) (cm):**

27.9 x 25.4 x 22.9 cm

**Overall Dimensions (L x W x D) (inches):**

11 x 10 x 9 in

**Shipping Weight (kilograms):**

22.00

**Shipping Weight (pounds):**

49.00

**Working Temperature Range °C:**

-60° to -20°

**Working Temperature Range °F:**

-76° to -4°

**Product Sort:**

-60.00

**Refrigerant:**

R404A & R508B

**Description:**

Immersion Probe-60, 1.5" Rigid Coil

**Image:**



**Model:**

IP-60RC

**Temperature Control (°C):**

Fixed at -60°

**Temperature Control (°F):**

Fixed at -76°

**Immersion Probe Type:**

Rigid Coil

**Probe Diameter (inches):**

1.5

**Probe Diameter (cm):**

3.81

**Probe Length (inches):**

Coil: 4 / Exposed: 15

**Probe Length (cm):**

Coil: 10.2 / Exposed: 38.1

**Flexible Hose Diameter (inches):**

1.5

**Flexible Hose Diameter (cm):**

3.81

**Flexible Hose Length (feet):**

4

**Flexible Hose Length (m):**

1.22

**Cooling Capacity @ -20°C (W) (60hz):**

150

**Cooling Capacity @ -20°C (W) (50hz):**

125

**Cooling Capacity @ -30°C (W) (60hz):**

125

**Cooling Capacity @ -30°C (W) (50hz):**

104

**Cooling Capacity @ -60°C (W) (60hz):**

0

**Cooling Capacity @ -60°C (W) (50hz):**

0

**Cooling Capacity @ -40°C (W) (60hz):**

**Cooling Capacity @ -40°C (W) (50hz):**

83

© 2015 **PolyScience** 6600 W. Touhy Avenue, Niles, Illinois 60714-4516 USA

**Phone:** +1(847) 647-0611 or +1(800) 229-7569 **Fax:** +1(847) 647-1155

**Source URL (modified on 11/25/2014 - 14:35):** <https://www.polyscience.com/low-temperature-coolers/ip-60-low-temperature-cooler-15-rigid-coil-probe>