

## Model HLSTRP1 Foot Grounder, Heel Strap, w/ 1 Megohm Resistor



## **Features**

- Provide a continuous ground path between an operator and a properly grounded ESD protected flooring
- Designed with size adjustable material and expands to fit most shoe sizes comfortably and flexible during walking
- Tear resistant rubber with inner scrim offers reinforced material that prevents tearing and increases the service life of the foot grounder
- 30-inch long, 8 conductive strand nylon polyester ground tab provides reliable connection with operator's sweat-layer
- One megohm resistor to protect the operator from accidental contact with equipment line voltage
- UL Listed

Note: This product is not recommended for use on equipment with operating voltage exceeding 250 VAC

- For standing operations, personnel shall be grounded via a wrist strap system or by a flooring/footwear system
- ESD footwear should be tested at least daily while worn
- Heel and toe grounders shall be worn on both feet to insure effective use

**CAUTION**: The ESD Series is for electrostatic control. It will not reduce or increase your risk of receiving electric shock when using or working on electrical equipment. Follow the same precautions

- you would use without wrist straps, including:

   Make certain that equipment having a grounding type plug is properly grounded
- Make certain that you are not in contact with grounded objects other than through the ESD Series

## **Ordering Information**

Model: HLSTRP1

FOOT GROUNDER, HEEL STRAP, 1 MEGOHM RESISTOR

**USA:** Sales: 800-490-2361

Technical Support: <a href="mailto:technicalsupport@pomonatest.com">technicalsupport@pomonatest.com</a>

**Europe:** 31-(0) 40 2675 150 **International:** 425-446-5500

All dimensions are in inches. Tolerances (except noted):  $.xx = \pm .02$ " (,51 mm),  $.xxx = \pm .005$ " (,127 mm). All specifications are to the latest revisions. Specifications are subject to change without notice. Registered trademarks are the property of their respective companies.