

SPECIFICATION SHEET STYLE: 70G



QRP® Qualatherm® Heat & Cold Resistant Glove with Silicon Rubber Outer Shell and Nylon Lining - 12"

- Packaged for Class 100 (ISO5/M3.5) applications
- Wet or dry contact temperatures from -78F to 450F (-61.4C to 232C)
- PolyTuff silicone elastomer is sulfur-free. Excellent resistance to chemicals, solder and fluxes
- RoHS Compliant

EN 374

JKL

Technical Data

Color	White
Sizes Available	M-XL
Packaging	Case
Packed	1 Pair/Case
Case Dimensions (in)	11.00 x 6.00 x 5.00
Case Weight (lbs)	1.00
Country of Origin	Japan
Polymer	Silicone
Grip	Smooth
anp	Smooth
Cuff	Open
•	
Cuff	Open
Cuff Length	Open
Cuff Length Powder	Open
Cuff Length Powder Thickness	Open 12"
Cuff Length Powder Thickness Construction	Open 12" Supported

Performance Data

ISO Cleanroom	
Temperature Resistant	
Static Control Property	

ISO 5 (Class 100) Extreme Cold

Care Instructions





PROTECTIVE INDUSTRIAL PRODUCTS, INC. BRINGING THE BEST OF THE WORLD TO YOU® AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobal.com

environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2023-03-01

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular



SKU Information

SKU	COLOR	SIZE	UPC	UPC (INNER)	UPC (CASE)
70GM	White	М	616314279102	10616314279109	20616314279106
70GL	White	L	616314279096	10616314279093	20616314279090
70GXL	White	XL	616314279119	10616314279116	20616314279113

PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU® AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobal.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2023-03-01