



More information on the website
radwag.com/en/info,w1,JDL

SAL/STONE/C Antivibration Table



Datasheet

Construction	
Construction	mild steel St3S
Load-bearing capacity	150 kg
Physical parameters	
Packaging dimensions	1000×650×800 mm
Net weight	215 kg (table 25 + stone 190)
Gross weight	~225 kg
Length	1000 mm
Width	650 mm
Height	815 mm



Compatible with


H315 HR Waterproof Platform Scale
 MUYA Modules

C315 Platform scale
 MAS Modules

MAS1 Modules
XA 5.M.A.P Microbalance
WPY Multifunctional Scale
Microbalance for Pipette Calibration MYA 5Y.P
PM 5Y Precision Balance
Microbalance for Filters MYA 5Y.F
PS X2 Precision Balance
AS X2 PLUS Analytical Balance
XA 5.M Microbalance
WLC Precision Balance
PS X2 Balances for PGC
MPS Modules
PM 4Y Precision Balance
PM C32 Precision Balance
Automatic Device for Multichannel Pipette Calibration
H315 H Waterproof Platform Scale

XA 5Y Analytical Balance
UYA 5Y Ultra-Microbalance
PS R2.H Precision Balance
WLY Precision Balance
MYA 5Y Microbalance
AS R2 PLUS Analytical Balance
PS R1 Precision Balance
PMV PLUS Moisture Analyzer
PS R2 Precision Balance
UYA.4Y.KO Manual Mass Comparator
AS R1 PLUS Analytical Balances
Ultra-Microbalance for Filters UYA 5Y.F
WLC C/2 Precision Balance
XA 5Y.M.S Microbalance
AS X2 PLUS Analytical Balances

Device dimensions



SAL/STONE



More information on the website
radwag.com/en/info,w1,1EM

SAL/STONE/H Stainless Steel Antivibration Table



Datasheet

Construction	
Construction	stainless steel
Load-bearing capacity	150 kg
Physical parameters	
Packaging dimensions	1000×650×800 mm
Net weight	125 kg (table 25 + stone 190)
Gross weight	~225 kg
Length	1000 mm
Width	650 mm
Height	815 kg



Compatible with


H315 HR Waterproof Platform Scale
 MUYA Modules

C315 Platform scale
 MAS Modules

MAS1 Modules
 XA 5.M.A.P Microbalance
 Microbalance for Pipette Calibration MYA 5Y.P
 PM 5Y Precision Balance
 Microbalance for Filters MYA 5Y.F
 AS X2 PLUS Analytical Balance
 XA 5.M Microbalance
 WLC Precision Balance
 MPS Modules
 PM 4Y Precision Balance
 PM C32 Precision Balance
 Automatic Device for Multichannel Pipette Calibration
 H315 H Waterproof Platform Scale

XA 5Y Analytical Balance
 UYA 5Y Ultra-Microbalance
 WLY Precision Balance
 MYA 5Y Microbalance
 WPY Multifunctional Scale
 PMV PLUS Moisture Analyzer
 AS R2 PLUS Analytical Balance
 UYA.4Y.KO Manual Mass Comparator
 Ultra-Microbalance for Filters UYA 5Y.F
 WLC C/2 Precision Balance
 XA 5Y.M.S Microbalance
 AS X2 PLUS Analytical Balances

Device dimensions



SAL/STONE



More information on the website
radwag.com/en/info,w1,CXS

SA/APP/C - Anti-Vibration Table for Mass Comparators



Datasheet


Physical parameters		
Display		5,7" resistive colour touchscreen
Packaging dimensions		700×450×225 mm
Net weight		145 kg (table 15 + stone 130)
Gross weight		150 kg
Length		700 mm
Width		450 mm
Height		225 mm
Construction		
Construction		mild steel St3S
Load-bearing capacity		150 kg

Compatible with

APP.4Y.KO Manual Mass Comparator

PM.4Y.KB Manual Mass Comparator

Device dimensions





More information on the website
radwag.com/en/info,w1,YG8

SA/APP/H Anti-Vibration Table for Mass Comparators stainless steel



Datasheet

Physical parameters		
Display		5,7" resistive colour touchscreen
Packaging dimensions		700×450×225 mm
Net weight		145 kg (table 15 + stone 130)
Gross weight		150 kg
Length		700 mm
Width		450 mm
Height		225 mm
Construction		
Construction		stainless steel
Load-bearing capacity		150 kg

Compatible with

APP.4Y.KO Manual Mass Comparator

PM.4Y.KB Manual Mass Comparator

Device dimensions

