



Made in the United States of America



Caution

This bag contains
MOISTURE-SENSITIVE DEVICES

LEVEL (MSL)



If blank, see adjacent bar code label

1. **Calculated shelf life in sealed bag: 12 months at < 40 °C and < 90% relative humidity (RH)**
Bag Seal Date: _____
If blank, see adjacent bar code label
2. **Peak package body temperature: _____ °C**
If blank, see adjacent bar code label
3. **After bag is opened, devices that will be subjected to reflow solder or other high temperature process must be**
 - a) **Mounted within: _____ hours of factory conditions**
If blank, see adjacent bar code label
< 30°C/60% RH, or
 - b) **Stored per J-STD-033**
4. **Devices require bake, before mounting, if:**
 - a) **Humidity Indicator Card reads >10% for level 2a - 5a devices or >60% for level 2 devices when read at 23 ± 5 °C**
 - b) **3a or 3b are not met**
5. **If baking is required, refer to IPC/JEDEC J-STD-033 for bake procedure**

Note 1: Level (MSL) and body temperature defined by IPC/JEDEC J-STD-020

113LABEL

StaticControl.com

This SCS 113Label is a 4" by 4" moisture sensitive caution label. This label can be used on moisture barrier bags to identify moisture sensitive devices for levels 2, 2a, 3, 4, 5, and 5a as defined by J-STD-020. The strong, permanent adhesive is for one-time use. A total of 100 labels per roll. Roll core size 3" diameter.

Properties	Typical Value
Facestock	56 # gloss, coated
Color*	Pantone Process Blue
Tensile	30 lbf/in
Adhesive	Strong, Permanent
Liner	40 # white kraft
Service Temperature	-4 to +176°F
Min. Labeling Temperature	+14°F

*Color and texture may vary between lots.

Item No.	Labels Per Roll	Label Size
113LABEL	100	4" X 4"

Unless otherwise noted, tolerance +/- 10%

Specifications and procedures subject to change without notice.

LABEL, MOISTURE BARRIER BAG, IPC/JEDEC J-STD 020, 4"x4", 100 PER ROLL

SCS

926 JR Industrial Drive, Sanford, NC 27332
WEB SITE: StaticControl.com
PHONE (919) 718-0000

DRAWING NUMBER
113LABEL

DATE
November 2020