

SMART electric height-adjustable floor stand

Model FSE-500-W



Overview

Designed for the current line of SMART Board® interactive displays, the SMART electric height-adjustable mobile stand features 26" (65 cm) of powered height adjustment with a bounce-back feature if an obstruction is detected. With a sturdy steel frame, the stand supports displays up to 86" (218 cm) diagonal and 254 lb. (115 kg) total weight including accessories. You can easily roll the stand across smooth floors and secure it with the 4" (10 cm) industrial-grade dual locking casters. The stand has a TUV-certified drive system and complies with Americans with Disabilities Act (ADA) standards. The stand also includes multiple VESA mounting points for easy installation of the display and peripherals.

Hardware

Supported SMART Board displays	SMART Board RX series SMART Board GX (V2) SMART Board GX (V3) SMART Board MX (V4) SMART Board MX (V5) SMART Board QX Pro series SMART Board 6000S (V3)
---------------------------------------	--

Maximum display size Supports displays up to 86" (218 cm) diagonal and 80" (203 cm) wide

Maximum display weight 220 lb. (100 kg)

Maximum lift capacity 254 lb. (115 kg)

Height adjustment

Range 26" (65 cm)

Maximum extended height 81" (206 cm)

Minimum extended height 56" (141 cm)

Components

Wheels 4" (10 cm) industrial-grade dual locking casters

Mounting	VESA® mounting patterns	
	400x400	500x400
	600x400	700x400
	800x400	800x600
	All M8.	
	Unit: mm	

Software SMART Electric Stand Android app available for download.*

Power

Supply voltage (North America) 120V AC, 60 Hz

Supply voltage (Europe) 230V AC, 50 Hz

Standby mode < 0.7 W

Duty cycle 10% (2 minutes of operation fully loaded, 18 minutes of rest)

Operating requirements

Operating temperature 32–104°F (0–40°C)

Storage temperature –4–140°F (–20–60°C)

Humidity 90% non-condensing

Included cables and accessories

Transfer cable 1

Power strip 1

*Compatible with SMART displays only.

SMART electric height-adjustable floor stand

Certification and compliance

Regulatory certification	FCC, ISED, UL (US and Canada) Usage Area IA, CB, CE, LVD, EMCD, UKCA
Environmental compliance	RoHS, REACH, POP, Packaging, WEEE, TSCA, CONEG Packaging, California Prop 65
Other	ADA

Purchasing information

Order number: FSE-500-W	SMART Electric Height- Adjustable Floor Stand, FSE- 500-W, UL Listed, White
Order number: FSE-500-LS-WH	Laptop Shelf, SMART Stand, FSE-500-LS-WH, White
Order number: FSE-500-CM-BK	Camera Bracket, SMART Stand, FSE-500-CM-B, Black
Optional accessories	See smarttech.com/accessories

Warranty

SMART Warranty	5 years
-----------------------	---------


Installation, dimensions, and weights

Notes

- All dimensions ± 0.3 cm. All weights ± 0.9 kg.
- Product ships upright.

FSE-500

Dimensions



Stand Weight

86 lb. (39 kg)

Shipping carton dimensions

45" \times 33 1/2" \times 7 1/4"
(114 cm \times 85 cm \times 18 cm)

Shipping weight

99 lb. (45 kg)

Storage cabinet dimensions

29 1/2" \times 19 5/8" \times 7 1/8"
(75 cm \times 50 cm \times 18.1 cm)

[smarttech.com](https://www.smarttech.com)
[smarttech.com/contact](https://www.smarttech.com/contact)

© 2024 SMART Technologies ULC. All rights reserved. SMART Board, smarttech, the SMART logo and all SMART taglines are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries. All third-party product and company names may be trademarks of their respective owners. This product and/or use thereof is covered by one or more of the following U.S. patents: www.smarttech.com/patents. Models and specifications may vary by region. Please contact your local representative for details. Contents are subject to change without notice. March 21, 2024.