

Samsung SMART Signage DME-BR/BM Series

Ready-to-use, All-in-one Interactive Whiteboard Solution Package for Corporate and Educational Organizations



Highlights

- Allows presenter and participants to interact and exchange content between Interactive Whiteboard(IWB) Solution and the devices being used by the audience
- Enables you to engage your content with a Touch Pen or simple flicks and gestures of your hand
- Offers the ability to draw and save on a range of sources which gives you more options for using a wider spectrum of content in your presentation
- Provides full control of your presentation through user-friendly menus and file management tools
- Reduces set-up time with a portable solution that doesn't require a dedicated PC

An integrated solution for your business or educational space that allows you to unleash the potential of your presentations

As we face an era of perpetual innovation and information overload, communication needs to evolve alongside this growth and act as a beacon of light to hold our attention. Particularly when it comes to closing deals in business meetings or deeply connecting with the minds of the future in educational settings. Few environments stand to benefit more from interactive whiteboard solutions than corporate boardrooms and classrooms, where messages need to sink deep into their intended audience to make lasting impacts. Samsung has brought their Interactive Whiteboard Solution to these spaces and continues to tailor the user experience to achieve the desired

outcomes that the user is seeking.

Building a productive workplace that ensures optimum levels of communication and collaboration

Samsung Interactive Whiteboard Solution acts as a conduit to bring efficiency to the workplace, through fostering an atmosphere for enhanced communication and immersive collaboration. With the Interactive Whiteboard Solution in the boardroom, brainstorming and idea-sharing have never been better supported through its interactive display that facilitates rapid idea generation, retention and application. Deep dissemination of product or service knowledge between product development teams and sales teams can now be achieved through collaborative exchanges involving IWB and a captive audience that can now find themselves fully interactive, while never having to leave the comfort zone beyond their laptops and mobile devices.









Tap into the immersive potential of your boardroom and learning environment with the interactivity of Samsung MagicIWB.



Figure 1. Increase productivity with interactive meetings

New lines of communication between teachers and students with an interactive presentation environment

Gone are the days of educators needing to factor in the logistics of a typical projector system and the pitfalls and distractions that they come with. Samsung Interactive Whiteboard Solution converts these past shortcomings into strengths through effective utilization of FHD displays and interactive whiteboards. New lines of communication between teachers and students can now be forged, through data and file-sharing capabilities between the Interactive Whiteboard Solution and devices of students, thus further creating an interactive presentation environment that holds attention spans and creates opportunity to diversify learning approaches. Samsung Interactive Whiteboard Solution is well suited to help you convert your classroom into an intensive and engaging learning environment.



Figure 2. New lines of communication in the classroom

Allow MagicIWB S2 to Bring Your Boardroom to Life with Vivid and Engaging Presentations

In this era of information overload, it has become critical to use time effectively to get your message across, while ensuring that your audience remains captive. A challenging task, however, Samsung MagicIWB S2 was built to give you a new layer of support when seeking to deliver vivid, presentation-oriented meetings. This convenient solution comes embedded in both the DME-BR and DME-BM series, which brings a new dimension of portability and ease-of-use that catapults it to the forefront of Interactive Whiteboard Solution technology. MagicIWB S2 is perfectly tailored to be used in the dynamic spaces and settings of modern offices through use of a range of feature-rich capabilities that have been crafted to make your presentations more productive, regardless if you consider yourself to be a quick or slow adopter of technology

• No Dedicated PC required for Samsung IWB Solution. Flexible PC-Less solution minimizes set-up time and allows for impromptu meetings without any additional equipment. As the display is shipped with embedded IWB Solution software, there is no need to purchase additional licenses to operate the IWB Solution.



Figure 3. Embedded e-Board Solution that doesn't require a dedicated PC

• Connectivity. A full range of connective capabilities are at your fingertips, allowing you to easily import content from differing sources. Multiple input ports enable you to connect most devices to the display to share information. USB Auto Switching allows display to automatically interlock touch overlay with selected input source and simplify the complexity around Interactive Whiteboard Solution usage.





MagicIWB S2 and the optional MagicIWB I2 drive productivity while offering new levels of communication

- Draw and Save on Various Sources. Interact with your content and visually expand on your concepts through leveraging the functionality to draw on any source (TV, HDMI, AV, DSUB) or draw with PIP (Picture-in-Picture), with the ability to save and share your results.
- Email Sharing. Ensure high levels of engagement between you and your audience through email interaction that allows you to share files or screen captures during the presentation or conveniently send meeting results after the presentation has come to an end.
- Easy Floating Menu. Navigation and utilization of your content is now easier than ever, through being able to merely flick floating menus to the side with your hand and work with your content using simple gestures that are designed to reduce the need for multiple clicks. and



Figure 4. Feature for Easy Floating Menu and Draw on any Source

Discover New Levels of Engagement with MagicIWB I2 by Converting Listeners into Participants

MagicIWB I2 is an optional advanced Interactive Whiteboard Solution which is provided with selective Samsung PIM (Plug-in-Module) and it can run on both the DME-BR and DME-DM series by simply adding the PIM.

MagicIWB I2 acts as a foundation to facilitate highly collaborative and interactive business and educational situations. Through proper utilization of MagicIWB I2's interactive whiteboard, the traditional roles of speaker and listener are now able to evolve into new roles of facilitator and participant, where the audience is able to find themselves immersed in a new environment that brings them further into the learning and information sharing experience through expanded capabilities.

Home Menu. Acting as a central hub for enhanced ease-of-use, the Home Menu provides you with the capability to access all your files, recent work, multimedia files, and review usage history.

Handwriting Recognition. The advanced technology behind MagicIWB I2's handwriting recognition offers the power to instantly convert handwriting into text, which can then be quickly and conveniently saved and utilized by users.

Quick Memo. Rapid note-taking and sharing is possible through Quick Memo, which allows users to utilize internet connectivity to post comments to presentations or share their notes with each other on their wireless devices.

Mobile Device Interaction. Maintain an active audience by facilitating interaction with mobile devices to connect, converse, and share documents with you through the interface. (Supports Android, Apple iOS, and Windows devices)

Compatibility may be limited by models and/or firmware versions of the mobile devices

File Manager. Have complete control over your files through a highly usable interface just like what you'd be used to when using your PC. Easily create, save, and export your meeting history through the history browser or remain organized by making use of the contents browser to manage your images, audio, and videos.




Figure 5. Handwriting Recognition





Ensure high levels of engagement and productivity with functions designed for optimum usability

Ready-to-use, all-in-one Interactive Whiteboard Solution package with Hand Touch overlay and MagicIWB software

Hand Touch Interactive Whiteboard Solution (DM65/75/82E-BR)


The touch interfaces that you have come to know and depend on for daily use, such as with smartphones, have transcended personal use and are now embedded in our Interactive Whiteboard Solution. Employing those same gestures, habits and ease-of-use, the learning curve for adjusting to our Hand Touch Interactive Whiteboard Solution will be understandably short.

Advanced Interactive Whiteboard Solution package with Hybrid Touch overlay and MagicIWB software

Hybrid Touch Interactive Whiteboard Solution (DM82E-BM)

For those of you who may feel accustomed to having a pen in hand when standing in front of a whiteboard, our Hybrid Touch Interactive Whiteboard Solution will allow for you to precisely write detailed content, with the special Electro Magnetic Pen, and erase with your hand when you need to correct any mistakes.

Hand Touch Interactive Whiteboard Solution (DM65/75/82E-BR)					
 - 65", 75" and 82" sized display ensures maximum readability in both classrooms and meeting rooms 					
 Display and touch overlay come pre-assembled from factory for your convenience 					
- Round Edge Display allowing for high usability					
- Interactive Whiteboard style design					
 Infrared touch screens allow for dual drawing capabilities and enable up to 10 touch points 					
- Pen tray for easy storage					
- 3 control buttons, HDMI In and Touch Out					
- Stylus Pen x 1					
- MagicIWB S2 embedded					
- MagicIWB I2 compatible (additional PIM is required)					



Hybrid Touch Interactive Whiteboard Solution (DM82E-BM) - 82" sized display ensures maximum readability in both Display classrooms and meeting rooms - Display and touch overlay come pre-assembled from factory for your convenience Design - Round Edge Display allowing for high usability - Interactive Whiteboard style design - Hybrid touch screens allow for dual drawing Pen **Touch Overlay** Touch capabilities and enable up to 10 touch points - Pen tray for easy storage Trav - 3 control buttons, HDMI In and Touch Out Pen - Electro magnetic Pen x 2 (Black / Red) - MagicIWB S2 embedded Software - MagicIWB I2 compatible (additional PIM is required)

Embrace the New Frontier of Interactive Whiteboard Technology from Samsung MagicIWB

Leveraging Samsung's aspiration for creating dynamic and highly usable platforms, Samsung MagicIWB takes your Interactive Whiteboard Solution experience to the next level with heralded innovations that allow for your educational and business environments to become more immersive and your audiences to become more engaged. Let Samsung MagicIWB lead your way forward to realize new horizons of communication.

Figure 6. Packaged Offering of DME-BR/BM





DM82E-BR/BM

82"



Connectors

6







- 1. RS232C IN
- 2. RS232C OUT
- 3. IR/AMBIENT SENSOR IN 16. AV IN
- 4. RGB/DVI/HDMI/AV/ 17. IROUT COMPONENT AUDIO IN 18. RJ45
- 5. AUDIO OUT
- 6. SD CARD
- 7. USB (5V 1A)
- 8. USB (5V 1A) TOUCH IN
- 9. EVI/MAGICINFO IN
- 10. DPIN
- 11. HDMIIN1
- 12. HDMIIN 2
- 13. TRAY IN

- 14. RGBIN 15. TOUCH OUT
- 19. HDMI IN 3
- 20. USB

THE NEW BUSINESS **EXPERIENCE**



Samsung DME-BR/BM Series

*DM82E-BM will be available in 2015 and specifications is subjected to change without notice

ecifications			DM65E-BR	DM75E-BR	DM82E-BR	DM82E-BM	
	Diagonal Size		65"	75"	82"	82"	
	Туре		120Hz E-LED BLU	240Hz D-LED BLU	120Hz E-LED BLU	120Hz E-LED BLU	
Panel	Resolution		1920x1080 (16:9)	1920x1080 (16:9)	1920x1080 (16:9)	1920x1080 (16:9)	
	Pixel Pitch (mm)		0.248(H) × 0.744(V)	0.2865(H) × 0.8595(V)	0.3135(H) x 0.9405 (V)	0.3135(H) x 0.9405 (V)	
	Active Display Area			1650.24(H) × 928.26(V)	1805.76(H) x 1015.74(V)	1805.76(H) x 1015.74(V	
	Brightness(Typ.)		380nit (with touch glass)	380nit (with touch glass)	430nit (with touch glass)	430nit (with touch glass	
	Contrast Ratio (Typ.)		4000:1	5000:1	5000:1	5000:1	
	Viewing Angle(H/V)		178:178				
	Response Time (G to G)		6ms 4ms 8ms 8ms				
	Display Colors		10bit Dithering - 1.07Billion				
	Color Gamut		72%	72%	68%	68%	
	Dynamic C/R		50,000:1				
Display	H-Scanning Frequency		30 ~ 81kHZ				
	V-Scanning Frequency		30 ~ 81KHZ 48 ~ 75HZ				
	Maximum Pixel Frequency						
Sound	Speaker type	lency	148.5MHz				
300110	Speaker type	RGB	Built in Speaker(10W + 10W)				
			Analog D-SUB, DVI-D, Display Port 1.2				
		Video	Rear: HDMI1, HDMI2, Front Connectivity Box: HDMI3				
	Input		Component(CVBS Common)				
		Audio	Stereo mini Jack				
		USB	Rear: USB 2.0 X 1, Touch in X 1, Front Connectivity Box: USB 2.0 X 2, Touch out (USB Upstream)				
Connectivity	Output	RGB	N/A				
		Video	N/A N/A				
		Audio	Stereo mini Jack				
		Power out	N/A				
	External control						
	External sensor		RS232C(in/out) thru stereo jack, RJ45				
	Type		IR, Ambient Light Internal				
	Power supply				⊦/- 10 %), 50/60 Hz		
		Max[W/h]	264	308	495	TBD	
Deven	Power consumption		204	TBD	329	TBD	
Power		Typical[W/h] BTU(Max)	900.24	1050.28	1687.95	TBD	
		Sleep mode	less than 2 W	less than 0.5W	less than 0.5W	TBD	
	Dimension (mm)	Off mode Set	less than 0.5W 1535.3 x 910.4 x 76.6	less than 0.5W 1756.1 X 1034.1 X 74.1 (handle 109.1)	less than 0.5W 1911.8 X 1121.7 X 140 (178 Handle)	TBD TBD	
		Package	1665 X 1040 X 250	1895 x 1122 x 301	2069 X 1280 X 513	TBD	
	Weight (kg)	Set	46.1	59	78.2	TBD	
		Package	54.1	69	94.6	TBD	
Mechanical specifications	VESA Mount		400*400mm	400*400mm	600*400mm	TBD	
	Protection Glass		N/A				
	Stand Type		Foot Stand (Optional)				
	Media player option type		Embedded, SBB(Attachable), PIM(Attachable)				
	Bezel Width (mm)		39.9				
Operation	Operating temperature		0°C - 40°C				
	Humidity		10~80%				





Samsung DME-BR/BM Series

Specifications	5		DM65E-BR	DM75E-BR	DM82E-BR	DM82E-BM	
	Key		Slim & Light LFD with Built-in MagicInfo Player S3, MagicIWB S2				
Feature	Special	H/W	Super Clear Coating, Temperature Sensor, Clock Battery(80hrs Clock Keeping), Built-In Speaker(10W x 2), WiFi Module Embedded, SD Card Slot, Front Connectivity Box				
		S/W	Magic Clone(to USB), Auto Source Switching & Recovery, RS232C/RJ45 MDC, Plug and Play, PIP/PBP, Image Rotation, Button Lock, Built-In MagicInfo Player S3, MagicIWB S2, Magic Presenter, USB Auto Switching, Firmware Update by Network, LFD New Home Screen, PC-less VideoWall, Predefined Template for Vertical Usage, Multi Channel, Mobile Control, Event Schedule, Backup Player, MagicPresenter				
		Processor	Cortex-A9 1GHz Quad Core	CPU			
	Internal player (Embedded H/W)	On-chip cache memory	L1 (I/D) : 32KB / 32KB L2 (Unified) : 1MB				
		Clock speed	1GHz CPU Quad				
		Main memory interface	1.5GB Dual 48bit DDR3-933 (1866MHz)				
		Graphics	2D & 3D Graphics Engine - Up to 1920x1080. 32bpp - Supports OpenGL ES				
		Storage	8GB (2GB Occupied by O/S	5.35GB Available)			
		Multimedia	Video Decoder - MPEG-1/2, H.264/AVC (D - VC-1, JPEG, PNG,VP8 Audio DSP (Decoder) - AC3 (DD), MPEG, DTS an				
		IO ports	USB 2.0 x 3, Touch in X 1, 1	ouch out X 2			
		Operating system	Samsung Proprietary OS(VD	Linux)			
Certification	Safety		NOM (Mexico): NOM-001-SCFI-1993 IRAM (Argentina): IRAM+IEC60950-1 SASO (Saudi Arabia): SASO-IEC60950-1 BIS(India): IEC60950-1 / IS13252 NOM(Mexico): Tuner: NOM-001-SCFI-1993, Tunerless: NOM-019-SCFI-1998 KC(Korea): K 60950-1 EAC(Russia): EAC+IEC60950-1 INMETRO(Brazil): INMETRO+IEC60950-1 BSMI(Taiwan): BSMI+IEC60950-1 RCM(Australia): IEC60950-1/AS/NZS 60950-1 CSA (Canada): cUL UL(USA): cULL60950-1 TUV (Germany): CE NEMKO (Norway): CE				
	EMC		VCCI (Japan) : VCCI V-3 C-Tick (Australia) : AS/NZS (CCC(China) : GB9254-2008, GOST(Russia/CIS) : GOST R	+A1:2007, EN55024:1998+A1 CISPR22:2009)7,		
	Environment		N/A				
Accessories	Included	Basic	Quick Setup Guide, Regulatory Guide, Warranty Card, D-Sub cable, Power Cord, Remote Controller, Batteries RS232C(IN) adapter, COVER-JACK				
		Touch Overlay	65" IR Type	75" IR Type	82" IR Type	82" IR and Electro Magnetic Type	
		Tray		Pen Tray with 3 control butto	ons, HDMI in and Touch Ou		
		Pen	Dummy Pen x1	Dummy Pen x1	Dummy Pen x1	Electro Magnetic Pen x	
		Stand	STN-L7585F				
	Optional	Mount	WMN4675MD WMN4277SD WMN6575SD	WMN4675MD WMN4277SD WMN6575SD	WMN8200SD	WMN8200SD	
						4	





Legal and additional information

About Samsung Electronics Co., Ltd.

Samsung Electronics Co., Ltd. inspires the world and shapes the future with transformative ideas and technologies, redefining the worlds of TVs, smartphones, wearable devices, tablets, cameras, digital appliances, printers, medical equipment, network systems, and semiconductor and LED solutions. We are also leading in the Internet of Things space through, among others, our Smart Home and Digital Health initiatives. We employ 307,000 people across 84 countries with annual sales of US \$196 billion. To discover more, please visit our official website at www.samsung.com and our official blog at global. samsungtomorrow.com

For more information

For more information about Samsung SMART Signage E-board solutions, visit www.samsung.com/business or www.samsung.com/displaysolutions.



Scan this code with your Smart Phone to download our Mobile Brochure App.

Copyright © 2015 Samsung Electronics Co., Ltd. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co., Ltd. Specifications and designs are subject to change without notice. Non-metric weights and measurements are approximate. All data were deemed correct at time of creation. Samsung is not liable for errors or omissions. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective owners and are hereby recognized and acknowledged.

Android is a trademark of Google, Inc.

Apple is a trademark of Apple, Inc.

IOS is a trademark or registered trademark of Cisco in the U.S. and other countries and is used under license.

Windows is a trademark of Microsoft Corporation.

HDMI, the HDMI logo, and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing, LLC in the United States and/or other countries.

DisplayPort is a registered trademark of the Video Electronics Standards Association.

Samsung Electronics Co., Ltd. 416, Maetan 3-dong, Yeongtong-gu, Suwon-si, Gyeonggi-do 443-772, Korea

www.samsung.com

2015-08



