Total **\$0.00** 

BENEFITS SPECS REVIEWS SUPPORT

Display	
Screen Size (Class) 32	Screen Size (Inch) ?
Flat/Curved	32"  Resolution ?
Flat	3,840 x 2,160
Aspect Ratio ?	Brightness
16:9	350 cd/ <b>m</b> ²
Brightness (Typical)	Peak Brightness (Typical)
350	400 cd/ <b>m</b> ²
Brightness (Min)	Static Contrast Ratio ?
280	1000:1(Typ)
Dynamic Contrast Ratio ?	Viewing Angle (Horizontal/Vertical) ?
Mega ∞ DCR	178°/178°
HDR (High Dynamic Range)	Response Time ?
VESA DisplayHDR 600	5ms (GTG)
Active Display Size (H x V)	Color Support ?
697.306x392.234mm	Max 1.07B

Total \$0.00

#### BENEFITS SPECS REVIEWS SUPPORT

_				
-	മ	ŤΙ	- 11	res
	C ( )			C

HAS(Height Adjustable Stand)

120.0mm(±5.0mm)

Wall-Mount (Size mm) ?

100 x 100

**Windows Certification** 

Windows10

**Eco Saving Plus** 

Yes

Flicker Free

Yes

**Image Size** 

Yes

Picture by Picture (PBP)

Yes

Picture-in-Picture

Yes **Other** 

Adaptive Picture, Eco Light Sensor, Eco Sensor Mode

Power

Type (Internal/External)

Internal Power

Туре

Internal Power

**Power Supply Type** 

Wall Mountable

Yes

Windows Compatible

Windows 10

Picture-In-Picture

Yes

Eye Saver Mode

Yes

Game Mode ?

Yes

Off Timer Plus

Yes

Refresh Rate

Max 60Hz

**Auto Source Switch** 

Yes

Total \$0.00

BENEFITS SPECS REVIEWS SUPPORT			
Yes (2.2)	90W		
USB Hub	USB-C Port		
3 (3.0)	Yes		
Dimensions (W x H x D)			
Package Dimension	Set Dimension with Stand (WxHxD)		
31.9 x 7.6 x 21.4 (inches)	28.2 x 24.0 x 8.9 (inches)		
Set Dimension without Stand (WxHxD)			
28.2 x 16.5 x 2.1 (inches)			
Weight (lb.)			
Product Weight With Stand ?	Product Weight Without Stand ?		
17.9 lbs.	12.1 lbs.		
Shipping Weight			
23.4 lbs.			
Warranty			
Warranty			
3 Year			
Accessories			
Power Cable Length	HDMI Cable		
1.5 m	Yes		
Power Cable	USB-C Cable (C to C)		
Yes (1.5 m)	Yes		
DP Cable			

Total \$0.00

BENEFITS SPECS REVIEWS SUPPORT

Over 3%

Inputs

номі ?

USB Hub

3

HDMI Version

2

Design

Color

Black

Swivel

-30.0°(±3.0°)~30.0°(±3.0°)

Stand Type

HAS

Wall Mount (VESA)

100x100

**Operation Conditions** 

Temperature

10~40 °C

Factory Tuning

Calibration

Ethernet (LAN) ?

1

**Display Port Version** 

1.4

**USB Hub Version** 

3.0x3ea

Tilt

-2.0°(±3.0°)~25.0°(±3.0°)

Pivot

-2.0°(±2.0°)~92.0°(±2.0°)

HAS (Height Adjustable Stand)

120.0mm(±5.0mm)

Humidity ?

non-condensing 10~80%

Color Mode

Total \$0.00

BENEFITS SPECS REVIEWS SUPPORT

4K UHD Display 240Hz+

Yes Yes

Resolution 3440+ Great for Remote Work

Yes Yes

Great for Work and Play

Yes

Certifications and Safety

**Energy Star** 

Yes, v.8.0

HIDE ALL SPECS ^

# **Reviews**

Review this Product