Display

· ·	
Screen Size (Class)	Screen Size (Inch)
27"	26.9"
Display Type	Flat/Curved
IPS	Flat
Resolution	Aspect Ratio
2,560 x 1,440	16:9
Brightness	Brightness (Typical)
300cd/m2	300cd/m2
Brightness (Min)	Dynamic Contrast Ratio
250cd/m2	Mega
Viewing Angle (Horizontal/Vertical)	Response Time
178°/178°	5ms
Active Display Size (H x V)	Color Support
596.736 × 335.664 mm	Max 1.07B
Panel Type	Bezel-less
	Yes
Features	
HAS(Height Adjustable Stand)	Wall-Mount (Size mm)
120.0mm(±2.0mm)	100 x 100
Windows Certification	Picture-In-Picture
Windows10	Yes
Eco Saving Plus	Eye Saver Mode
Yes	Yes
Flicker Free	Game Mode
Yes	Yes
Image Size	Off Timer Plus
Yes	Yes
Picture by Picture (PBP)	Other
Yes	Adaptive Picture, Eco Light Sensor, USB Firmware Update, Eco
	Sensor Mode, Accessibility, Customized Key
Power	
Type (Internal/External)	Power Supply Type
Internal Power	AC 100~240V
Power Supply	Power Consumption (Off Mode/Standby)
AC 100~240V	0.3W
Max Stand By Power (DPMS)	Power Consumption (DPMS)
• \ -1	

LS27A600NANXGO | S60A Series 27" QHD Monitor | Samsung Business

.5W

\sim	E\\/	
U	DVV	

Interface

HDMI

(1.4) Dimensions (W x H x D)

Product Dimensions With Stand

24.2 x 21.7 x 7.7 (Inches

Shipping Dimensions

21.0 x 6.7 x 17.7 (Inches) Weight

Package Weight

17.9 lbs

Set Weight without Stand

9.7 lbs Warranty

Warranty

³ year Accessories

Power Cable Length 1.5 m

Green Management

ENERGY STAR® Certified

_{Yes} Inputs

HDMI

1

USB Hub

4

HDMI Version

1.4

Design

Color

BLACK Swivel

-30.0°(±2.0°) ~ 30.0°(±2.0°)

Stand Type

HAS

USB Hub

4 Down Ports (3.0x3ea, 2.0x1ea)

Product Dimensions Without Stand 24.2 x 14.5 x 1.7 (Inches)

Set Weight with Stand

14.1 lbs

HDMI Cable

Yes

Headphones

Yes

Display Port Version 1.2

USB Hub Version

2.0x1ea, 3.0x3ea

Tilt -2.0°(±2.0°) ~ 25.0°(±2.0°) Pivot -2°(±2.0°) ~ 92°(±2.0°) Wall Mount (Size mm) 100x100

Operation Conditions	
Temperature	Humidity
10~40 °C	10 ~ 80 (Non-condensing) %
Key Features	
Adjustable Stand	
Yes	
Mechanical Specs	
Color	Stand Type
Black	HAS
Accessory	
USB Hub Cable (A to B)	
(3.0)	
Certifications and Safety	
EMC	Energy Star
Yes	Yes, v.8.0
тсо	тих
Yes	Yes