

Sciencescope - VersaCam Packages and Components

Package number	Included parts	Description
MAC-PK1-R3	CC-97-LN1, SB-76-47, SP-76-18, IL-LED-R3, CC-LCD-23H, CC-HDMI-CD2	MACRO video zoom optics (up to 65x magnification with 8" working distance) on an extended post stand with NEW high intensity LED ring light with polarizer (IL-LED-R3). Features NEW 1080p HDMI/USB camera (Includes SD card, HDMI cable, USB cable and mouse) with 23" HD LCD monitor and capture software.
MAC-PK1-DM	CC-97-LN1, SB-76-47, SP-76-18, IL-LED-R2D, CC-LCD-23H, CC-HDMI-CD2	MACRO video zoom optics (up to 65x magnification with 8" working distance) on an extended post stand with NEW diffused LED dome light (IL-LED-R2D). Features NEW 1080p HDMI/USB camera (Includes SD card, HDMI cable, USB cable and mouse) with 23" HD LCD monitor and capture software.
MAC-PK1-E2D	CC-97-LN1, SB-76-47, SP-76-18, IL-LED-E2D, CC-LCD-23H, CC-HDMI-CD2	MACRO video zoom optics (up to 65x magnification with 8" working distance) on an extended post stand with diffused compact LED ring light. (IL-LED-E2D) Features NEW 1080p HDMI/USB camera (Includes SD card, HDMI cable, USB cable and mouse) with 23" HD LCD monitor and capture software.
MAC-PK3-R3	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-CL2-FX, IL-LED-R3, CC-LCD-23H, CC-HDMI-CD2	MACRO video zoom optics (up to 65x magnification with 8" working distance) on HEAVY DUTY articulating arm with 15" vertical post with NEW high intensity LED ring light with polarizer (IL-LED-R3). Features NEW 1080p HDMI/USB camera (Includes SD card, HDMI cable, USB cable and mouse) with 23" HD LCD monitor and capture software.
MAC-PK3-DM	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-CL2-FX, IL-LED-R2D, CC-LCD-23H, CC-HDMI-CD2	MACRO video zoom optics (up to 65x magnification with 8" working distance) on HEAVY DUTY articulating arm with 15" vertical post with NEW diffused LED dome light (IL-LED-R2D). Features NEW 1080p HDMI/USB camera (Includes SD card, HDMI cable, USB cable and mouse) with 23" HD LCD monitor and capture software.
MAC-PK3-E2D	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-CL2-FX, IL-LED-E2D, CC-LCD-23H, CC-HDMI-CD2	MACRO video zoom optics (up to 65x magnification with 8" working distance) on HEAVY DUTY articulating arm with 15" vertical post with diffused compact LED ring light (IL-LED-E2D). Features NEW 1080p HDMI/USB camera (Includes SD card, HDMI cable, USB cable and mouse) with 23" HD LCD monitor and capture software.
MAC-PK5-R3	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-R0, IL-LED-R3, CC-LCD-23H, CC-HDMI-CD2	MACRO video zoom optics (up to 65x magnification with 8" working distance) on gliding arm boom stand with NEW high intensity LED ring light with polarizer (IL-LED-R3). Features NEW 1080p HDMI/USB camera (Includes SD card, HDMI cable, USB cable and mouse) with 23" HD LCD monitor and capture software.

Sciencescope - VersaCam Packages and Components

MAC-PK5D-R3	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-D0, IL-LED-R3, CC-LCD-23H, CC-HDMI-CD2	MACRO video zoom optics (up to 65x magnification with 8" working distance) on dual arm boom stand with NEW high intensity LED ring light with polarizer (IL-LED-R3). Features NEW 1080p HDMI/USB camera (Includes SD card, HDMI cable, USB cable and mouse) with 23" HD LCD monitor and capture software.
MAC-PK5-DM	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-RO, IL-LED-R2D, CC-LCD-23H, CC-HDMI-CD2	MACRO video zoom optics (up to 65x magnification with 8" working distance) on gliding arm boom stand with NEW diffused LED dome light. Features NEW 1080p HDMI/USB camera (Includes SD card, HDMI cable, USB cable and mouse) with 23" HD LCD monitor and capture software.
MAC-PK5D-DM	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-D0, IL-LED-R2D, CC-LCD-23H, CC-HDMI-CD2	MACRO video zoom optics (up to 65x magnification with 8" working distance) on dual arm boom stand with NEW diffused LED dome light. Features NEW 1080p HDMI/USB camera (Includes SD card, HDMI cable, USB cable and mouse) with 23" HD LCD monitor and capture software.
MAC-PK5-E2D	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-RO, IL-LED-E2D, CC-LCD-23H, CC-HDMI-CD2	MACRO video zoom optics (up to 65x magnification with 8" working distance) on gliding arm boom stand with diffused compact LED ring light (IL-LED-E2D) Features NEW 1080p HDMI/USB camera (Includes SD card, HDMI cable, USB cable and mouse) with 23" HD LCD monitor and capture software.
MAC-PK5D-E2D	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-D0, IL-LED-E2D, CC-LCD-23H, CC-HDMI-CD2	MACRO video zoom optics (up to 65x magnification with 8" working distance) on dual arm boom stand with diffused compact LED ring light (IL-LED-E2D). Features NEW 1080p HDMI/USB camera (Includes SD card, HDMI cable, USB cable and mouse) with 23" HD LCD monitor and capture software.
MAC-PK1-E1Q	CC-97-LN1, SB-76-47, SP-76-18, IL-LED-E1Q, CC-LCD-23H, CC-HDMI-CD2	MACRO video zoom optics (up to 90x magnification with 8" working distance) on an extended post stand with quadrant controlled LED ring light. Features NEW 1080p HDMI/USB camera (Includes SD card, HDMI cable, USB cable and mouse) with 23" HD LCD monitor and capture software.
MAC-PK3-E1Q	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-CL2-FX, IL-LED-E1Q, CC-LCD-23H, CC-HDMI-CD2	MACRO video zoom optics (up to 90x magnification with 8" working distance) on HEAVY DUTY articulating arm with 15" vertical post with quadrant controlled LED ring light. Features NEW 1080p HDMI/USB camera (Includes SD card, HDMI cable, USB cable and mouse) with 23" HD LCD monitor and capture software.

Sciencescope - VersaCam Packages and Components

MAC-PK5-E1Q	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-R0, IL-LED-E1Q, CC-LCD-23H, CC-HDMI-CD2	MACRO video zoom optics (up to 90x magnification with 8" working distance) on gliding arm boom stand with quadrant controlled LED ring light. Features NEW 1080p HDMI/USB camera (Includes SD card, HDMI cable, USB cable and mouse) with 23" HD LCD monitor and capture software.
MAC-PK5D-E1Q	CC-97-LN1, SB-76-47, SB-AB-SZ, SB-BM2-D0, IL-LED-E1Q, CC-LCD-23H, CC-HDMI-CD2	MACRO video zoom optics (up to 90x magnification with 8" working distance) on dual arm boom stand with quadrant controlled LED ring light. Features NEW 1080p HDMI/USB camera (Includes SD card, HDMI cable, USB cable and mouse) with 23" HD LCD monitor and capture software.