

# Long Range DVI-D and RS-232 Extender

Extend DVI-D video and RS-232 signals up to 245 feet over a single Cat5e/6 cable

#### **OVERVIEW**

Using HDBaseT technology, the LDX DVI extender is capable of sending a DVI-D signal up to 245 feet over a single conventional and inexpensive Cat5e/6 cable. HDBaseT technology is superior to older DVI extenders that require a special Cat6 shielded cable to go a short distance. The LDX extender also features RS-232 signal extension, enabling long-distance control of displays or devices.


### **FEATURES**

- Extends DVI-D up to 245 ft from the Source
- Data Recovery for Digital Video
- Supports up to 1920x1200 Digital Video Resolution (@ 60Hz)
- Supports 4K/2K (3840x2160) video resolution (@ 30Hz)
- Automatic DDC Learning
- Uncompressed Video Using HDBaseT
- RS-232 Extension Enables Long-Distance Control
- External Power Adapter for Transmitter and Receiver Unit
- Plug-and-Play Ready

### **APPLICATIONS**

- Digital Signage
- Security
- PC Networking
- Conference Center Systems
- Point of Sale
- Camera Surveillance
- · Video Phone
- Control Room Systems
- Recording/Production Studios

### APPLICATION DIAGRAM



## **SPECIFICATIONS**



LDX Front



LDX Back

VIDEO	
Format	DVI-D Single Line
Maximum Pixel Clock	165 MHz
Input Interface (TX)	(1) DVI-D 29-pin (Female)
Output Interface (RX)	(1) DVI-D 29-pin (Female)
Resolution	Up to 1920 x 1200 @60Hz
DDC	5 volts p-p(TTL)
Input Equalization	Automatic
Input Cable Length	Up to 20 ft.
Output Cable Length	Up to 20 ft.

OTHER		
Power	External 100-240 VAC/5VDC2A	
Dimensions	5.125 in W x 1 in H x 3.625 in D	
Weight	0.5 lb	
Operating Temp.	0-55 °C (32-131°F)	
Storage Temp.	-20-85 °C (-4-185 °F)	
Humidity	Up to 95%	
RS-232		
Input Interface (TX)	DB9 (Female)	
Output Interface (RX)	DB9 (Female)	
Speed	@ 115 Kbps	

Part No.	Description
LDX-S	DVI-D and RS-232 Extender: Includes: [LDX-TX, LDX-RX, 2x (PS5VDC2A)]



Designed and Manufactured in the USA



