
Instructor Media Console

Technical Specifications

see p.4 for IMC components




A modular system offers the greatest flexibility in addressing classroom needs. Spectrum's Instructor's Media Console offers combinations for every classroom solution. Just as every classroom has different requirements, the IMC can be reconfigured accordingly to help manage many needs. Spectrum's wide array of rack rail options can be used to complement any A/V arrangement with the IMC. Even special ergonomic needs are addressed with two standard worksurface heights. Don't let your educational capabilities be handcuffed to classroom furniture! With Spectrum's IMC system, you can define your classroom needs and then configure your furniture to support those needs. Create a one-of-a-kind console that will inspire your students to achieve greatness.

Features and Benefits

- Modular design and wide variety of optional accessories allow easy configuration for every customer and environment
- Scratch and impact-resistant 11/16" high-pressure laminate worksurface
- · Worksurface provides ample room for papers, laptops, projectors, and most peripherals
- Rack-rail equipment mounting
- Lockable access doors provide security and quick-access to the front and rear of the console
 making it easy to maintain audio, video, and multi-media equipment
- Power / Communication module cutout in worksurfaces (cover included)
- Side equipment rack grommet holes and worksurface grommets provide superior cord management
- · Ventilated equipment rack side panels keep equipment cool
- Optional locking front doors can be mounted to swing from the left or right-hand side of the equipment rack
- Leveling glides keep unit level on uneven surfaces
- Warranted to be free of all defects in materials and workmanship with a 10-year warranty

Construction

- The worksurface is constructed from 1½° thick NAUF (No Added Urea Formaldehyde) composite board with .030 high-pressure laminate on one face, and a balancing phenolic backer on the opposing face
- · Worksurface edges are finished with black 3mm PVC edge band
- Equipment racks are made of welded, 1" x 1" and 1" x 2" rectangular 16-gauge steel tubing
- Equipment rack side panels are 20-gauge steel
- Curved and filler panels are 16-gauge steel
- · Front and rear doors have full-length piano hinges
- · All metal components are finished with a powder coat epoxy
- IMC components are shipped knocked-down (KD) and require assembly



Page 13

Options & Accessories

Color Options

Standard laminate / color combinations

Wild Cherry / Black (CHB)



Grey Chromatix / Dark Grey



Grey Chromatix / Black (CB)



Fusion Maple / Black (FMB)



Indigo Organix / Dark Gray (ID)



Indigo Organix / Black



Standard color combination refers to the quickest deliverable product color combination. Custom laminates and color combinations are available-additional lead-times and up-charges may apply. Call 1-800-235-1262 for further information.





Specifications

Worksurface heights	29"H or 36"H
Worksurfaces	Single: 21¾6"W x 30"D
	Double: 42%"W x 30"D
	Triple: 63%6"W x 30"D
Standard rack rail	14RU - (29"H)
	18RU - (36"H)
Power / Comm module cutout	7¹¾4"W x 3½"D
Shipping weight (nominal) (See console components on p.4	


Meets or exceeds applicable ANSI-BIFMA test standards

Specifications subject to change without notice







Radius corner worksurface (%" hole drilled on each side for monitor arm mounting)



Single worksurface



Double worksurface




Triple worksurface

Note: Modified worksurface cutouts should be reviewed by Spectrum to ensure clearance of brackets, keyboard slides, or other objects under the worksurface.

Worksurface Support Guidelines


For adequate support, areas under worksurfaces generally should not exceed a span of more than 2 open spaces (or wall filler panels) wide.


- · When a radius corner is used with two double worksurfaces that have equipment rack support, a mid-support leg usually is not necessary
- · When a radius corner is next to a double worksurface, an equipment rack or mid-support leg should be used to support the double worksurface
- · When a triple worksurface is specified, at least one equipment rack should be used underneath to provide adequate support
- · Mid-support legs are used at the joint connection of two worksurfaces
- · End-support legs are used at the end of a worksurface



Instructor Media Console Components

Product #	Description	Dimensions	Weight (lbs)
68156	36H Radius Corner	36"W x 36"D x 36"	135
68106	29"H Radius Corner	36"W x 36"D x 29"H	130
68202	Triple worksurface	63%₅"W x 30"D x 1"H	65
68201	Double Worksurface	42%"W x 30"D x 1"H	46
68200	Single Worksurface	21%6"W x 30"D x 1"H	28
68157	36" Equipment Rack	21¾6"W x 30"D x 36"H	64
68107	29" Equipment Rack	21¾ε"W x 30"D x 29"H	50
68151	36" Wall Filler Panel	21¾6"W x 1"D x 36"Н	18
68101	29" Wall Filler Panel	21¾6"W x 1"D x 29"Н	15
68155	36" End-Support Leg	1"W x 30"D x 36"H	20
68105	29" End-Support Leg	1"W x 30"D x 29"H	16
68154	36" Mid-Support Leg	1"W x 24"D x 28"H	11
68104	29" Mid-Support Leg	1"W x 24"D x 21"H	9








Standard Console Configurations



Console #1 (29"H) - 68020		
Qty	Description	Item #
1	Triple Worksurface	68202
1	29" Equipment Rack	68107
2	29" Wall Filler Panel	68101
1	29" End-Support Leg	68105












Console #1 (36"H) - 68021		
Qty	Description	Item #
1	Triple Worksurface	68202
1	36" Equipment Rack	68157
2	36" Wall Filler Panel	68151
1	36" End-Support Leg	68155







205 Westwood Ave, Long Branch, NJ 07740 Phone: 866-94 BOARDS (26273) / (732)-222-1511 Fax: (732)-222-7088 | E-mail: sales@touchboards.com










Console #2 (29"H) - 68022		
Qty	Description	Item #
1	29" Radius Corner	68106
1	Double Worksurface	68201
1	Single Worksurface	68200
2	29" Equipment Rack	68107
1	29" Wall Filler Panel	68101










Console #2 (36"H) - 68023		
Qty	Description	Item #
1	36" Radius Corner	68156
1	Double Worksurface	68201
1	Single Worksurface	68200
2	36" Equipment Rack	68157
1	36" Wall Filler Panel	68151













Console #3 (29"H) - 68024		
Qty	Description	Item #
1	29" Radius Corner	68106
2	Double Worksurface	68201
2	29" Equipment Rack	68107
2	29" Wall Filler Panel	68101













Console #3 (36"H) - 68025		
Qty	Description	Item #
1	36" Radius Corner	68156
2	Double Worksurface	68201
2	36" Equipment Rack	68517
2	36" Wall Filler Panel	68151













Console #4 (29"H) - 68026		
Qty	Description	Item #
1	29" Radius Corner	68106
1	Triple Worksurface	68202
1	Single Worksurface	68200
2	29" Equipment Rack	68107
2	29" Wall Filler Panel	68101
1	29" Mid-Support Leg	68104












Console #4 (36"H) - 68027		
Qty	Description	Item #
1	36" Radius Corner	68156
1	Triple Worksurface	68202
1	Single Worksurface	68200
2	36" Equipment Rack	68157
2	36" Wall Filler Panel	68151
1	36" Mid-Support Leg	68154









Console #5 (29"H) - 68028		
Qty	Description	Item #
1	Single Worksurface	68200
1	29" Equipment Rack	68107













Console #5 (36"H) - 68029		
Qty	Description	Item #
1	Single Worksurface	68200
1	36" Equipment Rack	68157













Console #6 - 68030		
Qty	Description	Item #
1	Triple Worksurface	68202
1	Single Worksurface	68200
1	29" Equipment Rack	68107
2	29" Wall Filler Panel	68101
1	36" Equipment Rack	68157
1	Stepped-Height Bracket	68205








Options



Clear Acrylic Locking Door (can be mounted to be hinged from the left or right side) 68153 - 36"H 68103 - 29"H




Solid Locking Door (can be mounted to be hinged from the left or right side) 68152 - 36"H 68102 - 29"H



Flip-up Shelf
21% "W x 30"D
50 lbs max capacity
(mtg plate available in black only)
not for use on end-support legs or
a stand-alone equipment rack
68204



Wire Management Clips mount under worksurface (set of 3) 68206




Equipment Rack Bottom Shelf (increases security & prevents static electricity & dust build-up) has 4" grommet at back 68203




Stepped-Height Bracket (connects 29"H console to 36"console) 68205




Level-Height Bracket Kit
(attaches a worksurface to
another worksurface of equal
height above an equipment rack)
68207




Custom-Cut Logo (typical logo location shown on wall filler panels) 55141



Rear Rack Rail Kit set of 2, adds 18RU or 14RU to rear of equipment rack 68150 - 36"H (18RU) 68100 - 29"H (14RU)




Micro-Arm Keyboard Tray moves in, out, up & down 19¾"W x 10"D 95506



Econo Keyboard Tray 18%"W x 12"D 95520



Mouse arm for Econo keyboard tray 8"W x 8"D 95519



Power/Communication Module with 9' power cord, two outlets, two data jacks 7'%"W x 3%"D 99003



Universal Laptop Drawer 16"W x 17½"D x 3½"H 95510



3" Pencil Drawer 18"W x 11"D x 3"H (mounts under worksurface or inside equipment rack) 97500



Multi-functional Stool 38245




Adjustable Drafting Stool 38202




Flat Panel Monitor Arms & Tablet Mounts (See the Spectrum website or catalog for the latest available monitor arm & tablet mounting options)

Rack-mount accessories




Cantilever Shelf (2RU) 17½"W x 18"D x 3½"H (50 lbs max load) 97504




Cantilever Shelf (3RU) 17½"W x 18"D x 5½"H (80 lbs max load) 97502




Pull-Out Shelf (2RU) 16½"W x 17¾"D (50 lbs max load) 97505




Pull-Out Shelf (3RU) 16½"W x 21¾"D (80 lbs max load) 97503




Locking Drawer (2RU) interior dims: 15¾"W x 131½6"D x 2½"H (25 lbs max load) 97514




Drawer (3RU) interior dims: 15¹½"W x 14½"D x 5½"H (50 lbs max load) 97518




Drawer (4RU) interior dims: 15¹%6"W x 14½"D x 7"H (50 lbs max load) 97519




Locking File Drawer (8RU) w/ file holder interior dims: 15%"W x 13%6"D x 13%6"H (50 lbs max load) 97515



Cooling Fans (3RU) 19"W x 2"D x 5¼"H Single Fan-97507 Double Fan-97506




Wire Lace Kit 3 lace straps included 95517




9-Outlet Power Strip (1RU) 19"W x 9"D x 1¾"H 99021



Flexible Halogen Light (1RU) 19"W x 2"D x 1¾"H 99033



Rack-Mount Blanks (fills rack spaces where components are not needed)



LT-4 Laptop Storage Unit (7RU) (stores 4 laptops horizontally) laptop tray dims: 16¼"W x 20½"D x 2¾6"H 97517

97516 - (½ RU) 97510 - (1RU) 97511 - (2RU) 97512 - (3RU) 97513 - (4RU)

WE WILL MAKE IT RIGHT FOR YOU!

Spectrum is committed to provide complete customer satisfaction. Each of our products are manufactured from the best materials available and each product is stringently monitored throughout the production process through our P.A.C.E. program (Product Assurance to meet Customer Expectations). Our Customer Service Help Line 1-800-235-1262 is ready to provide immediate attention to any questions, comments or concerns. We are available to answer your calls Monday through Friday from 7 am to 5 pm CST, excluding observed holidays. In addition your product comments or concerns are welcome via e-mail at: spectrum@spectrumfurniture.com.

Warranty Statement

We guarantee all Spectrum products to be free of all defects in materials and workmanship, for the original owner, for a period of ten years. Any item deemed defective by Spectrum or the original manufacturer, under normal use conditions, will be repaired or replaced at Spectrum's discretion. This warranty applies to all products manufactured and distributed by Spectrum except the products listed below.

Items that have a varying warranty include, but are not limited to, the following:

- · Adjustable Crank/Electric Desk Legs (1 yr)
- Flat Panel Desk Gas Cylinders (1 yr)
- Upholstered Soft-Goods (5 yrs)
- · Adjustable Height & Stacking Chair Parts including frames, gas cylinders, wood and plastic parts, and control handles (7 yrs)
- Adjustable Height & Stacking Chair Casters (2 yrs)
- · Chair Upholstery & Textiles (2 yrs of normal use of Soft Goods, Adjustable Height, Stacking, Wood and Metal Chairs)
- Chair Upholstery Graded-In Fabrics and C.O.M (no warranty)
- Height Adjustable Columns and Lifts (1 yr)
- General Use Casters (1 yr)
- Electrical Electri-Pak, Power Communication Modules, and special order ECA electrical items (1 yr)
- Electrical Power Strips & Electrical Timers (1 yr)
- · Electrical Surge Suppressors (lifetime)
- Electrical Retractable Power Cords (1 yr)
- Keyboard/Mouse Trays (1 yr)
- Flat Panel Monitor Arm General Parts (5 yrs)
- Flat Panel Monitor Arm Gas Cylinders (2 yrs)
- CRT Monitor Arm (1 yr)

Warranty is void if product is not used for its intended purpose or subjected to an unusual application, multiple-shift use, alteration, accident, abuse or abnormal wear and tear. Representations of colors on-line and in printed materials are meant to be a close reference to the actual colors but not an exact match. Slight variations in color and texture of wood stains, powder coating, laminates, fabrics and other materials are normal in different manufacturing lots; as such these variations are not considered defects.

DESIGNED FOR INDOOR USE ONLY – Unless specifically stated in the product specifications, Spectrum's products have been designed and constructed for indoor use only. Moving or using outdoors, or on excessively rough surfaces, may cause damage to the products and will void the warranty. If an outdoor application is desired please contact us to discuss potential custom design solutions.

The warranty, as stated above, supersedes any previous warranties and is effective as of 9/1/2010









925 First Avenue, PO Box 400, Chippewa Falls, WI 54729 Ph: 800-235-1262, 715-723-6750 Fax: 800-335-0473, 715-738-2309