# <TPI DC580 Android App>

Press Connect

Select device

Select VOLUM,TEMP,VELOCITY

Press UNIT button to select units then press Apply button

Added KNOTS.

Press DUCT OPENING button to select DUCT TYPE and values then press Apply button

<TPI DC580 Android App>

Press READING MEM DATA

Press UPDATE ALL button to download MEM data from device

It will show downloading circle sign when downloading 300 MEM data and it will take around 4 minuts.

Toggle button
1. Start to download
2. Stop to download

When completed download, It will show "Completed MEM data" and the disappear the circle sign.

Press UPDATE ALL button to download MEM data from device

Press Email button to send MEM data to customer email.

The CSV file is automatically attached.

<TPI DC580 Android App>

Press COMPANY INFORMATION to add the information.

Press CUSTOMER INFORMATION to add the information.

Press SETTING TO add the information.

Toggle button to select values.

Main

- VOLUM, TEMP, VELOCITY
- READING MEM DATA
- COMPANY INFORMATION
- CUSTOMER INFORMATION
- SETTINGS
- CONNECT

Version : 1.1

COMPANY INFO

Name :	Summit
Address :	Inchone
Email :	swkim@summitest.com

Apply   Close

CUSTOMER INFO

Customer Name :	TPI
Address :	USA
Email :	swkim@summitest.com

BUILDING INFO

Building Name :	
Address :	
Email :	

Apply   Close

SETTINGS

COMPANY INFO :	Summit
CUSTOMER INFO :	TPI
GRILL :	YES
DUCT TYPE :	SUPPLY
AK FACTOR :	15 %

Apply   Close