

Storage for Flexible Workplaces



For Dry Environments



TestEquity is proud to introduce versatile, economical and easy-to-clean wire shelving. Our extensive in-stock selection is ready to ship today. And, we've made all the popular sizes easier to order by giving them one part number. In a rapidly changing environment, these products are easily modified to fit your needs. Assembly required.

Features:

Unique Design: The open-wire design of these carbon-steel shelves minimizes dust accumulation and allows a free circulation of air, greater visibility of stored items and greater light penetration. Shelves can be loaded/unloaded easily from all sides.

Fast, Secure Assembly: Posts have circular grooves at 1" intervals. A tapered split sleeve snaps together around each post. Tapered openings in the shelf corners slide over the tapered split sleeves providing a positive lock. Shelf is assembled in minutes without the use of any special tools.

Shelf Wires: Run front to back, allowing you to slide items on and off shelves smoothly.


Posts: Bolt levelers compensate for surface irregularities on stationary posts. Posts also available for mobile application, sold separately.

Finish: Chrome.

Techni-PRO is a TestEquity private label brand featured on:

www.testequity.com/brand/techni-pro | www.techni-tool.com/brand/techni-pro | www.jensentools.com/brand/techni-pro

Wire Shelving Kits



Build Your Own Shelving

Wire Shelves

Each shelf comes with 4 Split Sleeves.

Part No.	W x L	Capacity
----------	-------	----------

18" Width

TST-1824C	18" x 24"	800-lbs., Evenly Distributed
TST-1830C	18" x 30"	
TST-1836C	18" x 36"	
TST-1842C	18" x 42"	
599-515	18" x 48"	

TST-1854C	18" x 54"	600-lbs., Evenly Distributed
TST-1860C	18" x 60"	
TST-1872C	18" x 72"	

21" Width

TST-2124C	21" x 24"	800-lbs., Evenly Distributed
TST-2130C	21" x 30"	
TST-2136C	21" x 36"	
TST-2142C	21" x 42"	
TST-2148C	21" x 48"	

TST-2154C	21" x 54"	600-lbs., Evenly Distributed
TST-2160C	21" x 60"	
TST-2172C	21" x 72"	

24" Width

TST-2424C	24" x 24"	800-lbs., Evenly Distributed
TST-2430C	24" x 30"	
TST-2436C	24" x 36"	
TST-2442C	24" x 42"	
TST-2448C	24" x 48"	

TST-2454C	24" x 54"	600-lbs., Evenly Distributed
TST-2460C	24" x 60"	
TST-2472C	24" x 72"	

Posts

Part No.	Height*
----------	---------

Stationary

TST-33C-SP	34-1/2"
TST-54C-SP	54-9/16"
599-517	62-9/16"
TST-74C-SP	75-5/8"
TST-86C-SP	86-5/8"

Mobile

TST-33C-MP	34-3/4"
TST-54C-MP	53-13/16"
599-516	61-13/16"
236MH74CMP	73-7/8"
TST-86C-MP	85-7/8"

* Height includes leveling bolt and cap

** Mobile posts come without leveling bolt assembly and accommodate stem casters. Height is for post only. Casters add 5" to the height of the unit.

Casters For mobile units can be found on the next page

Starter Shelving Unit Kits

Comes with: 4 Shelves, 4 Split Sleeves per shelf & 4 Posts

74" H

W x L	Part No.
18" X 42"	TST-SSU1842-4
18" X 48"	TST-SSU1848-4
18" X 54"	TST-SSU1854-4
18" X 60"	TST-SSU1860-4
18" X 72"	TST-SSU1872-4
24" X 48"	TST-SSU2448-4
24" X 54"	TST-SSU2454-4
24" X 60"	TST-SSU2460-4
24" X 72"	TST-SSU2472-4

Add-On Shelving Unit Kits

Comes with: 4 Shelves, 4 Split Sleeves per shelf, 2 Posts & 8 S-Hooks

Part No.
TST-ASU1842-4
TST-ASU1848-4
TST-ASU1854-4
TST-ASU1860-4
TST-ASU1872-4
TST-ASU2448-4
TST-ASU2454-4
TST-ASU2460-4
TST-ASU2472-4

Mobile Shelving Unit Kits

Comes with: 4 Shelves, 4 Split Sleeves per shelf, 4 Posts, 4 Swivel Casters (2 Braking) & 4 Donut Bumpers

Part No.	W x L x H
TST-MSU1842-4	18" X 42" X 74"
TST-MSU1848-4	18" X 48" X 74"
TST-MSU1854-4	18" X 54" X 74"
TST-MSU1860-4	18" X 60" X 74"
TST-MSU1872-4	18" X 72" X 74"
TST-MSU2448-4	24" X 48" X 74"
TST-MSU2454-4	24" X 54" X 74"
TST-MSU2460-4	24" X 60" X 74"
TST-MSU2472-4	24" X 72" X 74"



Security Unit Kits

Security Unit Kits

Part No.	W x L
----------	-------

Mobile

Includes 1 Security Cage, 4 Shelves, 4 Posts, 4 Swivel Casters (2 Braking) & 4 Donut Bumpers

TST-MSCU2436-4	24" x 36" x 68"
----------------	-----------------

TST-MSCU2448-4	24" x 48" x 68"
----------------	-----------------

TST-MSCU2460-4	24" x 60" x 68"
----------------	-----------------

Stationary

Includes 1 Security Cage, 4 Shelves & 4 Posts

TST-SSCU2436-4	24" x 36" x 68"
----------------	-----------------

TST-SSCU2448-4	24" x 48" x 68"
----------------	-----------------

TST-SSCU2460-4	24" x 60" x 68"
----------------	-----------------

Build Your Own Security Unit

Mobile Requirements:

1 Security Cage, 2-4 Shelves, 4 Mobile Posts, 4 Stem Casters

Stationary Requirements:

1 Security Cage, 2-4 Shelves, 4 Stationary Posts

>>> CUSTOMIZE YOUR STORAGE UNITS

Can't find what you're looking for? Give us a call and we'll help customize a storage solution that's right for you.

Security Cage

Each cage includes Doors, End Panels and Enclosures

Part No.	For Use With Shelves
----------	----------------------

TST-SCC2436C	24" W x 36" L
--------------	---------------

TST-SCC2448C	24" W x 48" L
--------------	---------------

TST-SCC2460C	24" W x 60" L
--------------	---------------

Wire Shelves

Each shelf comes with 4 Split Sleeves.

Part No.	W x L	Capacity
----------	-------	----------

TST-2436C	24" x 36"	800-lbs., Evenly Distributed
-----------	-----------	------------------------------

TST-2448C	24" x 48"
-----------	-----------

TST-2460C	24" x 60"	600-lbs., Evenly Distributed
-----------	-----------	------------------------------

Posts

Stationary Posts are equipped with a leveling bolt for uneven floors. Mobile Posts are for use with casters on mobile units.

Part No.	Post Type	Height
----------	-----------	--------

TST-65C-SP	Stationary	65-3/4"
------------	------------	---------

599-516	Mobile	61-13/16"
---------	--------	-----------

Stem Casters

Use with posts to create a mobile shelving unit to meet your special needs. Each caster is constructed of resilient rubber wheels and plated components. Wheel tread is resilient. Wheel diameter: 5". Load rating is 200 lbs. per caster. Sold individually.

Part No.	Description	Type	Face
----------	-------------	------	------

TST-5	1 Stem Caster	Stem/Swivel	1-1/4"
-------	---------------	-------------	--------

TST-5B	1 Stem Caster	Stem/Brake	1-1/4"
--------	---------------	------------	--------



Features:

Safe Storage: Protects valuable materials and sensitive items from loss or pilferage.

Ready View of Contents: Heavy-gauge open wire construction keeps the entire contents of the truck visible at all times.

Finish: Durable chrome finish will not chip or flake.

Modular Offering: Build stationary or mobile security units with existing shelf, post, and caster options.

Ergonomic, 1/4-Turn Door Handle: Makes opening and closing the unit easier than conventional security unit designs.

Double Door: Each door opens 270° and can be secured along the sides of the unit.

Time Saving Assembly: Security units assemble quickly — right out of the box.

Shipped Knocked-Down: Saves on freight costs and is easily assembled.



Handle (Open Position)



Handle (Closed Position)

Wire Utility Carts

Wire Utility Cart Kits

Wire Utility Cart Kits come with 2 Shelves, 2 Handles, 4 Swivel Casters (2 Braking) & 4 Donut Bumpers

Part No.	W x L
TST-WUC1836	18" X 36"
TST-WUC1842	18" X 42"
TST-WUC1848	18" X 48"
TST-WUC2436	24" X 36"
TST-WUC2442	24" X 42"
TST-WUC2448	24" X 48"

Additional Wire Shelves

Load capacity: 800 lbs, evenly distributed


Part No.	W x L
18" Width	
TST-1836C	18" x 36"
TST-1842C	18" x 42"
599-515	18" x 48"
24" Width	
TST-2436C	24" x 36"
TST-2442C	24" x 42"
TST-2448C	24" x 48"



Accessories

Stackable Shelf Ledges

Stackable Shelf Ledges prevent items from falling off shelves while allowing access to the shelf from all sides. Ledges are 4" high. Available in a variety of sizes.



Part No.	Shelf Width
TST-SL14C	14"
TST-SL24C	24"
TST-SL36C	36"
TST-SL48C	48"
TST-SL60C	60"

Part No.	Shelf Width
TST-SL18C	18"
TST-SL30C	30"
TST-SL42C	42"
TST-SL54C	54"
TST-SL72C	72"

Shelf Dividers

Keep shelves orderly with these 8" high, pressure-fit dividers.

Part No.	Shelf Width	Qty.
TST-SD18C	18"	1
TST-SD24C	24"	1



Small Accessories

"S" Hooks: Two are required for each storage level.

Foot Plates: Use to bolt units to the floor, or when a broader, more stable foot is desired. Zinc Finish.

Replacement Split Sleeves: Split sleeves snap together around each shelving post to hold the shelf in place. Black plastic. One bag required per shelf; 4 pairs per bag.

Part No.	Description
TST-S-HOOK	"S" Hook
TST-FPZ	Foot Plate
TST-PSS	Split Sleeves



"S" Hook



Foot Plate



Split Sleeve

U-Handle

Build your own special size utility cart with two different width choices: 18" and 24". Overall height is 32", not including casters.

Part No.	Width
TST-H18C	18"
TST-H24C	24"



Casters

Stem Casters, Resilient Rubber: Use with posts to create a mobile shelving unit to meet your special needs. Each caster is constructed of resilient rubber wheels and plated components. Wheel tread is resilient. Wheel diameter: 5". Face: 1-1/4". Load rating is 200 lbs. per caster. Sold individually.



5

5B

5BNM-4

Stem Caster Kit, High Modulus Rubber: Kit consists of four swivel casters with brakes. Each caster is constructed of durable, non-marking high modulus rubber. Wheel diameter: 5". Face: 1-14". Load rating is 300 lbs. per caster. Wheel tread is resilient. Each kit includes 4 Casters.

Part No.	Description
TST-5	1 Stem Caster, Stem/Swivel
TST-5B	1 Stem Caster, Stem/Brake
599-518	1 Stem Caster Kit, Stem/Brake
TST-DB	Donut Bumper

ESD Accessories

Accessories to make carts ESD-safe.

Part No.	Description
700-141	Drag Chain
758IE767	Aluminum Split Sleeves - 4 Pair



DC

ESDSS