


**TECHNI-PRO**



TECHNI-PRO PRECISION  
**SCISSORS**

# TNP SCISSORS

|                         |    |
|-------------------------|----|
| HIGH PRECISION SCISSORS | 04 |
| ULTRACUT SCISSORS       | 07 |
| MICRO SCISSORS          | 10 |
| PROCUT SCISSORS         | 12 |
| EASYCUT SCISSORS        | 17 |
| INDUSTRIAL SCISSORS     | 19 |
| SMARTCUT SCISSORS       | 23 |
| MULTI-PURPOSE SCISSORS  | 26 |



# Techni-Pro

TECHNI-PRO

## Precision Scissors go beyond ordinary tools.



**Techni-Pro Precision Scissors go beyond ordinary tools.**

They excel at highly specialized operations with unmatched accuracy. Our wide range of shapes and features caters to diverse applications from medical device to electronics.

Crafted for precision, these scissors are made with premium stainless steels to offer exceptional, consistent performances and comfort through time.

Trust our heritage of excellence and innovation.

# HIGH PRECISION SCISSORS




# HIGH PRECISION

## SCISSORS | PRECISION IN EVERY CUT

High precision scissors range are made of Stainless Steel AISI420 and available in different shapes and sizes, designed and manufactured to meet the highest quality requirements of precision engineering.

The models with extra fine blades, straight or curved, are ideal for ultra-miniature work in confined areas and for precision tip cutting where the tolerance is very tight. The model with rounded blades is a heavy-duty miniature scissors, ideal for delicate applications where small sturdy blades are required. High precision scissors have many applications, mainly in the medical device field, laboratories and in the electronic industry.



**Tip thickness**  
0.3 mm 0.012"

**Tip width**  
0.4 mm 0.016"

| Part N.  | Blade Description                           | OAL   | Blade length |             | Body Material   | Handle material | Finishing   | Blade serration |
|----------|---|-------|--------------|-------------|-----------------|-----------------|-------------|-----------------|
| 758IE361 | extra fine, curved blade.<br>Miniature work | 90 mm | 3.54"        | 18 mm 0.71" | stainless steel | -----           | sandblasted | -----           |



**Tip thickness**  
0.3 mm 0.012"

**Tip width**  
0.4 mm 0.016"

| Part N.  | Blade Description                             | OAL   | Blade length |             | Body Material   | Handle material | Finishing   | Blade serration |
|----------|---|-------|--------------|-------------|-----------------|-----------------|-------------|-----------------|
| 758IE061 | extra fine, straight blade.<br>Miniature work | 90 mm | 3.54"        | 18 mm 0.71" | stainless steel | -----           | sandblasted | -----           |



**Tip thickness**  
0.3 mm 0.012"

**Tip width**  
0.4 mm 0.016"

| Part N.  | Blade Description                              | OAL   | Blade length |             | Body Material   | Handle material | Finishing   | Blade serration |
|----------|--|-------|--------------|-------------|-----------------|-----------------|-------------|-----------------|
| 758IE362 | extra fine, curved blade.<br>Precision cutting | 90 mm | 3.54"        | 22 mm 0.87" | stainless steel | -----           | sandblasted | -----           |

**HIGH PRECISION SCISSORS**

758IE062



**Tip thickness**  
0.3 mm 0.012"

**Tip width**  
0.4 mm 0.016"

| Part N.  | Blade Description                             | OAL   | Blade length |             | Body Material   | Handle material | Finishing   | Blade serration |
|----------|---|-------|--------------|-------------|-----------------|-----------------|-------------|-----------------|
| 758IE062 | extra fine, straight blade. Precision cutting | 90 mm | 3.54"        | 22 mm 0.87" | stainless steel | ----            | sandblasted | ----            |

758IE363



**Tip thickness**  
0.3 mm 0.012"

**Tip width**  
0.5 mm 0.020"

| Part N.  | Blade Description                              | OAL   | Blade length |             | Body Material   | Handle material | Finishing   | Blade serration |
|----------|--|-------|--------------|-------------|-----------------|-----------------|-------------|-----------------|
| 758IE363 | round, curved blade. Heavy-duty miniature work | 90 mm | 3.54"        | 22 mm 0.87" | stainless steel | ----            | sandblasted | ----            |

758IE364



**Tip thickness**  
0.4 mm 0.016"

**Tip width**  
0.5 mm 0.020"

| Part N.  | Blade Description   | OAL   | Blade length |             | Body Material   | Handle material | Finishing   | Blade serration |
|----------|---|-------|--------------|-------------|-----------------|-----------------|-------------|-----------------|
| 758IE364 | extra fine, curved blade. Heavy-duty precision miniature work | 90 mm | 3.54"        | 25 mm 0.98" | stainless steel | ----            | sandblasted | ----            |

758IE065



**Tip thickness**  
0.6 mm 0.024"

**Tip width**  
1.3 mm 0.051"

| Part N.  | Blade Description                                   | OAL   | Blade length |             | Body Material   | Handle material | Finishing   | Blade serration |
|----------|---|-------|--------------|-------------|-----------------|-----------------|-------------|-----------------|
| 758IE065 | round tips, curved blade. Heavy-duty miniature work | 90 mm | 3.54"        | 18 mm 0.71" | stainless steel | ----            | sandblasted | ----            |

# ULTRACUT SCISSORS



# ULTRACUT

## SCISSORS | CUTTING EXCELLENCE

UltraCut scissors are the perfect solution for demanding application to replace tungsten carbide blade scissors while improving performance, durability and pricing.

Made of stainless steel AISI 420 and AISI 440, hardened with a special vacuum heat treatment process, UltraCut scissors are autoclavable countless times and feature long-lasting sharpness and cutting performances.

They are specifically designed to cut fine braided mesh or wires, tough fibers and suture materials typical of the medical device industry. Designed to be comfortable for both right and left handed users, they are available with single micro-serrated blades to reduce slippage or with standard blades.

The ideal solution to have perfectly clean cuts and long-lasting performances while reducing strain and fatigue.

TNP384



**Tip thickness**  
1.0 mm 0.039"

**Tip width**  
0.5 mm 0.020"

| Part N. | Blade Description   | OAL         | Blade length | Body Material            | Handle material | Finishing       | Blade serration |
|---------|---|-------------|--------------|--------------------------|-----------------|-----------------|-----------------|
| TNP384  | fine, sharp, straight blade - side cut. Biologic and lab applications | 90 mm 3.54" | 15 mm 0.59"  | hardened stainless steel | -----           | mirror polished | micro-serrated  |

TNP384NS



**Tip thickness**  
0.7 mm 0.028"

**Tip width**  
0.7 mm 0.028"

| Part N.  | Blade Description   | OAL         | Blade length | Body Material            | Handle material | Finishing       | Blade serration |
|----------|---|-------------|--------------|--------------------------|-----------------|-----------------|-----------------|
| TNP384NS | fine, sharp, straight blade - side cut. Biologic and lab applications | 90 mm 3.54" | 15 mm 0.59"  | hardened stainless steel | -----           | mirror polished | -----           |



**ULTRACUT SCISSORS**

TNP394



**Tip thickness**  
0.7 mm 0.028"

**Tip width**  
0.7 mm 0.028"

| Part N.       | Blade Description   | OAL          | Blade length | Body Material            | Handle material | Finishing       | Blade serration |
|---------------|---|--------------|--------------|--------------------------|-----------------|-----------------|-----------------|
| <b>TNP394</b> | fine, sharp, straight blade - side cut. Biologic and lab applications | 112 mm 4.43" | 20 mm 0.79"  | hardened stainless steel | -----           | mirror polished | micro-serrated  |

TNP394NS



**Tip thickness**  
0.3 mm 0.012"

**Tip width**  
0.5 mm 0.020"

| Part N.         | Blade Description   | OAL          | Blade length | Body Material            | Handle material | Finishing       | Blade serration |
|-----------------|---|--------------|--------------|--------------------------|-----------------|-----------------|-----------------|
| <b>TNP394NS</b> | fine, sharp, straight blade - side cut. Biologic and lab applications | 112 mm 4.43" | 20 mm 0.79"  | hardened stainless steel | -----           | mirror polished | -----           |

# MICRO SCISSORS



# MICRO

## SCISSORS | PRECISION IN TIGHT SPACES

Designed specifically for confined spaces, Techni-Pro Micro Scissors excel in delivering precise cuts. Their compact size and slender profile allow for effortless maneuverability, ensuring you can navigate intricate areas with ease.

With their short, fine blades, these scissors provide superior visibility and exceptional accuracy. Whether you're working on delicate electronics, intricate crafts, or precise medical device manufacturing, Techni-Pro Micro Scissors are the perfect choice.

### TNP346AMSB



**Tip thickness**  
0.3 mm 0.012"

**Tip width**  
0.3 mm 0.012"

| Part N.    | Blade Description                         | OAL          | Blade length | Body Material            | Handle material | Finishing | Blade serration |
|------------|---|--------------|--------------|--------------------------|-----------------|-----------|-----------------|
| TNP346AMSB | very fine, straight blade. Miniature work | 100 mm 3.94" | 8 mm 0.31"   | hardened stainless steel | -----           | polished  | -----           |

### TNP346MSBTT



**Tip thickness**  
0.3 mm 0.012"

**Tip width**  
0.4 mm 0.016"

| Part N.     | Blade Description                         | OAL          | Blade length | Body Material            | Handle material | Finishing | Blade serration |
|-------------|---|--------------|--------------|--------------------------|-----------------|-----------|-----------------|
| TNP346MSBTT | very fine, straight blade. Miniature work | 120 mm 4.72" | 15 mm 0.59"  | hardened stainless steel | -----           | polished  | -----           |

### TNP366MSB



**Tip thickness**  
0.3 mm 0.012"

**Tip width**  
0.3 mm 0.012"

| Part N.   | Blade Description                          | OAL         | Blade length | Body Material            | Handle material | Finishing | Blade serration |
|-----------|--|-------------|--------------|--------------------------|-----------------|-----------|-----------------|
| TNP366MSB | very fine, straight blade. Miniature work. | 90 mm 3.54" | 7 mm 0.28"   | hardened stainless steel | -----           | polished  | -----           |

# PROCUT SCISSORS



# PROCUT

## SCISSORS | CRAFTED FOR PROFESSIONALS

The ProCut line is conceived for those professional users that need performing and long-lasting products with a cost-effective solution for a wide range of applications.

The products of this line include the most common geometries and iconic design. Made of fine steel, hardened and tempered with state-of-the-art technologies, hand finished by artisans and double nickel-plated to provide a shield against wear and corrosion, these scissors have all the features making them great for industrial use and general applications.

TNP36135



Tip thickness

0.4 mm 0.016"

Tip width

0.4 mm 0.016"

| Part N.  | Blade Description                        | OAL         | Blade length | Body Material | Handle material | Finishing     | Blade serration |
|----------|--|-------------|--------------|---------------|-----------------|---------------|-----------------|
| TNP36135 | extra fine, curved blade. Miniature work | 90 mm 3.54" | 16 mm 0.63"  | carbon steel  | -----           | nickel plated | -----           |

TNP362S35



Tip thickness

0.5 mm 0.020"

Tip width

0.3 mm 0.012"

| Part N.   | Blade Description                             | OAL         | Blade length | Body Material | Handle material | Finishing     | Blade serration |
|-----------|---|-------------|--------------|---------------|-----------------|---------------|-----------------|
| TNP362S35 | extra fine, straight blade. Precision cutting | 90 mm 3.54" | 20 mm 0.79"  | carbon steel  | -----           | nickel plated | -----           |

TNP36240



Tip thickness

0.4 mm 0.016"

Tip width

0.3 mm 0.012"

| Part N.  | Blade Description                             | OAL          | Blade length | Body Material | Handle material | Finishing     | Blade serration |
|----------|---|--------------|--------------|---------------|-----------------|---------------|-----------------|
| TNP36240 | extra fine, straight blade. Precision cutting | 105 mm 4.13" | 25 mm 0.98"  | carbon steel  | -----           | nickel plated | -----           |

**PROCUT SCISSORS**

TNP372SY35NP



**Tip thickness**  
0.4 mm 0.016"

**Tip width**  
0.4 mm 0.016"

| Part N.      | Blade Description                          | OAL         | Blade length | Body Material | Handle material | Finishing     | Blade serration |
|--------------|--|-------------|--------------|---------------|-----------------|---------------|-----------------|
| TNP372SY35NP | extra fine, straight blade. Miniature work | 90 mm 3.54" | 28 mm 1.1"   | carbon steel  | -----           | nickel plated | -----           |

TNP372SY40NP



**Tip thickness**  
0.7 mm 0.028"

**Tip width**  
0.3 mm 0.012"

| Part N.      | Blade Description                             | OAL          | Blade length | Body Material | Handle material | Finishing     | Blade serration |
|--------------|---|--------------|--------------|---------------|-----------------|---------------|-----------------|
| TNP372SY40NP | extra fine, straight blade. Precision cutting | 100 mm 3.94" | 34 mm 1.34"  | carbon steel  | -----           | nickel plated | -----           |

TNP372SY50NP




**Tip thickness**  
0.8 mm 0.031"

**Tip width**  
0.5 mm 0.020"

| Part N.      | Blade Description                     | OAL          | Blade length | Body Material | Handle material | Finishing     | Blade serration |
|--------------|---------------------------------------|--------------|--------------|---------------|-----------------|---------------|-----------------|
| TNP372SY50NP | fine, straight blade. Heavy-duty work | 130 mm 5.12" | 51 mm 2.01"  | carbon steel  | -----           | nickel plated | -----           |

TNP372SY60NP




**Tip thickness**  
0.7 mm 0.028"

**Tip width**  
0.7 mm 0.028"

| Part N.      | Blade Description                     | OAL          | Blade length | Body Material | Handle material | Finishing     | Blade serration |
|--------------|---------------------------------------|--------------|--------------|---------------|-----------------|---------------|-----------------|
| TNP372SY60NP | fine, straight blade. Heavy-duty work | 155 mm 6.10" | 64 mm 2.52"  | carbon steel  | -----           | nickel plated | -----           |

**PROCUT SCISSORS**

TNP372SYL40NP



**Tip thickness**  
0.5 mm 0.020"

**Tip width**  
0.3 mm 0.012"

| Part N.       | Blade Description                                      | OAL    | Blade length |             | Body Material | Handle material | Finishing     | Blade serration |
|---------------|--|--------|--------------|-------------|---------------|-----------------|---------------|-----------------|
| TNP372SYL40NP | extra fine, straight blade, large ring. Miniature work | 100 mm | 3.94"        | 30 mm 1.18" | carbon steel  | -----           | nickel plated | -----           |

TNP37540NP



**Tip thickness**  
0.5 mm 0.020"

**Tip width**  
0.5 mm 0.020"

| Part N.    | Blade Description                              | OAL    | Blade length |             | Body Material | Handle material | Finishing     | Blade serration |
|------------|--|--------|--------------|-------------|---------------|-----------------|---------------|-----------------|
| TNP37540NP | strong, short, curved blade. Precision cutting | 105 mm | 4.13"        | 17 mm 0.67" | carbon steel  | -----           | nickel plated | -----           |

TNP375S40NP



**Tip thickness**  
0.5 mm 0.020"

**Tip width**  
0.5 mm 0.020"

| Part N.     | Blade Description                                | OAL    | Blade length |             | Body Material | Handle material | Finishing     | Blade serration |
|-------------|--|--------|--------------|-------------|---------------|-----------------|---------------|-----------------|
| TNP375S40NP | strong, short, straight blade. Precision cutting | 105 mm | 4.13"        | 17 mm 0.67" | carbon steel  | -----           | nickel plated | -----           |

14-467



**Tip thickness**  
1.0 mm 0.039"

**Tip width**  
1.0 mm 0.039"

| Part N. | Blade Description                          | OAL    | Blade length |             | Body Material | Handle material | Finishing     | Blade serration |
|---------|--|--------|--------------|-------------|---------------|-----------------|---------------|-----------------|
| 14-467  | strong, straight blade. Multi-purpose work | 125 mm | 4.92"        | 40 mm 1.57" | carbon steel  | -----           | nickel plated | notch           |

**PROCUT SCISSORS**

TNP396NMTNP



**Tip thickness**  
0.1 mm 0.039"

**Tip width**  
0.1 mm 0.039"

| Part N.     | Blade Description                             | OAL          | Blade length | Body Material | Handle material | Finishing     | Blade serration              |
|-------------|---|--------------|--------------|---------------|-----------------|---------------|------------------------------|
| TNP396NMTNP | strong, straight blade.<br>Multi-purpose work | 125 mm 4.92" | 40 mm 1.57"  | carbon steel  | -----           | nickel plated | micro-serrated<br>with notch |



# EASYCUT SCISSORS



# EASYCUT

## SCISSORS | AFFORDABLE PRECISION CUTTING

Designed for general-purpose and light-duty professional work, these no-frills scissors provide good performances at an affordable price point.

Crafted with care and manufactured in Asia, our EasyCut Scissors are the smart choice for both everyday tasks or professional projects. These scissors are designed to make your cutting tasks efficient and effortless, allowing you to achieve clean and accurate cuts with ease.

TNP362S40B



Tip thickness

0.3 mm 0.012"

Tip width

0.4 mm 0.016"

| Part N.    | Blade Description                                   | OAL          | Blade length | Body Material            | Handle material | Finishing | Blade serration |
|------------|---|--------------|--------------|--------------------------|-----------------|-----------|-----------------|
| TNP362S40B | extra fine, straight blade, small ring. General use | 100 mm 3.94" | 25 mm 0.98"  | hardened stainless steel | -----           | polished  | -----           |

TNP362S45



Tip thickness

0.4 mm 0.016"

Tip width

0.4 mm 0.016"

| Part N.   | Blade Description                       | OAL          | Blade length | Body Material            | Handle material | Finishing | Blade serration |
|-----------|---|--------------|--------------|--------------------------|-----------------|-----------|-----------------|
| TNP362S45 | extra fine, straight blade. General use | 110 mm 4.33" | 21 mm 0.83"  | hardened stainless steel | -----           | polished  | -----           |

# INDUSTRIAL SCISSORS



# INDUSTRIAL

## SCISSORS | BUILT FOR HEAVY-DUTY TASKS

Constructed with fine steel and hardened using state-of-the-art technologies, Techni-Pro Industrial Scissors are built to withstand the toughest challenges.

They undergo meticulous hand-finishing by skilled artisans, ensuring exceptional quality and performance. From tough materials to demanding applications, these scissors effortlessly handle it all. Their ergonomic design ensures comfortable handling, even during prolonged use, reducing fatigue and maximizing productivity.

TNP33650BK



**Tip thickness**  
0.7 mm 0.028"

**Tip width**  
1.0 mm 0.039"

| Part N.    | Blade Description                              | OAL          | Blade length | Body Material            | Handle material | Finishing | Blade serration |
|------------|--|--------------|--------------|--------------------------|-----------------|-----------|-----------------|
| TNP33650BK | strong, sharp, straight blade. Heavy-duty work | 135 mm 5.31" | 50 mm 1.97"  | hardened stainless steel | nylon           | sandpaper | -----           |

TNP33660BK



**Tip thickness**  
0.7 mm 0.028"

**Tip width**  
1.0 mm 0.039"

| Part N.    | Blade Description                              | OAL          | Blade length | Body Material            | Handle material | Finishing | Blade serration |
|------------|--|--------------|--------------|--------------------------|-----------------|-----------|-----------------|
| TNP33660BK | strong, sharp, straight blade. Heavy-duty work | 155 mm 6.10" | 64 mm 2.52"  | hardened stainless steel | nylon           | sandpaper | -----           |

TNP33675BK



**Tip thickness**  
0.9 mm 0.035"

**Tip width**  
0.1 mm 0.039"

| Part N.    | Blade Description                              | OAL          | Blade length | Body Material            | Handle material | Finishing | Blade serration |
|------------|--|--------------|--------------|--------------------------|-----------------|-----------|-----------------|
| TNP33675BK | strong, sharp, straight blade. Heavy-duty work | 190 mm 7.48" | 74 mm 2.91"  | hardened stainless steel | nylon           | sandpaper | -----           |

**INDUSTRIAL SCISSORS**

TNP33685BK



**Tip thickness**  
0.9 mm 0.035"

**Tip width**  
1.0 mm 0.039"

| Part N.    | Blade Description                              | OAL          | Blade length | Body Material            | Handle material | Finishing | Blade serration |
|------------|--|--------------|--------------|--------------------------|-----------------|-----------|-----------------|
| TNP33685BK | strong, sharp, straight blade. Heavy-duty work | 215 mm 8.46" | 77 mm 3.03"  | hardened stainless steel | nylon           | sandpaper | -----           |

TNP33698BKW



**Tip thickness**  
1.2 mm 0.047"

**Tip width**  
1.5 mm 0.059"

| Part N.     | Blade Description                              | OAL          | Blade length | Body Material            | Handle material | Finishing | Blade serration |
|-------------|--|--------------|--------------|--------------------------|-----------------|-----------|-----------------|
| TNP33698BKW | strong, sharp, straight blade. Heavy-duty work | 250 mm 9.84" | 103 mm 4.06" | hardened stainless steel | TPR             | sandpaper | -----           |

TNP336PP50BK



**Tip thickness**  
0.7 mm 0.028"

**Tip width**  
1.0 mm 0.039"

| Part N.      | Blade Description                               | OAL          | Blade length | Body Material            | Handle material | Finishing | Blade serration |
|--------------|---|--------------|--------------|--------------------------|-----------------|-----------|-----------------|
| TNP336PP50BK | pointed, sharp, straight blade. Heavy-duty work | 135 mm 5.13" | 50 mm 1.97"  | hardened stainless steel | nylon           | sandpaper | -----           |

TNP397ORW



**Tip thickness**  
0.5 mm 0.020"

**Tip width**  
1.0 mm 0.039"

| Part N.   | Blade Description                           | OAL          | Blade length | Body Material            | Handle material | Finishing | Blade serration |
|-----------|---|--------------|--------------|--------------------------|-----------------|-----------|-----------------|
| TNP397ORW | fine, sharp, straight blade. Miniature work | 105 mm 4.13" | 25 mm 0.98"  | hardened stainless steel | ABS             | sandpaper | -----           |

**INDUSTRIAL SCISSORS**

TNP39860BEW



**Tip thickness**  
0.8 mm 0.031"

**Tip width**  
1.3 mm 0.051"

| Part N.            | Blade Description                               | OAL          | Blade length | Body Material            | Handle material | Finishing | Blade serration |
|--------------------|---|--------------|--------------|--------------------------|-----------------|-----------|-----------------|
| <b>TNP39860BEW</b> | pointed, sharp, straight blade. Light-duty work | 160 mm 6.30" | 40 mm 1.57"  | hardened stainless steel | TPR             | sandpaper | -----           |

TNP39870BEW



**Tip thickness**  
1.0 mm 0.039"

**Tip width**  
1.5 mm 0.059"

| Part N.            | Blade Description                               | OAL          | Blade length | Body Material            | Handle material | Finishing | Blade serration            |
|--------------------|---|--------------|--------------|--------------------------|-----------------|-----------|----------------------------|
| <b>TNP39870BEW</b> | pointed, sharp, straight blade. Light-duty work | 180 mm 7.10" | 58 mm 2.28"  | hardened stainless steel | TPR             | sandpaper | Single serrated blade area |

# SMARTCUT SCISSORS



# SMARTCUT

## SCISSORS | SIMPLY COMFORTABLE

Designed for general-purpose and light-duty professional work, SmartCut Scissors are the ideal choice for those seeking quality on a budget.

What sets SmartCut Scissors apart is their Polypropylene/Thermoplastic rubber handle, providing an enhanced grip for comfortable and precise cutting. With this ergonomic handle design, you can tackle any task with ease, reducing hand fatigue and ensuring optimal control. In addition, these Scissors feature micro-serrated blades to reduce slippage and ensuring a clean, precise cut every time.

TNP335MT55GBH



**Tip thickness**  
0.7 mm 0.028"

**Tip width**  
1.0 mm 0.039"

| Part N.       | Blade Description                        | OAL          | Blade length | Body Material            | Handle material | Finishing | Blade serration |
|---------------|--|--------------|--------------|--------------------------|-----------------|-----------|-----------------|
| TNP335MT55GBH | pointed, straight blade. Light-duty work | 140 mm 5.51" | 53 mm 2.09"  | hardened stainless steel | PP+TPR          | sandpaper | micro-serrated  |

TNP335MT65GBH



**Tip thickness**  
1.0 mm 0.039"

**Tip width**  
1.7 mm 0.067"

| Part N.       | Blade Description                        | OAL          | Blade length | Body Material            | Handle material | Finishing | Blade serration |
|---------------|--|--------------|--------------|--------------------------|-----------------|-----------|-----------------|
| TNP335MT65GBH | pointed, straight blade. Light-duty work | 170 mm 6.69" | 69 mm 2.72"  | hardened stainless steel | PP+TPR          | sandpaper | micro-serrated  |

TNP335MT75GBH



**Tip thickness**  
1.0 mm 0.039"

**Tip width**  
1.7 mm 0.067"

| Part N.       | Blade Description                       | OAL          | Blade length | Body Material            | Handle material | Finishing | Blade serration |
|---------------|---|--------------|--------------|--------------------------|-----------------|-----------|-----------------|
| TNP335MT75GBH | strong, straight blade. Light-duty work | 200 mm 7.87" | 71 mm 2.80"  | hardened stainless steel | PP+TPR          | sandpaper | micro-serrated  |



**SMARTCUT SCISSORS**

TNP335MT85GBH



**Tip thickness**  
1.0 mm 0.039"

**Tip width**  
2.0 mm 0.079"

| Part N.       | Blade Description                          | OAL    |       | Blade length |       | Body Material               | Handle material | Finishing | Blade serration |
|---------------|--|--------|-------|--------------|-------|-----------------------------|-----------------|-----------|-----------------|
| TNP335MT85GBH | strong, straight blade.<br>Light-duty work | 215 mm | 8.46" | 80 mm        | 3.15" | hardened<br>stainless steel | PP+TPR          | sandpaper | micro-serrated  |

# MULTI-PURPOSE SCISSORS




# MULTI-PURPOSE

## SCISSORS | FOR SPECIFIC CUTTING NEEDS

Multi-purpose Scissors are designed for optimal durability, ensuring long-lasting performance that meets the demands of professional use.

TNP399KAN Scissors are able to cut Kevlar and Tough Fibers with ease. Unlike conventional scissors and shears, these specialized scissors make cutting challenging materials a breeze. Designed with precision and efficiency in mind, these scissors are engineered to handle a variety of tough fibers, including Vectran, Vicryl, Polyester, High Molecular Weight Polyethylene (UHMWPE), and more.

TNP380BBW



**Tip thickness**  
0.5 mm 0.020"

**Tip width**  
0.8 mm 0.031"

| Part N.   | Blade Description                              | OAL    | Blade length |       | Body Material | Handle material          | Finishing | Blade serration |            |
|-----------|--|--------|--------------|-------|---------------|--------------------------|-----------|-----------------|------------|
| TNP380BBW | strong, sharp, straight blade. Heavy-duty work | 145 mm | 5.71"        | 30 mm | 1.18"         | hardened stainless steel | PP + TPR  | sandpaper       | sawtoothed |

TNP399KAN



**Tip thickness**  
1.6 mm 0.063"

**Tip width**  
2.0 mm 0.079"

| Part N.   | Blade Description      | OAL    | Blade length |       | Body Material | Handle material | Finishing | Blade serration |            |
|-----------|------------------------|--------|--------------|-------|---------------|-----------------|-----------|-----------------|------------|
| TNP399KAN | thick, straight blades | 138 mm | 5.43"        | 42 mm | 1.65"         | 100Cr2          | NY + TPR  | sandblasted     | sawtoothed |

# TECHNI-PRO

[techni-tool.com](http://techni-tool.com)