



**TLC-1000-U2-3**

**USB PTZ Camera for Middle and Small Meeting Room**

# To Make Collaboration Easy and Affordable

TLC-1000-U2-3 is an enterprise level HD PTZ camera at affordable cost, gives you a perfect solution for cloud-based video conferencing, especially used in huddle room. It works with any of your favorite conferencing software, totally plug and play, use-friendly.



3x

108° FOV

USB2.0

1080p30

Compatible With





With Panasonic 5MP sensor, to deliver sharp and high definition image with realistic color; Support WDR, backlight compensation, noise reduction, to adjust image for different working environment




Uses truly 3x optical zoom lens, with 108 degree wide angle FOV, to capture details in middle and small room



USB2.0 video output 1080p30 resolution, plug and play, work with any of your favorite video conferencing software



Matched with IR remote controller, to control PTZ movement, 10 presets and adjust functions as preference in the OSD menu



Support RS232 and RS485 control for different control application and other devices connection



Smart, compact and decent mechanism, to bring smooth, silent and accurate PTZ movement, to make sure everyone is participated in the meeting.

Specification	
Camera	
Image Sensor	1/2.8inch high quality, 5 MP CMOS sensor
Video System	1920x1080、1600x896、1280x1024、1280x720、1280x960、1024x768、1024x576、960x540、848x480、800x600、800x448、720x576、704x576、640x480、640x360、480x272、424x240、352x288、320x240、320x180、176x144、160x120、
Frame Rate	30FPS/25FPS/20FPS/15FPS/10FPS/5FPS
Video Format	MJPEG/YUY2/H.264/H.265
Zoom	3x optical zoom
F	F=1.7~F3.0
Angle of Viewing	108°
S/N Rate	>50dB
Minimum Lux	0.1 lux
White Balance	Auto/Manual/Indoor/Outdoor/Push/Sodium/Fluorescent
Focus Distance	Wide: 3.35±5%; Tele:10.05±5%mm
Iris	Auto/Manual
Electronic Shutter	Auto/Manual
BLC	ON/OFF
Mechanism	
Pan Rotation Angle	-170° ~ +170°
Tilt Rotation Angle	-30° ~ +90°
Pan Rotation Speed	8°-35°/s
Tilt Rotation Speed	4°-20°/s
Preset	128 via RS232, 10 via remote
Control	RS232/USB/remote
Video Port	USB2.0 type B
Input Voltage	DC12V, 1A
Camera Size	148mm×132mm×161mm
Package Size	28x24x24cm
Accessories	Camera, Remote, RS232 cable, USB2.0 cable, Power adapter

## Used For:



**Back of TLC-1000-U2-3**



**Telecam Technology Co.,Ltd**

Add.:6 Floor, Building A, Shuanghuan Information Technology Industrial Park, No.8, Baoqing Rd,  
Longgang District,Shenzhen,518116,China

Tel: +86-755-33275155

<https://www.telycam.com>