

## 4K USB Webcam with Microphone













## TLC-200M-U2-4K 4K USB Webcam with Microphone



## Features



- Adopt the most advanced image DSP and 1/2.5" 12MP sensor, to output 3840x2160@30 UHD resolution
- Used high quality 12MP and 120 degree optical full glass lens, output ultra-high definition and crisp image.
- 4x digital zoom



Built-in dual beam forming microphone, pick up voice at 5meters distance



- USB2.0 output
- A single USB cable for video output, camera control and power supply directly, totally minimize cable clutter.
- Support image flip function, camera can be installed upside down.

Model Number TLC-200M-U2-4K 1/2.8 inch high quality 8MP CMOS sensor Sensor Video Format YUY2/NV12 MJPG/H.264/H.265 1920\*1080@30; 3840\*2160@30; 1280\*720@30; 2560\*1440@30; 640\*480@30; 1920\*1080@30; 320\*240@30 1280\*720@30; 640\*480@30; 320\*240@30 Digital zoom 4x lossless digital zoom Horizontal view angle 120° F.no. 2.0 Focal distance f = 2.22 mmUSB2.0 (UVC) Control interface Noise reduction 3D Minimum Lux 0.1 lux White balance Auto / Manual/Auto Tracking/OnePush/Indoor/Outdoor/Sodium Lamp/Fluorescent Lamp OFF/50Hz/60Hz Anti-Flicker

Support

Support

Support

Support

Support

Support

5V 1A

Telecam Technology Co.,Ltd

Tel: +86-755-33275155 https://www.telycam.com

Longgang District, Shenzhen, 518116, China

199 x 93 x 65 mm

6 Floor, Building A, Shuanghuan Information Technology Industrial Park, No.8, Baoqing Rd,

Auto/Manual

Fixed

Gamma

Mirror

Iris

BLC

Image Flip

USB power

Input Voltage

Dimension (WxHxW)

Telycam

In-ceiling Mount

Electronic shutter