



OVER
50
YEARS
OF
CLEAN



 **Texwipe®**
An  Company

Cleanroom Wipers

Dry | Pre-Wetted | Sterile | Non Sterile

VERTEX® | VECTRA® SEALED-BORDER | SEALED-EDGE | CUT-EDGE | NONWOVEN | SPECIALTY



An ITW Company

texwipe.com

Table of Contents

Vertex® Wipers

Vectra® Sealed-Border Wipers

Sealed-Edge Wipers

Cut-Edge Wipers

Nonwoven Wipers

Specialty Wipers

About Texwipe

Texwipe's commitment to innovation, leadership and quality in cleanroom consumable products spans more than fifty years. We invest in technology to respond to our customers' evolving needs in contamination control.

Texwipe's Core Values are:

- **Innovation** – Texwipe pioneers the latest technologies to provide innovation in contamination control products and processes.
- **Quality** – Texwipe product quality is maintained by the most advanced testing and quality control standards in the industry.
- **Technology Leadership** – Texwipe leads our industry in testing metrology, methods and processes to reduce contamination.

Throughout Texwipe's global operations, we support our customers with products designed

Texwipe: The Leader in Critical Cleaning Products

Product Development

Texwipe is committed to supplying the highest quality, most consistent cleanroom consumable products. We invest in technology, innovation and quality to create and maintain state-of-the-art systems. www.texwipe.com.

Metrology

Many of the standard test methods used in the cleanroom wiper industry were developed by Texwipe. All sterile products are tested for endotoxins.

Manufacturing

Texwipe developed key manufacturing breakthroughs in cleanroom wipers including Vertex® and Vectra® Sealed-Edge.

Technical Support

Technical and practical support is supplied directly to customers to ensure effective cleaning protocols.

Product and Customer Support

Texwipe is the technical and market leader in cleanroom wipers. We provide innovative materials and services for cleaning critical environments in the electronics, pharmaceutical and medical device industries.

To support your needs, we provide:

- On-site Facility Audits
- Technical Training
- Technical Articles and Data Sheets
- Product Line Brochures and Guides
- Sample Binders



Cle

Microscopic Table



Texwipe

TexTab™

The Bleach Alternative in Effervescent Tablet Form
Kills C. diff spores in just 4 minutes

SPORICIDAL EFFERVESCENT TABLET

www.texwipe.com



Vertex[®]

Vertex[®] Dry

Vertex[®] Dry Sterile

Vertex[®] Pre-Wetted

Vertex[®] Pre-Wetted Sterile


Vertex[®] Microdenier Dry

Vertex[®] Microdenier Dry Sterile

Vertex®



Vertex®



INDUSTRIES	
Aerospace	Animal Laboratory
Biologics	Cleanroom Design/Build
Cleanroom Environment	Compounding Pharmacies
Data Storage	Facilities Maintenance
Industrial	Laboratory
Medical Device	Microelectronics
Pharmaceutical	Printing/Graphics
Semiconductor	USP <797> / USP <800>

Vertex® Wiper Series

- 100% polyester material with a sealed edge/laser edge processed on Texwipe's fully automated manufacturing system.
- Vertex® advances wiper manufacturing technology, bringing it to the highest level in the industry.
- Low levels of ions, NVRs (non volatile residues), particles and fibers for use in critical cleaning applications and environments such as wiping and cleaning surfaces, equipment and parts
- Vertex® wipers are designed for high sorption capacity — ideal for spill control, cleaning and solution application.
- Tested for cytotoxicity and bacterial endotoxins for an extra level of contamination control assurance with consistent, optimized cleaning efficiency with repeatable wetness and VOC levels.
- Meets USP <797> and USP <800> requirements and are autoclave safe (dry wipers only).
- Individually lot coded for ease of traceability and quality control.

Pre-Wetted

- Easy-to-use, recloseable slider bags reducing solution evaporation.

Vertex® Microdenier

- 100% polyester, nylon-free, matte automated manufacturing system bringing it to the highest level in
- Offers increased lifting and capillary
- Quick wicking performance makes
- Unique microdenier construction
- Ideal for surfaces susceptible to Quaternary Ammonium Compounds
- Tested for cytotoxicity and bacterial assurance and are manufactured creating a wiper suitable for critical



Vectra[®] Sealed- Border

Vectra[®] Alpha[®] 10

Vectra[®] Alpha[®] 10 LT

Vectra[®] AlphaSorb[®] 10

Vectra[®] Honeycomb[®] 10

Vectra[®] QuanTex[™]

Vectra[®] Quantum[®] 100

TexTra[™] 10

TexTube[®]

Vectra® Sealed-Border



Vectra® Sealed



INDUSTRIES	
Aerospace	Animal Laboratory
Biologics	Cleanroom Design/Build
Cleanroom Environment	Compounding Pharmacies
Data Storage	Facilities Maintenance
Industrial	Laboratory
Medical Device	Microelectronics
Pharmaceutical	Printing/Graphics
Semiconductor	USP <797> / USP <800>

Vectra® Alpha® 10

- 100% polyester with a sealed-border. Processed on Texwipe's automated cleaning system. Vectra® advances the cleaning process and brings this technology to a higher level of wiper manufacturing.
- Vectra sealed-border technology provides low levels of ions, NVRs (non volatile residues), particles and fibers for use in critical cleaning applications and environments.
- Use on abrasive surfaces – will not easily snag or abrade releasing particles and fibers into the process or environment.
- Excellent chemical resistance for compatibility with a variety of solutions.
- Meets USP <797> and USP <800> requirements.
- Autoclave safe (dry wipers only).
- Individually lot coded for ease of traceability and quality control.

Pre-Wetted

- AlphaSat® with Vectra® Alpha® 10 wipers are pre-wetted with 0.2 µm filtered 70% IPA / 30% DIW / 10% IPA / 90% DIW or 6% IPA / 94% DIW for ease of use and provide consistent

Vectra® Alpha 10 LT

- Low titanium dioxide (TiO2) 100% automated cleaning system. Vectra technology to a higher level of wiper (TiO2), safe for processes that do not leave an additional residue.
- Vectra® sealed-border technology particles and fibers for use in critical processes or environment.
- Use on abrasive surfaces – will not snag or abrade releasing particles and fibers into the process or environment.
- Excellent chemical resistance for compatibility with a variety of solutions.
- Autoclave safe (dry wipers only).
- Individually lot coded for ease of traceability and quality control.

Pre-Wetted

Vectra® Sealed-Border



INDUSTRIES	
Aerospace	Animal Laboratory
Biologics	Cleanroom Design/Build
Cleanroom Environment	Compounding Pharmacies
Data Storage	Facilities Maintenance
Industrial	Laboratory
Medical Device	Microelectronics
Pharmaceutical	Printing/Graphics
Semiconductor	USP <797> / USP <800>

Vectra® AlphaSorb® 10

- 100% two-ply polyester material with a sealed-border, processed on Texwipe's automated cleaning system. Vectra® advances the cleaning process and brings this technology to a higher level of wiper manufacturing.
- Constructed from a double layer of polyester material creating a high sorption wiper ideal for spill control, cleaning, and solution application.
- Vectra® border seal technology provides low levels of ions, NVRs (non-volatile residues), particles and fibers for use in critical applications and environments.
- Use on abrasive surfaces – will not easily snag or abrade releasing particles and fibers into the process or environment.
- Excellent chemical resistance for compatibility with a variety of solutions.
- Meets USP <797> and USP <800> wiper requirements.
- Autoclave safe (dry wipers only).
- Individually lot coded for ease of traceability and quality control.

Pre-Wetted

- AlphaSat® with Vectra® AlphaSorb® 10 wipers are pre-wetted with 0.2 µm filtered 100% IPA / 0.00% DIW for ease of use and provide a consistent, optimized cleaning efficiency.

Vectra® Sealed



Vectra® Honeycomb®

- 100% polyester with a sealed-border. Vectra® advances the cleaning process and brings this technology to a higher level of wiper manufacturing.
- Designed to combine the benefit of capturing and retaining particles and fibers for use in critical applications and environments.
- Vectra sealed-border technology provides low levels of ions, NVRs (non-volatile residues), particles and fibers for use in critical applications and environments.
- Excellent chemical resistance for compatibility with a variety of solutions.
- Meets USP <797> and USP <800> wiper requirements.
- Autoclave safe.
- Individually lot coded for ease of traceability and quality control.

Vectra® Sealed-Border



Vectra® Sealed



INDUSTRIES	
Aerospace	Animal Laboratory
Biologics	Cleanroom Design/Build
Cleanroom Environment	Compounding Pharmacies
Data Storage	Facilities Maintenance
Industrial	Laboratory
Medical Device	Microelectronics
Pharmaceutical	Printing/Graphics
Semiconductor	USP <797> / USP <800>

Vectra® QuanTex™

- 100% polyester with a sealed-border processed on Texwipe's automated cleaning system. Vectra® advances the cleaning process and brings this technology to a higher level of wiper manufacturing.
- Each lot of QuanTex™ polyester wipers are tested for cytotoxicity by the Agar Overlay method and for Bacterial Endotoxins by LAL (Limulus Amebocyte Lysate) test for an extra level of contamination control assurance. Reports available upon request (TX1086 not applicable).
- Vectra® sealed-border technology provides low levels of ions, NVRs (non-volatile residues), particles and fibers for use in critical cleaning applications and environments – ideal for spill control, cleaning, and solution application.
- Meets USP <797> and USP <800> wiper requirements.
- Autoclave safe (dry wipers only).
- Individually lot coded for ease of traceability and quality control.

Pre-Wetted

- Vectra® QuanSat™ products are pre-wetted with 0.2 µm filtered 100% IPA, 70% IPA / 30% DIW

Vectra® Quantum® 1

- 100% polyester with a sealed-border
- Vectra® advances the cleaning process and brings this technology to a higher level of wiper manufacturing. Vectra® sealed-border technology provides low levels of ions, NVRs (non-volatile residues), particles and fibers for use in critical cleaning applications and environments – ideal for spill control, cleaning, and solution application.
- Excellent chemical resistance for
- Meets USP <797> and USP <800> wiper requirements.
- Autoclave safe.
- Individually lot coded for ease of

Collection	Size
Vectra® Quantum®	9" x 9"

Sealed-Border



INDUSTRIES	
Aerospace	Animal Laboratory
Biologics	Cleanroom Design/Build
Cleanroom Environment	Compounding Pharmacies
Data Storage	Facilities Maintenance
Industrial	Laboratory
Medical Device	Microelectronics
Pharmaceutical	Printing/Graphics
Semiconductor	USP <797> / USP <800>

TexTra™ 10

- TexTra™ 10 is made from 100% polyester with a sealed border, cleanroom laundered, providing low levels of ions and NVPRs (non-volatile residues) particles. Constructed from a single layer of polyester, equivalent to a two-ply absorbent capacity, creating a high absorbency wiper ideal for spill control, cleaning, and solution application.
- Use on abrasive surfaces – will not easily snag or abrade releasing particles and fibers into the process or environment.
- Excellent chemical resistance for compatibility with a variety of solutions.
- Meets USP <797> and USP <800> wiper requirements.
- Autoclave safe.
- Individually lot coded for ease of traceability and quality control.

Collection	Size	Dry	Pre-Wetted	Dry Sterile	Pre-Wetted Sterile
TexTra™ 10	9" x 9"	–	–	TX3224	–

Sealed-Border



TexTube® Wipers

- Two-ply 100% polyester with two layers of fibers, cleanroom laundered. Constructed from a dense polyester, creating a high absorbency wiper ideal for spill control, cleaning, and solution application.
- Manufactured to provide low level of particles and fibers into the process or environment.
- Use on abrasive surfaces – will not snag or abrade releasing particles and fibers into the process or environment.
- Excellent chemical resistance for compatibility with a variety of solutions.
- Meets USP <797> and USP <800> wiper requirements.
- Autoclave safe.
- Individually lot coded for ease of traceability and quality control.

Collection	Size
–	–

Sealed-Edge

TexVantage™ Polyester
ThermaSeal™ 60
Alpha® 1 Microfiber

Sealed-Edge



TexVantage™ Polyester

- 100% polyester with a sealed edge, creating a wiper ideal for spill control, cleaning and solution application.
- Use on abrasive surfaces – will not easily snag or abrade releasing particles and fibers into the process or environment.
- Excellent chemical resistance for compatibility with a variety of solutions.
- Meets USP <797> and USP <800> wiper requirements.
- Autoclave safe.
- Individually lot coded for ease of traceability and quality control.

ThermaSeal™ 60

- 100% polyester with a sealed edge and NVRs (non-volatile residues) partitioning for solution application.
- Use on abrasive surfaces – will not snag or abrade during the process or environment.
- Excellent chemical resistance for compatibility with a variety of solutions.
- Meets USP <797> and USP <800> wiper requirements.
- Autoclave safe.
- Individually lot coded for ease of traceability and quality control.

INDUSTRIES	
Aerospace	Animal Laboratory
Biologics	Cleanroom Design/Build
Cleanroom Environment	Compounding Pharmacies
Data Storage	Facilities Maintenance
Industrial	Laboratory
Medical Device	Microelectronics
Pharmaceutical	Printing/Graphics
Semiconductor	USP <797> / USP <800>

Collection	Size	Dry	Pre-Wetted	Dry Sterile	Pre-Wetted Sterile
TexVantage™ Polyester	4" x 4"	TX8944	–	–	–
	9" x 9"	TX8949	–	–	–
	12" x 12"	TX8942	–	–	–

Sealed-Edge



Collection	Size
ThermaSeal™ 60	4" x 4"
	9" x 9"

Sealed-Edge



INDUSTRIES	
Aerospace	Animal Laboratory
Biologics	Cleanroom Design/Build
Cleanroom Environment	Compounding Pharmacies
Data Storage	Facilities Maintenance
Industrial	Laboratory
Medical Device	Microelectronics
Pharmaceutical	Printing/Graphics
Semiconductor	USP <797> / USP <800>

Alpha[®] 1 Microfiber

- 80% polyester / 20% nylon with a sealed edge, ideal for surfaces susceptible to scratching.
- Quick wicking performance creates a wiper ideal for spill control, streak-free cleaning and solution application with increased lifting and capturing of particles as small as microbes.
- Unique microfiber construction allows the removal of oils and fingerprints.
- Provides low levels of particles and extractables creating a wiper suitable for critical cleaning and wiping.
- Meets USP <797> and USP <800> wiper requirements.
- Autoclave safe.
- Individually lot coded for ease of traceability and quality control.

Collection	Size	Dry	Pre-Wetted	Dry Sterile	Pre-Wetted Sterile
Alpha[®] 1 Microfiber	4" x 4"	TX1204	—	—	—
	6" x 6"	TX1206	—	—	—
	9" x 9"	TX1209	—	STX1209	—
	12" x 12"	TX1212	—	STX1212	—

Cut-Edge

AlphaLite®
AlphaSorb® HC
AlphaWipe®
MiracleWipe®
TexTra®

Cut-Edge



AlphaLite®

- 100% polyester with a cut edge, cleanroom laundered, providing low levels of ions and NVRs (non-volatile residues) particles, creating a wiper ideal for spill control, cleaning and solution application.
- Use on abrasive surfaces – will not easily snag or abrade releasing particles and fibers into the process or environment.
- Excellent chemical resistance for compatibility with a variety of solutions.
- Meets USP <797> and USP <800> wiper requirements.
- Autoclave safe.
- Individually lot coded for ease of traceability and quality control.

AlphaSorb® HC

- 100% two-ply polyester with a cut edge, cleanroom laundered, providing low levels of ions and NVRs (non-volatile residues)
- Constructed from a double layer for spill control, cleaning, and solution application.
- Use on abrasive surfaces – will not easily snag or abrade releasing particles and fibers into the process or environment.
- Excellent chemical resistance for compatibility with a variety of solutions.
- Autoclave safe (dry wipers only).
- Individually lot coded for ease of traceability and quality control.

Cut-Edge



Collection	Size	Dry	Pre-Wetted	Dry Sterile	Pre-Wetted Sterile
AlphaLite®	9" x 9"	TX1008 TX1008B	–	–	–

INDUSTRIES	
Aerospace	Animal Laboratory
Biologics	Cleanroom Design/Build
Cleanroom Environment	Compounding Pharmacies
Data Storage	Facilities Maintenance
Industrial	Laboratory
Medical Device	Microelectronics
Pharmaceutical	Printing/Graphics
Semiconductor	USP <797> / USP <800>

Pre-Wetted

- AlphaSat® with AlphaSorb® HC is

Collection

Size

Cut-Edge



INDUSTRIES	
Aerospace	Animal Laboratory
Biologics	Cleanroom Design/Build
Cleanroom Environment	Compounding Pharmacies
Data Storage	Facilities Maintenance
Industrial	Laboratory
Medical Device	Microelectronics
Pharmaceutical	Printing/Graphics
Semiconductor	USP <797> / USP <800>

AlphaWipe®

- 100% polyester material with a cut edge, cleanroom laundered and packaged providing ultra low levels of ions and non volatile residues. Constructed from 100% polyester creating a high absorbency wiper ideal for spill control, cleaning, and solution application.
- Use on abrasive surfaces – will not easily snag or abrade releasing particles and fibers into the process or environment.
- Excellent chemical resistance for compatibility with a variety of solutions.
- Meets USP <797> and USP <800> wiper requirements.
- Autoclave safe (dry wipe).
- Individually lot coded for ease of traceability and quality control.

Pre-Wetted

- AlphaSat® products are pre-wetted with 0.2 µm filtered 70% IPA / 30% DW or 6% IPA / 94% DIW for ease of use, providing a consistent, optimized cleaning efficiency with repeatable wetness and VOC levels.
- Packaged in easy-to-use, recloseable slider bags, reduces solution evaporation that preserves the consistent wiper wetness level.

Cut-Edge



MiracleWipe®

- 100% nylon material with a cut edge, cleanroom laundered and packaged providing ultra low levels of ions and NVRs (non volatile residues).
- Constructed from 100% nylon creating a high absorbency wiper ideal for spill control, cleaning, and solution application.
- Unique texture that provides superior cleaning performance.
- Good chemical resistance for a wide variety of solutions.
- Autoclave safe.
- Individually lot coded for ease of traceability and quality control.

Collection	Size
MiracleWipe®	4" x 4"
	9" x 9"
	12" x 12"

Collection	Size	Dry	Pre-Wetted	Dry Sterile	Pre-Wetted Sterile

Cut-Edge



INDUSTRIES	
Aerospace	Animal Laboratory
Biologics	Cleanroom Design/Build
Cleanroom Environment	Compounding Pharmacies
Data Storage	Facilities Maintenance
Industrial	Laboratory
Medical Device	Microelectronics
Pharmaceutical	Printing/Graphics
Semiconductor	USP <797> / USP <800>

TexTra®

- 100% polyester with a cut edge, cleanroom laundered, providing low levels of ions and NVRs (non-volatile residues) particles.
- Constructed from a single layer of polyester, equivalent to a two-ply absorbent capacity creating a high absorbency wiper ideal for spill control, cleaning, and solution application.
- Use on abrasive surfaces – will not easily snag or abrade releasing particles and fibers into the process or environment.
- Excellent chemical resistance for compatibility with a variety of solutions.
- Meets USP <797> and USP <800> wiper requirements.
- Autoclave safe.
- Individually lot coded for ease of traceability and quality control.

Collection	Size	Dry	Pre-Wetted	Dry Sterile	Pre-Wetted Sterile
TexTra®	12" x 12"	TX2424	–	TX3220	–

Nonwoven

Absorbond®

BlueWipe®

ProCell™

TechniCloth®

TechniCloth II®

TechniScrub™

TexVantage™

VersaWipe®

Nonwoven



Nonwoven

INDUSTRIES	
Aerospace	Animal Laboratory
Biologics	Cleanroom Design/Build
Cleanroom Environment	Compounding Pharmacies
Data Storage	Facilities Maintenance
Industrial	Laboratory
Medical Device	Microelectronics
Pharmaceutical	Printing/Graphics
Semiconductor	USP <797> / USP <800>

Absorbond®

- 100% polyester nonwoven material with a cut edge, cleanroom manufactured to provide low levels of ions and NVRs (non-volatile residues) creating a wiper suitable for critical environments.
- Soft, non-abrasive wiper ideal for use on scratch-sensitive surfaces.
- Excellent chemical resistance for compatibility with a variety of solutions and a high absorbency with isopropyl (IPA) solutions.
- Autoclave safe.
- Individually lot coded for ease of traceability and quality control.

Collection	Size	Dry	Pre-Wetted	Dry Sterile	Pre-Wetted Sterile
Absorbond®	4" x 4"	TX404	-	-	-
	9" x 9"	TX409	-	-	-

BlueWipe®

- 45% polyester / 55% cellulose nonwoven material, cleanroom manufactured, creating a durable and long-lasting wiper.
- Excellent chemical resistance for compatibility with a variety of solutions and a high absorbency with isopropyl (IPA) solutions.
- Packaged in a C-fold design for ease of use.
- Meets USP <797> and USP <800> standards.
- Autoclave safe.
- Individually lot coded for ease of use.

Collection	Size
BlueWipe®	12" x 12"

Nonwoven



INDUSTRIES	
Aerospace	Animal Laboratory
Biologics	Cleanroom Design/Build
Cleanroom Environment	Compounding Pharmacies
Data Storage	Facilities Maintenance
Industrial	Laboratory
Medical Device	Microelectronics
Pharmaceutical	Printing/Graphics
Semiconductor	

ProCell™

- Cleanroom manufactured from 35% polypropylene (outer layers) / 65% cellulose (inner layer) nonwoven material with a cut edge, creating a wiper ideal for spill control, cleaning, and solution application.
- Suitable for general cleaning and wiping with excellent chemical resistance for compatibility with a variety of solutions.
- Individually lot coded for ease of traceability and quality control.

Collection	Size	Dry	Pre-Wetted	Dry Sterile	Pre-Wetted Sterile
ProCell™	9" x 9"	TX699	—	—	—

Nonwoven



TechniCloth®

- 45% polyester / 55% cellulose nonwoven material creating a durable wiper ideal for general cleaning.
- Provides low levels of particles and excellent chemical resistance.
- Autoclave safe (dry wipers only).
- Meets USP <797> and USP <800>.
- Individually lot coded for ease of traceability.

Pre-Wetted

- TechniSat® products are pre-wetted with 94% DIW or 70% Denatured Ethanol for optimized cleaning efficiency with reduced residue.
- Easy-to-use, recloseable slider bags for easy storage, reducing solution evaporation that can reduce cleaning efficiency.

Collection	Size
TechniCloth®	4" x 4"
	6" x 6"
	6" x 8"

Nonwoven



Nonwoven



INDUSTRIES	
Aerospace	Animal Laboratory
Biologics	Cleanroom Design/Build
Cleanroom Environment	Compounding Pharmacies
Data Storage	Facilities Maintenance
Industrial	Laboratory
Medical Device	Microelectronics
Pharmaceutical	Printing/Graphics
Semiconductor	USP <797> / USP <800>

TechniCloth II®

- Constructed from proprietary coated 45% polyester / 55% cellulose nonwoven material with a cut edge, cleanroom manufactured, creating a durable wiper ideal for spill control, cleaning, and solution application.
- Manufacturing process incorporates a proprietary coating that provides low levels of particles and extractables creating a wiper suitable for general cleaning and wiping.
- Good chemical resistance for compatibility with a variety of solutions.
- Meets USP <797> and USP <800> wiper requirements.
- Individually lot coded for ease of traceability and quality control.

TechniScrub™

- 50% polyester / 50% cellulose nonwoven material with a cut edge, cleanroom manufactured, creating a durable wiper with a tear-resistant top edge, follow-up wiping and cleaning.
- Superior sorption capacity.
- Provides low levels of particles and extractables and wiping with excellent chemical resistance.
- Autoclave safe.
- Meets USP <797> and USP <800> wiper requirements.
- Individually lot coded for ease of traceability and quality control.

Collection	Size	Dry	Pre-Wetted	Dry Sterile	Pre-Wetted Sterile
TechniCloth II®	9" x 9"	TX1109	-	-	-
	12" x 12"	TX1112	-	-	-
	18" x 18"	TX1118	-	-	-

Collection	Size
TechniScrub™	9" x 9" 12" x 12"

Nonwoven



INDUSTRIES	
Aerospace	Animal Laboratory
Biologics	Cleanroom Design/Build
Cleanroom Environment	Compounding Pharmacies
Data Storage	Facilities Maintenance
Industrial	Laboratory
Medical Device	Microelectronics
Pharmaceutical	Printing/Graphics
Semiconductor	USP <797> / USP <800>

TexVantage™ Nonwoven

- 40% polyester / 60% cellulose nonwoven material with a cut edge, cleanroom manufactured, creating a durable wiper ideal for spill control, cleaning, and solution application.
- Manufactured to provide a wiper suitable for general cleaning and wiping.
- Excellent chemical resistance for compatibility with a variety of solutions.
- Meets USP <797> and USP <800> wiper requirements.
- Autoclave safe.
- Individually lot coded for ease of traceability and quality control.

Collection	Size	Dry	Pre-Wetted	Dry Sterile	Pre-Wetted Sterile
TexVantage™ Nonwoven	9" x 9"	TX8939	—	—	—
	12" x 12"	TX8932	—	TX8932S	—

Nonwoven



VersaWipe®

- 45% polyester / 55% cellulose nonwoven material with a cut edge, cleanroom manufactured, creating a durable wiper ideal for general cleaning and wiping.
- Manufactured to provide low level general cleaning and wiping.
- Excellent chemical resistance for compatibility with a variety of solutions.
- Meets USP <797> and USP <800> wiper requirements.
- Autoclave safe.
- Individually lot coded for ease of traceability and quality control.

Collection	Size
VersaWipe®	4" x 4"
	9" x 9"
	12" x 12"

Specialty

BetaWipe®

FoamWipe®

TexWipe®

NuCotton®

PolySat®

Mold Release®

SolvSat®

Specialty



INDUSTRIES	
Aerospace	Animal Laboratory
Biologics	Cleanroom Design/Build
Cleanroom Environment	Compounding Pharmacies
Data Storage	Facilities Maintenance
Industrial	Laboratory
Medical Device	Microelectronics
Pharmaceutical	Printing/Graphics
Semiconductor	USP <797> / USP <800>

BetaWipe®

- Composite of polypropylene material and cellulose material with a cut edge and is cleanroom manufactured. Constructed by thermally bonding nonwoven polypropylene outer layers over cellulose inner layers creating a wiper ideal for spill control, cleaning, and solution application.
- Use on abrasive surfaces – will not easily snag or abrade releasing particles and fibers into the process or environment.
- Excellent chemical resistance for compatibility with a variety of solutions.
- Autoclave safe.
- Individually lot coded for ease of traceability and quality control.

Collection	Size	Dry	Pre-Wetted	Dry Sterile	Pre-Wetted Sterile
BetaWipe®	9" x 9"	TX2009	-	-	-

Specialty



FoamWipe®

- Constructed from 100 ppi polypropylene material, manufactured creating a high absorbency and solution application.
- Unique texture, ideal for picking up particles.
- Good chemical resistance for compatibility with a variety of solutions.
- Autoclave safe
- Individually lot coded for ease of traceability and quality control.

Collection	Size
FoamWipe®	6" x 6" x 1/8"

Specialty



TexWipe® and NuCotton®

- Constructed from long staple 100% cotton yarn with a cut edge, cleanroom manufactured to reduce free floating fibers on the surface while still providing excellent wiping and cleaning.
- Made from sustainable and renewable materials grown and processed in the United States.
- Use on abrasive surfaces – will not easily snag or abrade releasing particles and fibers into the process or environment.
- Excellent chemical resistance for compatibility with a variety of solutions.
- Autoclave safe.
- Bias-cut to minimize edge shedding and fraying.
- Individually lot coded for ease of traceability and quality control.

PolySat®

- 100% melt-blown polypropylene wiper ideal for use on sensitive surfaces.
- Pre-wetted with 0.2 µm filtered 70% optimized cleaning efficiency with 30% evaporation that preserves the color of the surface.
- Easy-to-use, reclosable slider bag design that provides low level of moisture.
- Manufactured to provide low level of lint for general cleaning and wiping.
- Use on abrasive surfaces – will not snag or abrade the process or environment.
- Meets USP <797> and <800>.
- Individually lot coded for ease of traceability and quality control.

INDUSTRIES	
Aerospace	Animal Laboratory
Biologics	Cleanroom Design/Build
Cleanroom Environment	Compounding Pharmacies
Data Storage	Facilities Maintenance
Industrial	Laboratory
Medical Device	Microelectronics
Pharmaceutical	Printing/Graphics
Semiconductor	USP <797> / USP <800>

Collection	Size	Dry	Pre-Wetted	Dry Sterile	Pre-Wetted Sterile
TexWipe®	4" x 4"	TX304	-	-	-
	6" x 6"	TX306	-	-	-

Specialty



Specialty

**BMS
15-20
Listed**



INDUSTRIES	
Aerospace	Automotive
Cleanroom Environment	Printing/Graphics
Marine	

Mold Release® Sheets

- 100% durable, 2-ply spunbond polypropylene material with a cut edge, cleanroom manufactured, creating a low-linting chemical resistant wiper.
- Pre-wetted sheets provide consistent, accurate amounts of solvent for uniform application to mold surfaces.
- Point-of-use pouches designed for ease of use, minimizing exposure to hazardous vapors, lowering VOC emissions and eliminating potential for spills.
- Satin finish mold release.
- Quick cure at room temperature.
- Semi-permanent multiple releases.
- Optimized mold release usage.
- Individually lot coded for ease of traceability and quality control.

Collection	Size	Dry	Pre-Wetted	Dry Sterile	Pre-Wetted Sterile

Specialty



SolvSat®

- Pre-wetted wipers provide consistent and VOC levels.
- Canister delivery system is designed to reduce hazardous vapors, lowering VOC levels.
- Easy-to-use solvent-resistant pouches allow users to tear off wipers at the point of use.
- Individually lot coded for ease of traceability and quality control.

Collection	Size
SolvSat®	6" x 9"

- Meets Aerospace Standard BMS 15-20
- Meets Aerospace Standard DMS 00-001

Wipers / Mops / Swabs & Solutions Compatibility

Material/ Fabric	Texwipe Wiper Products	Texwipe Mop Products	Texwipe Swab Products	Disinfectants			Cleaners		
				TexQ	TexTab™ TX6460	Texcide	TexP	IPA	Ethanol
Polyester/ Cellulose	TX622, 624, 629, 604, 606, 609, 612, 1109, 1112, 1118, 3210			✗	✓	✓	✓	✓	✓
Microdenier (100% Polyester)	TX59, 3059	AlphaMops: TX7118M, STX7118M , TX7114M, STX7114M BetaMops: TX7070, STX7070	Microdenier Series	✓	✓	✓	✓	✓	✓
Polyester (100%)	TX1010, 1012, 1029, 1050, 1052, 1060, 1069, 1070, 1080, 8659, 1004, 1009, 1009B, 1013, 1008, 1008B, 2064, 2069, 2424, 2452, 2409, 2412, 2418, 49, 42, 29, 22 TX3042, 3049, 3215, 3225, 3220, 3211, 3212, 3224, STX404, 409	AlphaMops: TX7118, STX7118 , TX7114, STX7114 BetaMops: TX716R, STX716R , TX7072, STX7072	Alpha Series, Absorbond Series Polyester Honeycomb Series	✓	✓	✓	✓	✓	✓
Polyester/ Rayon		BetaMops: TX7073, STX7073		✗	✓	✓	✓	✓	✓
Nylon	TX4004, TX4009, TX4012		TX730	✗	✓	✗	✗	✓	✓
Cotton	TX304, TX306, TX309, TX312, TX329		Cotton Series	✗	✓	✓	✓	✓	✓
Foam	TX704		CleanFoam Series A, CleanFoam Series B, General Purpose Foam Series	✓	✓	✓	✓	✓	✓
Polypropylene/ Cellulose	TX699, 2009			✗	✓	✓	✓	✓	✓

✗ = not compatible ✓ = compatible

Wiper Selection Guide

Collection	Number	Size	Description	Packaging	Case	Page
VERTEX® WIPERS						
	TX29	9" x 9" (23 cm x 23 cm)	Vertex® dry	150 wipers/bag (2 bags of 75)	10 bags	VERTEX-2
	TX49	9" x 9" (23 cm x 23 cm)	Vertex® dry	75 wipers/bag (2 bags of 75)	10 bags	VERTEX-2
	TX49P	9" x 9" (23 cm x 23 cm)	Vertex® pre-wetted; 70% IPA	75 wipers/redesable bag	4 bags	VERTEX-2
	TX3049	9" x 9" (23 cm x 23 cm)	Vertex® dry, sterile	100 wipers/bag (5 bags of 20)	5 bags	VERTEX-2
	TX3049P	9" x 9" (23 cm x 23 cm)	Vertex® pre-wetted; 70% IPA, sterile	25 wipers/redesable bag	5 bags	VERTEX-2
	TX3221	11" x 11" (28 cm x 28 cm)	Vertex® dry, sterile	100 wipers/bag (5 bags of 20)	5 bags	VERTEX-2
	TX42	12" x 12" (30 cm x 30 cm)	Vertex® dry	100 wipers/bag	10 bags	VERTEX-2
	TX42P	12" x 12" (30 cm x 30 cm)	Vertex® pre-wetted; 70% IPA	50 wipers/redesable bag	4 bags	VERTEX-2
	TX3042	12" x 12" (30 cm x 30 cm)	Vertex® dry, sterile	100 wipers/bag (5 packs of 20)	5 bags	VERTEX-2
	TX3042P	12" x 12" (31 cm x 31 cm)	Vertex® pre-wetted; 70% IPA, sterile	25 wipers/redesable bag	5 bags	VERTEX-2
	TX3044P	12" x 12" (31 cm x 31 cm)	Vertex® pre-wetted, ethanol; 70% denatured ethanol, sterile	25 wipers/redesable bag	5 bags	VERTEX-2
Vertex® Microdenier	TX59	9" x 9" (23 cm x 23 cm)	Vertex® microdenier	150 wipers/bag	10 bags	VERTEX-3
	TX3059	9" x 9" (23 cm x 23 cm)	Vertex® microdenier, sterile	100 wipers/bag (5 packs of 20)	5 bags	VERTEX-3
VECTRA® SEALED-BORDER WIPERS						
	TX1010	9" x 9" (23 cm x 23 cm)	Vectra® Alpha® 10, dry	100 wipers/bag (2 inner bags of 50)	10 bags	VECTRA-2
	TX8410	9" x 9" (23 cm x 23 cm)	AlphaSat® Vectra® Alpha® 10; pre-wetted; 100% IPA	50 wipers/redesable bag	12 bags	VECTRA-2
	TX8415	9" x 9" (23 cm x 23 cm)	AlphaSat® Vectra® Alpha® 10; pre-wetted; 6% IPA	50 wipers/redesable bag	12 bags	VECTRA-2
Vectra® Alpha® 10	TX3285	9" x 9" (23 cm x 23 cm)	AlphaSat® Vectra® Alpha® 10; pre-wetted; 70% IPA, sterile	20 wipers/flexpack	20 flexpacks	VECTRA-2
	TX1012	12" x 12" (31 cm x 31 cm)	Vectra® Alpha® 10, dry	100 wipers/bag	10 bags	VECTRA-2
	TX3212	12" x 12" (31 cm x 31 cm)	Vectra® Alpha® 10, dry, sterile	100 wipers/bag (5 packs of 20)	5 bags	VECTRA-2
	TX3280	12" x 12" (31 cm x 31 cm)	AlphaSat® Vectra® Alpha® 10; pre-wetted; 70% IPA, sterile	50 wipers/fatpack	5 fatpacks	VECTRA-2
	TX8659	9" x 9" (23 cm x 23 cm)	Alpha® 10 Lo TI02 dry	150 wipers/bag (2 inner bags of 75)	10 bags	VECTRA-3
Vectra® LT	TX8691	9" x 9" (23 cm x 23 cm)	Quantum® LT; Quantum™; pre-wetted; 6% IPA	50 wipers/redesable bag	12 bags	VECTRA-3
	TX1050	9" x 9" (23 cm x 23 cm)	Vectra® AlphaSort® 10, dry	100 wipers/bag (2 inner bags of 50)	10 bags	VECTRA-4
Vectra® AlphaSort® 10	TX1057	9" x 9" (23 cm x 23 cm)	AlphaSat® Vectra® AlphaSort® 10; pre-wetted, 10% IPA	40 wipers/redesable bag	12 bags	VECTRA-4
	TX1062	12" x 12" (31 cm x 31 cm)	AlphaSort® 10, dry	100 wipers/bag	6 bags	VECTRA-4
	TX3215	12" x 12" (31 cm x 31 cm)	AlphaSort® 10, dry, sterile	100 wipers/bag	5 bags	VECTRA-4
Vectra® Honeycomb® 10	TX1060	9" x 9" (23 cm x 23 cm)	Vectra® Honeycomb® 10, dry	100 wipers/bag (2 inner bags of 50)	10 bags	VECTRA-5
	TX1080	9" x 9" (23 cm x 23 cm)	Vectra® Quantex™	150 wipers/bag (2 inner bags of 75 wipers)	10 bags	VECTRA-6
	TX1082	9" x 9" (23 cm x 23 cm)	Vectra® QuantSat™; pre-wetted; 100% IPA	50 wipers/redesable bag	12 bags	VECTRA-6
Vectra® Quantex™	TX1084	9" x 9" (23 cm x 23 cm)	Vectra® QuantSat™; pre-wetted; 70% IPA	50 wipers/redesable bag	12 bags	VECTRA-6
	TX1086	9" x 9" (23 cm x 23 cm)	Vectra® QuantSat™; pre-wetted; 6% IPA	50 wipers/redesable bag	12 bags	VECTRA-6
Vectra® Quantum® 100	TX1029	9" x 9" (23 cm x 23 cm)	Vectra® Quantum®, dry	100 wipers/bag (2 inner bags of 50)	10 bags	VECTRA-7
	TX3224	9" x 9" (23 cm x 23 cm)	TexTra® 10; dry, sterile	100 wipers/bag (5 packs of 20)	6 bags	VECTRA-8
TexTra® 10	TX2462	12" x 12" (31 cm x 31 cm)	TexTra® 10; dry	100 wipers/bag	6 bags	VECTRA-8
	TX3225	12" x 12" (31 cm x 31 cm)	TexTra® 10; dry, sterile	100 wipers/bag (2 inner bags of 20)	5 bags	VECTRA-8
TexTube®	TX1070	9" x 9" (23 cm x 23 cm)	TexTube®, dry	100 wipers/bag (2 inner bags of 50)	10 bags	VECTRA-9
SEALED-EDGE WIPERS						
	TX8944	4" x 4" (10 cm x 10 cm)	TexVantage® Polyester dry	300 wipers/bag (2 inner bags of 150)	20 bags	SEALED-EDGE-2
TexVantage® Polyester	TX8949	9" x 9" (23 cm x 23 cm)	TexVantage® Polyester dry	150 wipers/bag (2 inner bags of 75)	10 bags	SEALED-EDGE-2
	TX8942	12" x 12" (30 cm x 30 cm)	TexVantage® Polyester dry, sterile	100 wipers/bag	10 bags	SEALED-EDGE-2
	TX2064	4" x 4" (10 cm x 10 cm)	ThermaSeal® 60; dry	300 wipers/bag (2 inner bags of 150)	20 bags	SEALED-EDGE-3
ThermaSeal® 60	TX2069	9" x 9" (23 cm x 23 cm)	ThermaSeal® 60; dry	150 wipers/bag (2 inner bags of 75)	10 bags	SEALED-EDGE-3
	TX1204	4" x 4" (10 cm x 10 cm)	Alpha® 1 Microfiber; dry	100 wipers/bag (2 bags of 50 wipers)	20 bags	SEALED-EDGE-4
	TX1206	6" x 6" (15 cm x 15 cm)	Alpha® 1 Microfiber; dry	100 wipers/bag (2 bags of 50 wipers)	20 bags	SEALED-EDGE-4
Alpha® 1 Microfiber	STX1209	9" x 9" (23 cm x 23 cm)	Alpha® 1 Microfiber; dry, sterile	100 wipers/bag (2 bags of 50 wipers)	5 bags	SEALED-EDGE-4
	TX1212	12" x 12" (31 cm x 31 cm)	Alpha® 1 Microfiber; dry	100 wipers/bag (2 bags of 50 wipers)	10 bags	SEALED-EDGE-4
	STX1212	12" x 12" (31 cm x 31 cm)	Alpha® 1 Microfiber; dry, sterile	100 wipers/bag (4 bags of 25 wipers)	5 bags	SEALED-EDGE-4
CUT-EDGE WIPERS						
	TX1008	9" x 9" (23 cm x 23 cm)	AlphaLite® dry	150 wipers/bag (2 inner bags of 75)	10 bags	CUT-EDGE-2
AlphaLite®	TX1008B	9" x 9" (23 cm x 23 cm)	AlphaLite® dry, bulk packed	150 wipers/bag (2 inner bags of 75)	10 bags	CUT-EDGE-2
	TX2409	9" x 9" (23 cm x 23 cm)	AlphaSort® HC, dry	100 wipers/bag (2 inner bags of 50)	10 bags	CUT-EDGE-3

Wiper Selection Guide

Collection	Number	Size	Page
	TX7081	9" x 31" (23 cr)	
AlphaWipe® (continued)	TX1031	9" x 32" (23 cr)	
	TX1013	12" x 12" (31 cr)	
	TX1025	24" x 44" (60 cm)	
	TX4004	4" x 4" (10 cm)	
MiracleWipe®	TX4009	9" x 9" (23 cm)	
	TX4012	10" x 12" (25 cr)	
	TX2424	12" x 12" (31 cr)	
	TX3220	12" x 12" (31 cr)	
NONWOVEN WIPERS			
	TX404	4" x 4" (10 cm)	
Absorbond®	TX409	9" x 9" (23 cm)	
	TX512	12" x 12" (31 cr)	
BlueWipe®	TX699	9" x 9" (23 cm)	
ProCell®	TX604	4" x 4" (10 cm)	
	TX606	6" x 6" (15 cm)	
	TX609	9" x 9" (23 cm)	
	STX609	9" x 9" (23 cm)	
	TX612	12" x 12" (31 cr)	
	TX3210	12" x 12" (31 cr)	
	TX1045	6" x 8" (15 cm)	
	TX1067	7" x 11" (18 cr)	
TechniCluit®	TX1088	7" x 11" (18 cr)	
	STX1088	7" x 11" (18 cr)	
	TX1048	8" x 5" (20 cm)	
	STX1041	8" x 5.5" (20 cr)	
	TX1041	9" x 11" (23 cr)	
	TX1065	9" x 11" (23 cr)	
	TX3214	9" x 11" (23 cr)	
	TX3217	9" x 11" (23 cr)	
	TX8488	9" x 11" (23 cr)	
	TX1109	9" x 9" (23 cm)	
	TX1112	12" x 12" (31 cr)	
TechniCluit® II	TX1118	18" x 18" (46 cr)	
	TX4409	9" x 9" (23 cm)	
	TX4412	12" x 12" (31 cr)	
	TX8939	9" x 9" (23 cm)	
TexVantage® Nonwoven	TX8932	12" x 12" (31 cr)	
	TX8832S	12" x 12" (31 cr)	
	TX624	4" x 4" (10 cm)	
	STX624	4" x 4" (10 cm)	
VersaWipe®	TX629	9" x 9" (23 cm)	
	TX622	12" x 12" (31 cr)	
SPECIALTY WIPERS			
BetaWipe®	TX2009	9" x 9" (23 cm)	
	TX704	6" x 9" x 1/8" (15 cm x 23 cr)	
	TX304	4" x 4" (10 cm)	
	TX306	6" x 6" (15 cm)	
	TX309	9" x 9" (23 cm)	
	TX329	9" x 9" (23 cm)	
	TX312	12" x 12" (31 cr)	
	TX1040	7" x 11" (17 cr)	
	TX1051	9" x 11" (23 cr)	



Americas	+1 336 996 7046
EMEA	+31 88 1307 410
Philippines	+63 49 543 0241
China	+86 512 6303 3700

www.texwipe.com
