

Safety Data Sheet
acc. to OSHA HCS (HazCom 2012)

Printing date 08/22/2017

Reviewed on 08/22/2017

1 Identification

- **Product identifier**
- **Trade name:** Total Nitrogen Hydroxide LR / HR Tube
- **Catalogue number:** ACD004, ACD007
- **Application of the substance / the mixture:** Reagent for water analysis
- **Manufacturer/Supplier:**
Thermo Fisher Scientific
Water and Lab Products
22 Alpha Road
Chelmsford, MA 01824, USA
phone: 1-978-232-6000
Made in Germany
- **Informing Department:** usbev.customerservice@thermofisherscientific.com
- **Emergency telephone number:**
24 hr Emergency
CHEMTREC®
Within USA and Canada: 1-800-424-9300
Outside USA and Canada: 1-703-527-3887
(collect calls accepted)

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Met. Corr.1 H290 May be corrosive to metals.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- **Label elements**

- **GHS label elements** The product is classified and labeled according to the Hazard Communication Standard (HCS).

- **Hazard pictograms**



GHS05

- **Signal word** Warning

- **Hazard statements**

H290 May be corrosive to metals.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

- **Precautionary statements**

P280 Wear protective gloves / eye protection.

P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)

— UST —

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/22/2017

Reviewed on 08/22/2017

Trade name: **Total Nitrogen Hydroxide LR / HR Tube**

(Contd. of page 1)

P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.
 P390 Absorb spillage to prevent material damage.

· **Other hazards** No further relevant information available.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** aqueous solution
- **Composition and Information on Ingredients:**
Percent ranges are used due to the confidential product information.

CAS: 1310-73-2 EINECS: 215-185-5 Index number: 011-002-00-6 RTECS: WB4900000	sodium hydroxide	Met. Corr.1, H290; Skin Corr. 1A, H314	≥0.5–≤1%
---------------------------------------------------------------------------------------	------------------	----------------------------------------	----------

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Immediately rinse with plenty of water.
If skin irritation continues, consult a doctor.
- **After eye contact:** Rinse opened eye for several minutes (at least 15 min) under running water. Then consult a doctor.
- **After swallowing:**
Rinse out mouth and then drink 1-2 glasses of water.
Seek medical treatment.
- **Most important symptoms and effects, both acute and delayed irritations**
- **Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture**
The product is not combustible.
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.
- **Additional information**
Collect contaminated fire fighting water separately. It must not enter the sewage system.
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
Ambient fire may liberate hazardous vapours.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
- **Advice for non-emergency personnel:**
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
- **Advice for emergency responders:** Protective equipment: see section 8
- **Environmental precautions:** Do not allow product to reach sewage system or any water course.
- **Methods and material for containment and cleaning up:**
Ensure adequate ventilation.
--> weak acid solution
Absorb with liquid-binding material (sand, diatomite, universal binders).

(Contd. on page 3)

— UST —

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/22/2017

Reviewed on 08/22/2017

Trade name: **Total Nitrogen Hydroxide LR / HR Tube**

(Contd. of page 2)

Dispose contaminated material as waste according to item 13.

• **Reference to other sections**

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

• **Handling:**

• **Precautions for safe handling**

• **Advice on safe handling:** No special precautions are necessary if used correctly.

• **Hygiene measures:**

Avoid contact with the eyes.

Take off immediately all contaminated clothing.

Wash hands before breaks and at the end of work.

Do not eat, drink or smoke when using this product.

• **Conditions for safe storage, including any incompatibilities**

• **Storage:**

• **Requirements to be met by storerooms and receptacles:** Store in a cool location.

• **Information about storage in one common storage facility:** Store away from metals.

• **Further information about storage conditions:**

Protect from heat and direct sunlight.

Protect from exposure to the light.

Protect from humidity and water.

• **Recommended storage temperature:** 20°C +/- 5°C (approx. 68°F)

• **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

• **Control parameters**

• **Components with limit values that require monitoring at the workplace:**

CAS: 1310-73-2 sodium hydroxide

EL (Canada)	Ceiling limit value: 2 mg/m ³
EV (Canada)	Ceiling limit value: 2 mg/m ³
PEL (USA)	Long-term value: 2 mg/m ³
REL (USA)	Ceiling limit value: 2 mg/m ³
TLV (USA)	Ceiling limit value: 2 mg/m ³

• **Additional information:** The lists that were valid during the creation were used as basis.

• **Engineering measures:**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See item 7.

• **Personal protective equipment:**

• **Breathing equipment:** Use respiratory protective device against the effects of fumes/dust/aerosol.

• **Recommended filter device for short term use:** Filter P2

• **Protection of hands:**

Protective gloves

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

• **Material of gloves**

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

• **Penetration time of glove material**

Value for the permeation: Level ≤ 1 (10 min)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• **Eye protection:** Safety glasses

• **Body protection:** Protective work clothing

(Contd. on page 4)

— UST —

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/22/2017

Reviewed on 08/22/2017

Trade name: Total Nitrogen Hydroxide LR / HR Tube

(Contd. of page 3)

- **Limitation and supervision of exposure into the environment:** No further relevant information available.

9 Physical and chemical properties

· Information on basic physical and chemical properties	
· Appearance:	
Form / Physical state:	Fluid
Color:	Colorless
· Odor:	Odorless
· Odor threshold:	Not applicable.
· pH-value at 20°C (68 °F):	12,1
· Melting point/freezing point:	Not determined.
· Initial boiling point and boiling range:	Not determined.
· Flash point:	Not applicable.
· Flammability (solid, gas):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not self-igniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Flammability or explosive limits:	
Lower:	Not applicable.
Upper:	Not applicable.
· Oxidizing properties:	none
· Vapor Pressure:	Not determined.
· Density at 20°C (68 °F):	1,01g/cm ³ (8.43 lbs/gal)
· Relative density:	Not determined.
· Vapor density:	Not determined.
· Evaporation rate:	Not determined.
· Solubility(ies)	
Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	Not determined.
· Solvent content:	
Organic solvents:	0,0%
Water:	> 99%
Solids content:	< 1%
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** see section "Possibility of hazardous reactions"
- **Chemical stability** Stable at ambient temperature (room temperature).
- **Possibility of hazardous reactions**
 - Corrosive action on metals.
 - Reacts with metals forming hydrogen (Danger of explosion!)
 - Corrodes aluminium and zinc.
 - Exothermic reaction with acids.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:**
 - metals
 - light metals
 - zinc
 - aluminum
 - NH_x

(Contd. on page 5)

— UST —

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/22/2017

Reviewed on 08/22/2017

Trade name: Total Nitrogen Hydroxide LR / HR Tube

(Contd. of page 4)

- **Hazardous decomposition products:** see section 5

11 Toxicological information

- **Information on toxicological effects**

- **Acute toxicity:** Based on available data, the classification criteria are not met.

- **LD/LC50 values that are relevant for classification:**

CAS: 1310-73-2 sodium hydroxide

Oral	LDLo	500 mg/kg (rabbit) (IUCLID)
------	------	--------------------------------

- **Primary irritant effect:**

- **on the skin:** Causes skin irritation.

- **on the eye:** Causes serious eye irritation.

- **Sensitization:** Based on available data, the classification criteria are not met.

- **Information on components:**

CAS: 1310-73-2 sodium hydroxide

Sensitization	Patch test (human)	(negative)
---------------	--------------------	------------

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

- **Other information:** see section 8 / 15

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):** The following statements refer to the mixture:

- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

- **Carcinogenicity** Based on available data, the classification criteria are not met.

- **Reproductive toxicity** Based on available data, the classification criteria are not met.

- **STOT (specific target organ toxicity) -single exposure** Based on available data, the classification criteria are not met.

- **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.

- **Aspiration hazard** Based on available data, the classification criteria are not met.

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:**

CAS: 1310-73-2 sodium hydroxide

LC50	40.4 mg/l/48h (Ceriodaphnia sp.) (ECHA)
------	--------------------------------------------

- **Bacterial toxicity:**

CAS: 1310-73-2 sodium hydroxide

EC50	22 mg/l (Photobacterium phosphoreum) (15 min)
------	-----------------------------------------------

- **Persistence and degradability**

- **Other information:**

Mixture of inorganic compounds.

Methods for the determination of biodegradability are not applicable to inorganic substances.

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Other adverse effects**

Avoid transfer into the environment.

Forms corrosive mixtures with water even if diluted.

Harmful effect due to pH shift.

Neutralization possible in waste water treatment plants.

— UST —

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/22/2017

Reviewed on 08/22/2017



Trade name: Total Nitrogen Hydroxide LR / HR Tube

(Contd. of page 5)

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Hand over to hazardous waste disposers.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· UN-Number · DOT, IMDG, IATA	UN1824
· UN proper shipping name · DOT · IMDG · IATA	Sodium hydroxide solution SODIUM HYDROXIDE SOLUTION mixture Sodium hydroxide solution mixture
· Transport hazard class(es) · DOT	
	
· Class · Label	8 Corrosive substances 8
· IMDG, IATA	
	
· Class · Label	8 Corrosive substances 8
· Packing group · DOT, IMDG, IATA	III
· Environmental hazards:	Not applicable.
· Special precautions for user · Danger code (Kemler): · EMS Number: · Segregation groups · Stowage Category · Segregation Code	Warning: Corrosive substances 80 F-A,S-B Alkalis A SG35 Stow "separated from" acids.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information: · DOT · Quantity limitations · Limited quantity (LQ): · Excepted quantities (EQ)	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L 5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

(Contd. on page 7)

— UST —

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/22/2017

Reviewed on 08/22/2017

Trade name: Total Nitrogen Hydroxide LR / HR Tube

(Contd. of page 6)

<ul style="list-style-type: none"> • IMDG • Limited quantities (LQ) • Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

- **Section 355 (Extremely hazardous substances):**

None of the ingredients is listed.

- **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

- **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

- **Proposition 65**

- **Chemicals known to cause cancer:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **New Jersey Right-to-Know List:**

CAS: 1310-73-2 | sodium hydroxide

- **New Jersey Special Hazardous Substance List:**

CAS: 1310-73-2 | sodium hydroxide

CO, R1

- **Pennsylvania Right-to-Know List:**

CAS: 1310-73-2 | sodium hydroxide

- **Pennsylvania Special Hazardous Substance List:**

CAS: 1310-73-2 | sodium hydroxide

E

- **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **Information about limitation of use:** Employment restrictions concerning young persons must be observed.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

- **Date of preparation / last revision** 08/22/2017 / -

- **Abbreviations and acronyms:**

OECD: Organisation for Economic Co-operation and Development

(Contd. on page 8)

— UST —

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/22/2017

Reviewed on 08/22/2017

Trade name: Total Nitrogen Hydroxide LR / HR Tube

(Contd. of page 7)

STOT: specific target organ toxicity
 SE: single exposure
 RE: repeated exposure
 EC50: half maximal effective concentration
 IC50: half maximal inhibitory concentration
 NOEL or NOEC: No Observed Effect Level or Concentration
 ACGIH[®] - American Conference of Governmental Industrial Hygienists
 •A1 - Confirmed human carcinogen
 •A2 - Suspected human carcinogen
 •A3 - Confirmed animal carcinogen with unknown relevance to humans
 •A4 - Not classifiable as a human carcinogen
 •A5 - Not suspected as a human carcinogen
 IARC - International Agency for Research on Cancer
 •Group 1 - Carcinogenic to humans
 •Group 2A - Probably carcinogenic to humans
 •Group 2B - Possibly carcinogenic to humans
 •Group 3 - Not classifiable as to carcinogenicity to humans
 •Group 4 - Probably not carcinogenic to humans
 NTP - National Toxicology Program, U.S. Department of Health and Human Services
 •Group K - Known to be Human Carcinogens
 •Group R - Reasonably Anticipated to be Human Carcinogens
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 NIOSH: National Institute for Occupational Safety
 OSHA: Occupational Safety & Health
 Met. Corr. 1: Corrosive to metals – Category 1
 Skin Corr. 1A: Skin corrosion/irritation – Category 1A
 Skin Irrit. 2: Skin corrosion/irritation – Category 2
 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

• Sources

Data arise from safety data sheets, reference works and literature.
 IUCLID (International Uniform Chemical Information Database)
 ECOTOX Database

— UST —

Safety Data Sheet
acc. to OSHA HCS (HazCom 2012)

Printing date 08/23/2017

Reviewed on 08/23/2017

1 Identification

- **Product identifier**
- **Trade name:** **Total N Persulfate RGT**
- **Catalogue number:** ACD004-1, ACD007-1, ACD004, ACD007
- **Application of the substance / the mixture:** Reagent for water analysis
- **Manufacturer/Supplier:**
Thermo Fisher Scientific
Water and Lab Products
22 Alpha Road
Chelmsford, MA 01824, USA
phone: 1-978-232-6000
Made in Germany
- **Informing Department:** usbev.customerservice@thermofisherscientific.com
- **Emergency telephone number:**
24 hr Emergency
CHEMTREC®
Within USA and Canada: 1-800-424-9300
Outside USA and Canada: 1-703-527-3887
(collect calls accepted)

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS03 Flame over circle

Ox. Sol. 3 H272 May intensify fire; oxidizer.



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.
Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.
STOT SE 3 H335 May cause respiratory irritation.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Hazard Communication Standard (HCS).
- **Hazard pictograms**



GHS03



GHS07



GHS08

- **Signal word** Danger

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/23/2017

Reviewed on 08/23/2017

Trade name: Total N Persulfate RGT

(Contd. of page 1)

- **Hazard-determining components of labeling:**

disodium peroxodisulphate
potassium persulphate

- **Hazard statements**

H272 May intensify fire; oxidizer.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317 May cause an allergic skin reaction.
H335 May cause respiratory irritation.

- **Precautionary statements**

P261 Avoid breathing dust.
P280 Wear protective gloves/protective clothing/eye protection.
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P302+P352 If on skin: Wash with plenty of water.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

- **Other hazards** No further relevant information available.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**

- **Description:** Mixture of inorganic compounds.

- **Composition and Information on Ingredients:**

Percent ranges are used due to the confidential product information.

CAS: 7775-27-1 EINECS: 231-892-1 RTECS: SE0525000	disodium peroxodisulphate ⚠ Ox. Sol. 3, H272; ⚠ Resp. Sens. 1, H334; ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	80–90%
CAS: 7727-21-1 EINECS: 231-781-8 Index number: 016-061-00-1 RTECS: SE0400000	potassium persulphate ⚠ Ox. Sol. 3, H272; ⚠ Resp. Sens. 1, H334; ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	10%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- **Description of first aid measures**

- **General information:** Immediately remove any clothing soiled by the product.

- **After inhalation:** Supply fresh air or oxygen; call for doctor.

- **After skin contact:**

Immediately rinse with plenty of water.
If skin irritation continues, consult a doctor.

- **After eye contact:** Rinse opened eye for several minutes (at least 15 min) under running water. Then consult a doctor.

- **After swallowing:**

Rinse out mouth and then drink 1-2 glasses of water.
Seek medical treatment.

- **Most important symptoms and effects, both acute and delayed**

allergic reactions
irritations
after inhalation:
coughing
breathing difficulty
after swallowing:
sickness
vomiting
gastric or intestinal disorders
mucous membrane irritation
headache

- **Danger:**

Danger of pulmonary edema.

(Contd. on page 3)

— UST —

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/23/2017

Reviewed on 08/23/2017

Trade name: Total N Persulfate RGT

(Contd. of page 2)

risk of airways sensitization
risk of skin sensitization

· **Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture**
 - The product is not combustible.
 - Has a fire-promoting effect due to release of oxygen.
 - Risk of dust explosion.
 - Formation of toxic gases is possible during heating or in case of fire.
 - Sulfur oxides (SO_x)
 - Oxygen (O₂)
 - Sodium oxide
- **Advice for firefighters**
- **Protective equipment:**
 - Wear self-contained respiratory protective device.
 - Wear fully protective suit.
- **Additional information**
 - Collect contaminated fire fighting water separately. It must not enter the sewage system.
 - Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
 - Ambient fire may liberate hazardous vapours.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
- **Advice for non-emergency personnel:**
 - Wear protective equipment. Keep unprotected persons away.
 - Ensure adequate ventilation
 - Avoid formation of dust.
- **Advice for emergency responders:** Protective equipment: see section 8
- **Environmental precautions:** Do not allow product to reach sewage system or any water course.
- **Methods and material for containment and cleaning up:**
 - Ensure adequate ventilation.
 - Pick up mechanically.
 - Dispose contaminated material as waste according to item 13.
- **Reference to other sections**
 - See Section 8 for information on personal protection equipment.
 - See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
- **Advice on safe handling:**
 - Ensure good ventilation/exhaustion at the workplace.
 - Thorough dedusting.
 - Prevent formation of dust.
- **Hygiene measures:**
 - Do not inhale dust / smoke / mist.
 - Avoid contact with the skin.
 - Avoid contact with the eyes.
 - Take off immediately all contaminated clothing.
 - Wash hands before breaks and at the end of work.
 - Do not eat, drink or smoke when using this product.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.

(Contd. on page 4)

— UST —

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/23/2017

Reviewed on 08/23/2017

Trade name: Total N Persulfate RGT

(Contd. of page 3)

- **Information about storage in one common storage facility:**
Store away from flammable substances.
Store away from reducing agents.
- **Further information about storage conditions:**
Store in cool, dry conditions in well sealed receptacles.
Protect from heat and direct sunlight.
Protect from exposure to the light.
Store in dry conditions.
Protect from humidity and water.
- **Recommended storage temperature:** 20°C +/- 5°C (approx. 68°F)
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

CAS: 7775-27-1 disodium peroxodisulphate

EL (Canada)	Long-term value: 0.1 mg/m ³ as persulfate
EV (Canada)	Long-term value: 0.1 mg/m ³
TLV (USA)	Long-term value: 0.1 mg/m ³ as Persulfates

CAS: 7727-21-1 potassium persulphate

EL (Canada)	Long-term value: 0.1 mg/m ³ as persulfate
EV (Canada)	Long-term value: 0.1 mg/m ³
TLV (USA)	Long-term value: 0.1 mg/m ³ as Persulfates

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Engineering measures:**
Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.
See item 7.
- **Personal protective equipment:**
 - **Breathing equipment:** Use respiratory protective device against the effects of fumes/dust/aerosol.
 - **Recommended filter device for short term use:** Filter P2
 - **Protection of hands:**
Protective gloves
Preventive skin protection by use of skin-protecting agents is recommended.
After use of gloves apply skin-cleaning agents and skin cosmetics.
 - **Material of gloves**
Nitrile rubber, NBR
Recommended thickness of the material: ≥ 0.11 mm
 - **Penetration time of glove material**
Value for the permeation: Level ≤ 1 (10 min)
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
 - **Eye protection:** Safety glasses
 - **Body protection:** Protective work clothing
- **Limitation and supervision of exposure into the environment:**
Do not allow product to reach sewage system or any water course.

9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **Appearance:**

Form / Physical state: Powder
Color: White

- **Odor:** Odorless

(Contd. on page 5)

— UST —

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/23/2017

Reviewed on 08/23/2017

Trade name: Total N Persulfate RGT

(Contd. of page 4)

· Odor threshold:	Not applicable.
· pH-value (25 g/l) at 20°C (68 °F):	4,5
· Melting point/freezing point:	Not determined.
· Initial boiling point and boiling range:	Not determined.
· Flash point:	Not applicable.
· Flammability (solid, gas):	Contact with combustible material may cause fire.
· Ignition temperature:	Not applicable.
· Decomposition temperature:	> 100°C (>212 °F) (CAS 7727-21-1)
· Auto-ignition temperature:	Product is not self-igniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Flammability or explosive limits:	
Lower:	Not applicable.
Upper:	Not applicable.
· Oxidizing properties:	May intensify fire; oxidizer.
· Vapor Pressure:	Not applicable.
· Density at 20°C (68 °F):	2,41g/cm ³ (20.11 lbs/gal)
· Relative density:	Not determined.
· Vapor density:	Not applicable.
· Evaporation rate:	Not applicable.
· Solubility(ies)	
Water:	Soluble.
· Partition coefficient (n-octanol/water):	Not applicable.
· Viscosity:	Not applicable.
· Solvent content:	
Organic solvents:	0,0%
Solids content:	100,0%
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity**
Dust can combine with air to form an explosive mixture.
Risk of dust explosion.
- **Chemical stability** Stable at ambient temperature (room temperature).
- **Possibility of hazardous reactions**
Reacts with alcohols.
Reacts with reducing agents.
Reacts with heavy metals.
Reacts with strong acids and alkali.
- **Conditions to avoid**
Exposure to moisture.
Strong heating (decomposition)
- **Incompatible materials:** combustible materials
- **Hazardous decomposition products:**
oxygen
see section 5

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
Classification according to calculation procedure.
Harmful if swallowed.

(Contd. on page 6)

— UST —

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/23/2017

Reviewed on 08/23/2017

Trade name: **Total N Persulfate RGT**

(Contd. of page 5)

· Acute toxicity estimate (ATE_(mix)) - Calculation method:		
Vario Total N Persulfate RGT		
Oral	GHS ATE _(mix)	907 mg/kg (.)
· LD/LC50 values that are relevant for classification:		
CAS: 7775-27-1 disodium peroxodisulphate		
Oral	LD50	920 mg/kg (rat)
Dermal	LD50	> 10000 mg/kg (rabbit)
Inhalative	LC50.	> 5.1 mg/l/4h (rat) (ECHA: no deaths at this concentration LC ₀ = >5.1)
	LD50 IPR	226 mg/kg (mouse)
CAS: 7727-21-1 potassium persulphate		
Oral	LD50	802 mg/kg (rat)
Dermal	LD50	> 10000 mg/kg (rabbit)

· **Primary irritant effect:**

- **on the skin:** Causes skin irritation.
- **on the eye:** Causes serious eye irritation.
- **Information on components:** CAS 7775-27-1: chronic: dermatitis

· **Sensitization:**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction.

· **Information on components:**

CAS: 7775-27-1 disodium peroxodisulphate		
Sensitization	OECD 406	(guinea pig: positive)

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

· **Other information:** see section 8 / 15· **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):** The following statements refer to the mixture:

- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT (specific target organ toxicity) -single exposure** May cause respiratory irritation.
- **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Additional toxicological information:** Other dangerous properties can not be excluded.

12 Ecological information

· **Toxicity**· **Aquatic toxicity:**

CAS: 7775-27-1 disodium peroxodisulphate		
EC50	133 mg/l/48h	(Daphnia magna)
LC50	771 mg/l/96h	(bluegill)
CAS: 7727-21-1 potassium persulphate		
EC50	120 mg/l/48h	(Daphnia magna)
· Bacterial toxicity:		
CAS: 7727-21-1 potassium persulphate		
EC50	83.7 mg/l	(Bacterial toxicity) (72h)

· **Other information:**

Toxic for fish:

(Contd. on page 7)

— UST —

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/23/2017

Reviewed on 08/23/2017

Trade name: Total N Persulfate RGT

(Contd. of page 6)

sulfates > 7 g/l

- **Persistence and degradability .**

- **Other information:**

Mixture of inorganic compounds.

Methods for the determination of biodegradability are not applicable to inorganic substances.

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Other adverse effects**

Reacts with water to form toxic decomposition products.

Avoid transfer into the environment.

13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.



Hand over to hazardous waste disposers.

- **Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.

- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

<ul style="list-style-type: none"> • UN-Number • DOT, IMDG, IATA 	UN3215
<ul style="list-style-type: none"> • UN proper shipping name • DOT • IMDG, IATA 	Persulfates, inorganic, n.o.s. PERSULPHATES, INORGANIC, N.O.S.
<ul style="list-style-type: none"> • Transport hazard class(es) • DOT 	
	
<ul style="list-style-type: none"> • Class • Label 	5.1 Oxidizing substances 5.1
<ul style="list-style-type: none"> • IMDG, IATA 	
	
<ul style="list-style-type: none"> • Class • Label 	5.1 Oxidizing substances 5.1
<ul style="list-style-type: none"> • Packing group • DOT, IMDG, IATA 	III
<ul style="list-style-type: none"> • Environmental hazards: 	Not applicable.
<ul style="list-style-type: none"> • Special precautions for user • Danger code (Kemler): • EMS Number: • Stowage Category • Segregation Code 	Warning: Oxidizing substances 50 F-A,S-Q A SG40 Stow "separated from" ammonium compounds other than mixtures of ammonium persulphates and/or potassium persulphates and/or sodium persulphates. SG49 Stow "separated from" cyanides

(Contd. on page 8)

— UST —

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/23/2017

Reviewed on 08/23/2017

Trade name: Total N Persulfate RGT

(Contd. of page 7)

<ul style="list-style-type: none"> • Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.
<ul style="list-style-type: none"> • Transport/Additional information: • Limited quantity (LQ): • Excepted quantities (EQ) 	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
<ul style="list-style-type: none"> • IMDG • Limited quantities (LQ) • Excepted quantities (EQ) 	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

<ul style="list-style-type: none"> • Section 355 (Extremely hazardous substances): 	None of the ingredients is listed.
<ul style="list-style-type: none"> • Section 313 (Specific toxic chemical listings): 	None of the ingredients is listed.
<ul style="list-style-type: none"> • TSCA (Toxic Substances Control Act): 	All ingredients are listed.
<ul style="list-style-type: none"> • Proposition 65 	
<ul style="list-style-type: none"> • Chemicals known to cause cancer: 	None of the ingredients is listed.
<ul style="list-style-type: none"> • Chemicals known to cause reproductive toxicity for females: 	None of the ingredients is listed.
<ul style="list-style-type: none"> • Chemicals known to cause reproductive toxicity for males: 	None of the ingredients is listed.
<ul style="list-style-type: none"> • Chemicals known to cause developmental toxicity: 	None of the ingredients is listed.
<ul style="list-style-type: none"> • New Jersey Right-to-Know List: 	All ingredients are listed.
<ul style="list-style-type: none"> • New Jersey Special Hazardous Substance List: 	None of the ingredients is listed.
<ul style="list-style-type: none"> • Pennsylvania Right-to-Know List: 	CAS: 7727-21-1 potassium persulphate
<ul style="list-style-type: none"> • Pennsylvania Special Hazardous Substance List: 	None of the ingredients is listed.
<ul style="list-style-type: none"> • EPA (Environmental Protection Agency) 	None of the ingredients is listed.
<ul style="list-style-type: none"> • NIOSH-Ca (National Institute for Occupational Safety and Health) 	None of the ingredients is listed.

- **Information about limitation of use:**
 Employment restrictions concerning pregnant and lactating women must be observed.
 Employment restrictions concerning young persons must be observed.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

— UST —
(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/23/2017

Reviewed on 08/23/2017

Trade name: **Total N Persulfate RGT**

(Contd. of page 8)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Relevant phrases

- H272 May intensify fire; oxidizer.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.

• Date of preparation / last revision 08/23/2017 / -

• Abbreviations and acronyms:

- OECD: Organisation for Economic Co-operation and Development
- STOT: specific target organ toxicity
 - SE: single exposure
 - RE: repeated exposure
- EC50: half maximal effective concentration
- IC50: half maximal inhibitory concentration
- NOEL or NOEC: No Observed Effect Level or Concentration
- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- ACGIH® - American Conference of Governmental Industrial Hygienists
 - A1 - Confirmed human carcinogen
 - A2 - Suspected human carcinogen
 - A3 - Confirmed animal carcinogen with unknown relevance to humans
 - A4 - Not classifiable as a human carcinogen
 - A5 - Not suspected as a human carcinogen
- IARC - International Agency for Research on Cancer
 - Group 1 - Carcinogenic to humans
 - Group 2A - Probably carcinogenic to humans
 - Group 2B - Possibly carcinogenic to humans
 - Group 3 - Not classifiable as to carcinogenicity to humans
 - Group 4 - Probably not carcinogenic to humans
- NTP - National Toxicology Program, U.S. Department of Health and Human Services
 - Group K - Known to be Human Carcinogens
 - Group R - Reasonably Anticipated to be Human Carcinogens
- Ox. Sol. 3: Oxidizing solids – Category 3
- Acute Tox. 4: Acute toxicity – Category 4
- Skin Irrit. 2: Skin corrosion/irritation – Category 2
- Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
- Resp. Sens. 1: Respiratory sensitisation – Category 1
- Skin Sens. 1: Skin sensitisation – Category 1
- STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

• Sources

Data arise from safety data sheets, reference works and literature.

- ECHA: European Chemicals Agency <http://echa.europa.eu>
- GESTIS- Stoffdatenbank (Substance Database, Germany)
- IUCLID (International Uniform Chemical Information Database)

Safety Data Sheet
acc. to OSHA HCS (HazCom 2012)

Printing date 08/25/2017

Reviewed on 08/25/2017

1 Identification

- **Product identifier**
- **Trade name:** **Total Nitrogen Reagent A**
- **Catalogue number:** ACD004-2, ACD007-2, ACD004, ACD007
- **CAS Number:**
7681-57-4
- **Application of the substance / the mixture:** Reagent for water analysis
- **Manufacturer/Supplier:**
Thermo Fisher Scientific
Water and Lab Products
22 Alpha Road
Chelmsford, MA 01824, USA
phone: 1-978-232-6000
Made in Germany
- **Informing Department:** usbev.customerservice@thermofisherscientific.com
- **Emergency telephone number:**
24 hr Emergency
CHEMTREC®
Within USA and Canada: 1-800-424-9300
Outside USA and Canada: 1-703-527-3887
(collect calls accepted)

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

- **Label elements**

- **GHS label elements** The substance is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS05



GHS07

- **Signal word** Danger

- **Hazard-determining components of labeling:**

disodium disulphite

- **Hazard statements**

H302 Harmful if swallowed.

H318 Causes serious eye damage.

- **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

(Contd. on page 2)

— UST —

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/25/2017

Reviewed on 08/25/2017

Trade name: **Total Nitrogen Reagent A**

(Contd. of page 1)

- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
- P310 Immediately call a doctor.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• **Other hazards** No further relevant information available.

3 Composition/information on ingredients

- **Chemical characterization:** Substances inorganic salt
- **CAS No. Description**
7681-57-4 disodium disulphite
- **Identification number(s)**
- **EC number:** 231-673-0

4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air.
- **After skin contact:**
Immediately rinse with plenty of water.
If skin irritation continues, consult a doctor.
- **After eye contact:**
Rinse opened eye for several minutes (at least 15 min) under running water.
Call a doctor immediately.
- **After swallowing:**
Rinse out mouth and then drink 1-2 glasses of water.
Seek medical treatment.
- **Information for doctor:** Sulfites are strong sensitizers
- **Most important symptoms and effects, both acute and delayed**
allergic reactions
after inhalation:
coughing
mucous membrane irritation
breathing difficulty
after swallowing:
irritations
resorption
gastric or intestinal disorders
- **Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture**
The product is not combustible.
Formation of toxic gases is possible during heating or in case of fire.
In case of fire, the following can be released:
Sulfur oxides (SO_x)
Sodium oxide
- **Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.
- **Additional information**
Collect contaminated fire fighting water separately. It must not enter the sewage system.
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
Suppress (knock down) gases/vapors/mists with a water spray jet.

(Contd. on page 3)

— UST —

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/25/2017

Reviewed on 08/25/2017

Trade name: **Total Nitrogen Reagent A**

(Contd. of page 2)

Ambient fire may liberate hazardous vapours.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
- **Advice for non-emergency personnel:**
 - Wear protective equipment. Keep unprotected persons away.
 - Avoid substance contact.
 - Ensure adequate ventilation
 - Avoid inhalation of dust.
- **Advice for emergency responders:** Protective equipment: see section 8
- **Environmental precautions:** Do not allow product to reach sewage system or any water course.
- **Methods and material for containment and cleaning up:**
 - Ensure adequate ventilation.
 - Pick up mechanically.
 - Dispose contaminated material as waste according to item 13.
- **Reference to other sections**
 - See Section 8 for information on personal protection equipment.
 - See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
- **Advice on safe handling:**
 - Thorough dedusting.
 - Prevent formation of dust.
- **Hygiene measures:**
 - Avoid contact with the eyes.
 - Take off immediately all contaminated clothing.
 - Wash hands before breaks and at the end of work.
 - Do not eat, drink or smoke when using this product.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Do not store together with acids.
- **Further information about storage conditions:**
 - Keep receptacle tightly sealed.
 - Protect from heat and direct sunlight.
 - Protect from exposure to the light.
 - Store in dry conditions.
 - Protect from humidity and water.
- **Recommended storage temperature:** 20°C +/- 5°C (approx. 68°F)
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**

CAS: 7681-57-4 disodium disulphite

EL (Canada)	Long-term value: 5 mg/m ³
EV (Canada)	Long-term value: 5 mg/m ³
REL (USA)	Long-term value: 5 mg/m ³
TLV (USA)	Long-term value: 5 mg/m ³

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Engineering measures:**
 - Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.
 - See item 7.

(Contd. on page 4)
— UST —

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/25/2017

Reviewed on 08/25/2017

Trade name: Total Nitrogen Reagent A

(Contd. of page 3)

- **Personal protective equipment:**
- **Breathing equipment:** Use respiratory protective device against the effects of fumes/dust/aerosol.
- **Recommended filter device for short term use:** Filter P2
- **Protection of hands:**
Protective gloves
Preventive skin protection by use of skin-protecting agents is recommended.
After use of gloves apply skin-cleaning agents and skin cosmetics.
- **Material of gloves**
Nitrile rubber, NBR
Recommended thickness of the material: ≥ 0.11 mm
- **Penetration time of glove material**
Breakthrough time: > 480 min
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Tightly sealed goggles
- **Body protection:** Protective work clothing
- **Limitation and supervision of exposure into the environment:**
Do not allow product to reach sewage system or any water course.

9 Physical and chemical properties

· Information on basic physical and chemical properties	
· Appearance:	
Form / Physical state:	Powder
Color:	Colorless
· Odor:	Light
· Odor threshold:	Not determined.
· pH-value (50 g/l) at 20°C (68 °F):	3,5-5
· Melting point/freezing point:	150°C (302 °F) Decomposition
· Initial boiling point and boiling range:	Not applicable. Decomposition
· Flash point:	Not applicable.
· Flammability (solid, gas):	The product is not combustible.
· Ignition temperature:	Not applicable.
· Decomposition temperature:	> 150°C (>302 °F)
· Auto-ignition temperature:	Product is not self-igniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Flammability or explosive limits:	
Lower:	Not applicable.
Upper:	Not applicable.
· Oxidizing properties:	none
· Vapor Pressure:	Not determined.
· Density at 20°C (68 °F):	2,36g/cm ³ (19.69 lbs/gal)
· Relative density:	Not determined.
· Vapor density:	Not determined.
· Evaporation rate:	Not determined.
· Solubility(ies)	
Water at 20°C (68 °F):	650g/l Easily soluble.
· Partition coefficient (n-octanol/water):	Not applicable.
· Viscosity:	Not applicable.
· Organic solvents:	0,0%
· Solids content:	100,0%

(Contd. on page 5)

— UST —

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/25/2017

Reviewed on 08/25/2017

Trade name: **Total Nitrogen Reagent A**

(Contd. of page 4)

Other information	No further relevant information available.
--------------------------	--------------------------------------------

10 Stability and reactivity

- **Reactivity** see section "Possibility of hazardous reactions"
- **Chemical stability** Stable at ambient temperature (room temperature).
- **Possibility of hazardous reactions**
Contact with acids releases toxic gases.
Reacts with acids releasing sulfur dioxide.
Exothermic reaction with:
Oxidant, nitrites, nitrates, sulfides
- **Conditions to avoid** Strong heating (decomposition)
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:**
Sulfur dioxide
In case of fire: see section 5.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:** Harmful if swallowed.

LD/LC50 values that are relevant for classification:

CAS: 7681-57-4 disodium disulphite		
-------------------------------------------	--	--

Oral	LD50	1540 mg/kg (rat) (OECD 401) (MERCK)
Dermal	LD50.	>2000 mg/kg (rat) (RTECS)

- **Primary irritant effect:**
- **on the skin:** Based on available data, the classification criteria are not met.
- **on the eye:**
Causes serious eye damage.
Risk of corneal clouding.

Information on components:

CAS: 7681-57-4 disodium disulphite		
-------------------------------------------	--	--

Irritation of skin	OECD 404	(rabbit: no irritation)
Irritation of eyes	OECD 405	(rabbit: severe irritations)

- **Sensitization:** Based on available data, the classification criteria are not met.

Information on components:

CAS: 7681-57-4 disodium disulphite		
-------------------------------------------	--	--

Sensitization	OECD 406	(guinea pig: negative)
---------------	----------	------------------------

IARC (International Agency for Research on Cancer)

Substance is not listed.

NTP (National Toxicology Program)

Substance is not listed.

OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

- **Other information:**

see section 8 / 15

Disodium disulphite:

A4 (not classifiable for humans or animals) by ACGIH

3 (not classifiable for humans) by IARC

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.

(Contd. on page 6)

— UST —

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/25/2017

Reviewed on 08/25/2017

Trade name: **Total Nitrogen Reagent A**

(Contd. of page 5)

- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT (specific target organ toxicity) -single exposure** Based on available data, the classification criteria are not met.
- **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

- **Information on components:**

CAS 7681-57-4: Did not show carcinogenic effects in animal experiments (IUCLID).

CAS 7681-57-4: No impairment of reproductive performance in animal experiments (IUCLID).

CAS 7681-57-4: Did not show teratogenic effects in animal experiments.

OECD 414: Teratogenicity testing

OECD 473: Mutagenicity testing

OECD 471, 474, 476, 487: Germ cell mutagenicity testing

CAS: 7681-57-4 disodium disulphite	
OECD 471	(negative) (Bacterial Reverse Mutation Test - Ames test)

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:**

CAS: 7681-57-4 disodium disulphite	
EC50	89 mg/l/48h (Daphnia magna) (OECD 202) (MERCK)
IC50	48 mg/l/72h (Desmodesmus subspicatus) (OECD 201) (MERCK)
LC50	150–220 mg/l/96h (rainbow trout) (DIN 38412 Teil 15) (Merck)

- **Bacterial toxicity:**

CAS: 7681-57-4 disodium disulphite	
EC50	56 mg/l (Pseudomonas putida) (17h) (IUCLID)

- **Persistence and degradability** No further relevant information available.
- **Other information:** Methods for the determination of biodegradability are not applicable to inorganic substances.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Other adverse effects** Avoid transfer into the environment.

13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Hand over to hazardous waste disposers.

- **Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.

- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· UN-Number	
· DOT, IMDG, IATA	none
· UN proper shipping name	
· DOT, IMDG, IATA	none
· Transport hazard class(es)	
· DOT, IMDG, IATA	
· Class	none

(Contd. on page 7)

— UST —

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/25/2017

Reviewed on 08/25/2017

Trade name: Total Nitrogen Reagent A

(Contd. of page 6)

· Packing group · DOT, IMDG, IATA	none
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· Section 355 (Extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· New Jersey Right-to-Know List:

Substance is listed.

· New Jersey Special Hazardous Substance List:

CO

· Pennsylvania Right-to-Know List:

Substance is listed.

· Pennsylvania Special Hazardous Substance List:

Substance is not listed.

· EPA (Environmental Protection Agency)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed.

Employment restrictions concerning young persons must be observed.

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Date of preparation / last revision 08/25/2017 / -

(Contd. on page 8)

— UST —

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/25/2017

Reviewed on 08/25/2017

Trade name: Total Nitrogen Reagent A

(Contd. of page 7)

• Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development
 STOT: specific target organ toxicity
 SE: single exposure
 RE: repeated exposure
 EC50: half maximal effective concentration
 IC50: half maximal inhibitory concentration
 NOEL or NOEC: No Observed Effect Level or Concentration
 ACGIH[®] - American Conference of Governmental Industrial Hygienists
 •A1 - Confirmed human carcinogen
 •A2 - Suspected human carcinogen
 •A3 - Confirmed animal carcinogen with unknown relevance to humans
 •A4 - Not classifiable as a human carcinogen
 •A5 - Not suspected as a human carcinogen
 IARC - International Agency for Research on Cancer
 •Group 1 - Carcinogenic to humans
 •Group 2A - Probably carcinogenic to humans
 •Group 2B - Possibly carcinogenic to humans
 •Group 3 - Not classifiable as to carcinogenicity to humans
 •Group 4 - Probably not carcinogenic to humans
 NTP - National Toxicology Program, U.S. Department of Health and Human Services
 •Group K - Known to be Human Carcinogens
 •Group R - Reasonably Anticipated to be Human Carcinogens
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 EINECS: European Inventory of Existing Commercial Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 NIOSH: National Institute for Occupational Safety
 OSHA: Occupational Safety & Health
 Acute Tox. 4: Acute toxicity – Category 4
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1

• Sources

Data arise from safety data sheets, reference works and literature.
 IUCLID (International Uniform Chemical Information Database)
 RTECS (Registry of Toxic Effects of Chemical Substances)

— UST —

Safety Data Sheet
acc. to OSHA HCS (HazCom 2012)

Printing date 08/24/2017

Reviewed on 08/24/2017

1 Identification

- **Product identifier**
- **Trade name:** **Total Nitrogen Reagent B**
- **Catalogue number:** ACD004-3, ACD007-3, ACD004, ACD007
- **Application of the substance / the mixture:** Reagent for water analysis
- **Manufacturer/Supplier:**
Thermo Fisher Scientific
Water and Lab Products
22 Alpha Road
Chelmsford, MA 01824, USA
phone: 1-978-232-6000
Made in Germany
- **Informing Department:** usbev.customerservice@thermofisherscientific.com
- **Emergency telephone number:**
24 hr Emergency
CHEMTREC®
Within USA and Canada: 1-800-424-9300
Outside USA and Canada: 1-703-527-3887
(collect calls accepted)

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Carc. 1A H350 May cause cancer.

STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.

- **Label elements**

- **GHS label elements** The product is classified and labeled according to the Hazard Communication Standard (HCS).

- **Hazard pictograms**



GHS05



GHS08

- **Signal word** Danger

- **Hazard-determining components of labeling:**

Quartz (SiO₂)

disodium disulphite

- **Hazard statements**

H318 Causes serious eye damage.

H350 May cause cancer.

H372 Causes damage to organs through prolonged or repeated exposure.

(Contd. on page 2)

— UST —

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/24/2017

Reviewed on 08/24/2017

Trade name: **Total Nitrogen Reagent B**

(Contd. of page 1)

- **Precautionary statements**

- P260 Do not breathe dust.
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P308 IF exposed or concerned:
 P310 Immediately call a POISON CENTER/doctor.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Other hazards** No further relevant information available.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**

- **Description:** Mixture of organic and inorganic compounds

- **Composition and Information on Ingredients:**

Percent ranges are used due to the confidential product information.

CAS: 57-13-6 EINECS: 200-315-5 RTECS: YR 6250000	urea	40–50%
CAS: 14808-60-7 EINECS: 238-878-4 RTECS: VV 7330000	Quartz (SiO ₂) ⚠ Carc. 1A, H350; STOT RE 1, H372	30–40%
CAS: 7681-57-4 EINECS: 231-673-0 Index number: 016-063-00-2 RTECS: UX8225000	disodium disulphite ⚠ Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302	10%
CAS: 5808-22-0 EINECS: 204-972-9	Disodium 4,5-dihydroxynaphthalene-2,7-disulphonate ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	5–10%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- **Description of first aid measures**

- **General information:** Immediately remove any clothing soiled by the product.

- **After inhalation:**

Supply fresh air.
Seek immediate medical advice.

- **After skin contact:**

Immediately rinse with plenty of water.
If skin irritation continues, consult a doctor.

- **After eye contact:**

Rinse opened eye for several minutes (at least 15 min) under running water.
Call a doctor immediately.

- **After swallowing:**

Rinse out mouth and then drink 1-2 glasses of water.
Seek immediate medical advice.

- **Information for doctor:** Sulfites are strong sensitizers

- **Most important symptoms and effects, both acute and delayed**

after swallowing of large amounts:

CNS disorders

depressions

profuse sweating

diarrhoea

vomiting

after swallowing:

irritations

allergic reactions

after inhalation:

coughing

mucous membrane irritation

breathing difficulty

(Contd. on page 3)

— UST —

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/24/2017

Reviewed on 08/24/2017

Trade name: **Total Nitrogen Reagent B**

(Contd. of page 2)

- **Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture**
The product is not combustible.
Formation of toxic gases is possible during heating or in case of fire.
Sulphur dioxide (SO₂)
Sulfur oxides (SO_x)
Nitrogen oxides (NO_x)
Carbon monoxide (CO) and carbon dioxide (CO₂)
Sodium oxide
- **Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.
- **Additional information**
Collect contaminated fire fighting water separately. It must not enter the sewage system.
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
Ambient fire may liberate hazardous vapours.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Avoid formation of dust.
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
- **Advice for non-emergency personnel:**
Avoid substance contact.
Ensure adequate ventilation
- **Advice for emergency responders:**
Mount respiratory protective device.
Protective equipment: see section 8
- **Environmental precautions:** Do not allow product to reach sewage system or any water course.
- **Methods and material for containment and cleaning up:**
Ensure adequate ventilation.
Pick up mechanically.
Dispose contaminated material as waste according to item 13.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
- **Advice on safe handling:**
Thorough dedusting.
Prevent formation of dust.
- **Hygiene measures:**
The usual precautionary measures for handling chemicals should be followed.
Avoid contact with the eyes.
Take off immediately all contaminated clothing.
Wash hands before breaks and at the end of work.
Do not eat, drink or smoke when using this product.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.

(Contd. on page 4)

— UST —

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/24/2017

Reviewed on 08/24/2017

Trade name: **Total Nitrogen Reagent B**

(Contd. of page 3)

- **Information about storage in one common storage facility:**
Do not store together with acids.
Store away from oxidizing agents.
- **Further information about storage conditions:**
Protect from heat and direct sunlight.
Protect from exposure to the light.
Store in dry conditions.
Protect from humidity and water.
- **Recommended storage temperature:** 20°C +/- 5°C (approx. 68°F)
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

CAS: 57-13-6 urea	
WEEL (USA)	Long-term value: 10 mg/m ³
CAS: 14808-60-7 Quartz (SiO₂)	
EL (Canada)	Long-term value: 0.025 mg/m ³ ACGIH A2; IARC 1
EV (Canada)	Long-term value: 0.10* mg/m ³ *respirable fraction
PEL (USA)	see Quartz listing
REL (USA)	Long-term value: 0.05* mg/m ³ *respirable dust; See Pocket Guide App. A
TLV (USA)	Long-term value: 0.025* mg/m ³ *as respirable fraction
CAS: 7681-57-4 disodium disulphite	
EL (Canada)	Long-term value: 5 mg/m ³
EV (Canada)	Long-term value: 5 mg/m ³
REL (USA)	Long-term value: 5 mg/m ³
TLV (USA)	Long-term value: 5 mg/m ³

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Engineering measures:**
Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.
See item 7.
- **Personal protective equipment:**
- **Breathing equipment:** Use respiratory protective device against the effects of fumes/dust/aerosol.
- **Recommended filter device for short term use:** Filter P3
- **Protection of hands:**
Protective gloves
Preventive skin protection by use of skin-protecting agents is recommended.
After use of gloves apply skin-cleaning agents and skin cosmetics.
- **Material of gloves**
Nitrile rubber, NBR
Recommended thickness of the material: ≥ 0.11 mm
- **Penetration time of glove material**
Value for the permeation: Level ≤ 1 (10 min)
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Tightly sealed goggles
- **Body protection:** Protective work clothing
- **Limitation and supervision of exposure into the environment:** No further relevant information available.

— UST —
(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/24/2017

Reviewed on 08/24/2017

Trade name: Total Nitrogen Reagent B

(Contd. of page 4)

9 Physical and chemical properties

· Information on basic physical and chemical properties	
· Appearance:	
Form / Physical state:	Crystalline powder
Color:	yellowish - brown
· Odor: Odorless	
· Odor threshold: Not applicable.	
· pH-value: Not determined.	
· Melting point/freezing point: Not determined.	
· Initial boiling point and boiling range: Not determined.	
· Flash point: Not applicable.	
· Flammability (solid, gas): The product is not combustible.	
· Ignition temperature: Not applicable.	
· Decomposition temperature: Not determined.	
· Auto-ignition temperature: Product is not self-igniting.	
· Danger of explosion: Product does not present an explosion hazard.	
· Flammability or explosive limits:	
Lower:	Not applicable.
Upper:	Not applicable.
· Oxidizing properties: none	
· Vapor Pressure: Not applicable.	
· Density: Not determined.	
· Relative density: Not determined.	
· Vapor density: Not applicable.	
· Evaporation rate: Not applicable.	
· Solubility(ies)	
Water:	Partially insoluble.
· Partition coefficient (n-octanol/water): Not applicable.	
· Viscosity: Not applicable.	
· Solvent content:	
Organic solvents:	0,0%
Solids content:	100,0%
· Other information No further relevant information available.	

10 Stability and reactivity

- **Reactivity** see section "Possibility of hazardous reactions"
- **Chemical stability** Stable at ambient temperature (room temperature).
- **Possibility of hazardous reactions** Contact with acids releases toxic gases.
- **Conditions to avoid** strong heating
- **Incompatible materials:**
 - alkali compounds
 - acids
 - oxidizing agents
- **Hazardous decomposition products:**
 - Carbon monoxide (CO) and carbon dioxide (CO₂)
 - Nitrogen oxides (NO_x)
 - Sulfur oxides (SO_x)
 - Sulfur dioxide
 - see section 5

— UST —
(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/24/2017

Reviewed on 08/24/2017

Trade name: **Total Nitrogen Reagent B**

(Contd. of page 5)

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.

- **LD/LC50 values that are relevant for classification:**

CAS: 57-13-6 urea

Oral LD50 8471 mg/kg (rat)

Dermal LD50 8200 mg/kg (rat)

CAS: 7681-57-4 disodium disulphite
Oral LD50 1540 mg/kg (rat) (OECD 401)
(MERCK)Dermal LD50 >2000 mg/kg (rat)
(RTECS)

- **Primary irritant effect:**
- **on the skin:** Based on available data, the classification criteria are not met.
- **on the eye:**
Causes serious eye damage.
Risk of corneal clouding.

- **Information on components:**

CAS: 7681-57-4 disodium disulphite

Irritation of skin OECD 404 (rabbit: no irritation)

Irritation of eyes OECD 405 (rabbit: severe irritations)

- **Sensitization:** Based on available data, the classification criteria are not met.

- **Information on components:**

CAS: 7681-57-4 disodium disulphite

Sensitization OECD 406 (guinea pig: negative)

- **IARC (International Agency for Research on Cancer)**

CAS: 14808-60-7 Quartz (SiO₂)

1

- **NTP (National Toxicology Program)**

CAS: 14808-60-7 Quartz (SiO₂)

K

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

- **Other information:**

Disodium disulphite:

A4 (not classifiable for humans or animals) by ACGIH

3 (not classifiable for humans) by IARC

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):**

The following statements refer to the mixture:

Carc. 1A

- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** May cause cancer.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.

- **STOT (specific target organ toxicity) -single exposure** Based on available data, the classification criteria are not met.

- **STOT (specific target organ toxicity) -repeated exposure**

Causes damage to organs through prolonged or repeated exposure.

- **Aspiration hazard** Based on available data, the classification criteria are not met.

- **Information on components:**

CAS 7681-57-4: Did not show carcinogenic effects in animal experiments (IUCLID).

CAS 7681-57-4: No impairment of reproductive performance in animal experiments (IUCLID).

CAS 7681-57-4: Did not show teratogenic effects in animal experiments.

CAS: 7681-57-4 disodium disulphite

OECD 471 (negative) (Bacterial Reverse Mutation Test - Ames test)

- **Additional toxicological information:** CAS 14808-60-7 Quartz, chronic toxic effect: silicosis

(Contd. on page 7)

— UST —

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/24/2017

Reviewed on 08/24/2017

Trade name: **Total Nitrogen Reagent B**

(Contd. of page 6)

- **Experience with humans:** CAS 14808-60-7: May cause lung damages.

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:**

CAS: 57-13-6 urea

EC50	>10000 mg/l/24h (Daphnia magna) (IUCLID)
------	------------------------------------------

LC50	>6810 mg/l/96h (gold orfe) (IUCLID)
------	-------------------------------------

CAS: 7681-57-4 disodium disulphite

EC50	89 mg/l/48h (Daphnia magna) (OECD 202) (MERCK)
------	------------------------------------------------

IC50	48 mg/l/72h (Desmodesmus subspicatus) (OECD 201) (MERCK)
------	----------------------------------------------------------

LC50	150–220 mg/l/96h (rainbow trout) (DIN 38412 Teil 15) (Merck)
------	--------------------------------------------------------------

- **Bacterial toxicity:**

CAS: 57-13-6 urea

EC5	>10000 mg/l (Pseudomonas putida) (16 h)
-----	-----------------------------------------

CAS: 7681-57-4 disodium disulphite

EC50	56 mg/l (Pseudomonas putida) (17h) (IUCLID)
------	---------------------------------------------

- **Persistence and degradability**

CAS: 57-13-6 urea

OECD 302 B	96 (.) (Zahn-Wellens / EMPA Test)
------------	-----------------------------------

- **Other information:** Quantitative data on the ecological effect of this mixture are not available.

- **Bioaccumulative potential**

Pow = n-octanol/wasser partition coefficient

log Pow < 1 = Does not accumulate in organisms.

CAS: 57-13-6 urea

log Pow	-1.59 (.) (OECD 107, 25°C)
---------	----------------------------

CAS: 5808-22-0 Disodium 4,5-dihydroxynaphthalene-2,7-disulphonate

log Pow	-4.48 (.) (calculated) (anhydrous substance)
---------	----------------------------------------------

- **Mobility in soil** No further relevant information available.

- **Other adverse effects** Avoid transfer into the environment.

13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Hand over to hazardous waste disposers.

- **Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- **UN-Number**

- **DOT, IMDG, IATA**

none

- **UN proper shipping name**

- **DOT, IMDG, IATA**

none

(Contd. on page 8)

— UST —

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/24/2017

Reviewed on 08/24/2017

Trade name: **Total Nitrogen Reagent B**

(Contd. of page 7)

· Transport hazard class(es)	
· DOT, IMDG, IATA	
· Class	none
· Packing group	
· DOT, IMDG, IATA	none
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· Section 355 (Extremely hazardous substances):
None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):
None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):
All ingredients are listed.

- **Proposition 65**

· Chemicals known to cause cancer:
CAS: 14808-60-7 Quartz (SiO ₂)

· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:
None of the ingredients is listed.

· New Jersey Right-to-Know List:
CAS: 14808-60-7 Quartz (SiO ₂)
CAS: 7681-57-4 disodium disulphite

· New Jersey Special Hazardous Substance List:	
CAS: 14808-60-7 Quartz (SiO ₂)	CA
CAS: 7681-57-4 disodium disulphite	CO

· Pennsylvania Right-to-Know List:
CAS: 14808-60-7 Quartz (SiO ₂)
CAS: 7681-57-4 disodium disulphite

· Pennsylvania Special Hazardous Substance List:
None of the ingredients is listed.

· EPA (Environmental Protection Agency)	
CAS: 57-13-6 urea	II

· NIOSH-Ca (National Institute for Occupational Safety and Health)
CAS: 14808-60-7 Quartz (SiO ₂)

- **Information about limitation of use:** Employment restrictions concerning young persons must be observed.

(Contd. on page 9)

— UST —

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/24/2017

Reviewed on 08/24/2017

Trade name: **Total Nitrogen Reagent B**

(Contd. of page 8)

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H302 Harmful if swallowed.
 H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.
 H350 May cause cancer.
 H372 Causes damage to organs through prolonged or repeated exposure.

- **Date of preparation / last revision** 08/24/2017 / -

- **Abbreviations and acronyms:**

EC50: effective concentration, 50 percent (in vivo)
 OECD: Organisation for Economic Co-operation and Development
 STOT: specific target organ toxicity
 SE: single exposure
 RE: repeated exposure
 EC50: half maximal effective concentration
 IC50: half maximal inhibitory concentration
 NOEL or NOEC: No Observed Effect Level or Concentration
 ACGIH® - American Conference of Governmental Industrial Hygienists
 •A1 - Confirmed human carcinogen
 •A2 - Suspected human carcinogen
 •A3 - Confirmed animal carcinogen with unknown relevance to humans
 •A4 - Not classifiable as a human carcinogen
 •A5 - Not suspected as a human carcinogen
 IARC - International Agency for Research on Cancer
 •Group 1 - Carcinogenic to humans
 •Group 2A - Probably carcinogenic to humans
 •Group 2B - Possibly carcinogenic to humans
 •Group 3 - Not classifiable as to carcinogenicity to humans
 •Group 4 - Probably not carcinogenic to humans
 NTP - National Toxicology Program, U.S. Department of Health and Human Services
 •Group K - Known to be Human Carcinogens
 •Group R - Reasonably Anticipated to be Human Carcinogens
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 NIOSH: National Institute for Occupational Safety
 OSHA: Occupational Safety & Health
 Acute Tox. 4: Acute toxicity – Category 4
 Skin Irrit. 2: Skin corrosion/irritation – Category 2
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1
 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
 Carc. 1A: Carcinogenicity – Category 1A
 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

- **Sources**

Data arise from safety data sheets, reference works and literature.
 IUCLID (International Uniform Chemical Information Database)
 International Chemical Safety Cards (ICSCs)
 GESTIS- Stoffdatenbank (Substance Database, Germany)

Safety Data Sheet
acc. to OSHA HCS (HazCom 2012)

Printing date 08/25/2017

Reviewed on 08/25/2017

1 Identification

- **Product identifier**
- **Trade name:** Total Nitrogen Acid LR/HR Vial
- **Catalogue number:** ACD004-4, ACD007-4, ACD004, ACD007
- **Application of the substance / the mixture:** Reagent for water analysis
- **Manufacturer/Supplier:**
Thermo Fisher Scientific
Water and Lab Products
22 Alpha Road
Chelmsford, MA 01824, USA
phone: 1-978-232-6000
Made in Germany
- **Informing Department:** usbev.customerservice@thermofisherscientific.com
- **Emergency telephone number:**
24 hr Emergency
CHEMTREC®
Within USA and Canada: 1-800-424-9300
Outside USA and Canada: 1-703-527-3887
(collect calls accepted)

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Hazard Communication Standard (HCS).
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labeling:**
sulphuric acid 86 %
- **Hazard statements**
H314 Causes severe skin burns and eye damage.
- **Precautionary statements**
P260 Do not breathe mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection.
P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a doctor.

(Contd. on page 2)

— UST —

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/25/2017

Reviewed on 08/25/2017

Trade name: **Total Nitrogen Acid LR/HR Vial**

(Contd. of page 1)

- **Other hazards** Acid burns have to treated immediately, as it may otherwise cause badly curing wounds.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** sulfuric acid solution
- **Composition and Information on Ingredients:**
Cancer Status IARC: Strong inorganic acid mists containing sulphuric acid can cause cancer.
Percent ranges are used due to the confidential product information.

CAS: 7664-93-9 EINECS: 231-639-5 Index number: 016-020-00-8 RTECS: WS5600000	sulphuric acid	 Met. Corr.1, H290; Skin Corr. 1A, H314	80–90%
---------------------------------------------------------------------------------------	----------------	--------------------------------------------------------------------------------------------------------------------------	--------

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**
Supply fresh air or oxygen; call for doctor.
In case of unconsciousness remove to fresh air, apply artificial respiration, and consult a physician.
- **After skin contact:**
Wash with polyethylene glycol 400 and then rinse with copious amounts of water.
Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.
- **After eye contact:**
Rinse opened eye for several minutes (at least 15 min) under running water.
Call a doctor immediately.
- **After swallowing:**
Rinse out mouth and then drink 1-2 glasses of water.
Do not induce vomiting; immediately call for medical help.
- **Most important symptoms and effects, both acute and delayed**
after inhalation:
damage to the affected mucous membranes
coughing
breathing difficulty
after swallowing:
diarrhoea
pain
sickness
vomiting
cramps
- **Danger:**
Danger of impaired breathing.
Danger of gastric perforation.
- **Indication of any immediate medical attention and special treatment needed:**
If swallowed or in case of vomiting, danger of entering the lungs.
Later observation for pneumonia and pulmonary edema.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** CO₂, sand, extinguishing powder.
- **For safety reasons unsuitable extinguishing agents:** Water
- **Special hazards arising from the substance or mixture**
The product is not combustible.
Formation of toxic gases is possible during heating or in case of fire.
Sulfur oxides (SO_x)
Hydrogen

(Contd. on page 3)

— UST —

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/25/2017

Reviewed on 08/25/2017

Trade name: **Total Nitrogen Acid LR/HR Vial**

(Contd. of page 2)

- **Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.
- **Additional information**
Collect contaminated fire fighting water separately. It must not enter the sewage system.
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
Ambient fire may liberate hazardous vapours.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
- **Advice for non-emergency personnel:**
Wear protective equipment. Keep unprotected persons away.
Avoid substance contact.
Ensure adequate ventilation
- **Advice for emergency responders:** Protective equipment: see section 8
- **Environmental precautions:** Do not allow product to reach sewage system or any water course.
- **Methods and material for containment and cleaning up:**
Ensure adequate ventilation.
Neutralize with diluted sodium hydroxide solution.
Absorb with liquid-binding material (sand, diatomite, universal binders).
Dispose contaminated material as waste according to item 13.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
- **Advice on safe handling:**
Open and handle receptacle with care.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Hygiene measures:**
Do not inhale gases / fumes / aerosols.
Do not get in eyes, on skin, or on clothing.
Take off immediately all contaminated clothing.
Wash hands before breaks and at the end of work.
Do not eat, drink or smoke when using this product.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:**
Store away from metals.
Do not store together with alkalis (caustic solutions).
Store away from flammable substances.
- **Further information about storage conditions:**
Store under lock and key and with access restricted to technical experts or their assistants only.
Store in cool, dry conditions in well sealed receptacles.
Protect from heat and direct sunlight.
Protect from exposure to the light.
Protect from humidity and water.
This product is hygroscopic.
Store in dry conditions.
- **Recommended storage temperature:** 20°C +/- 5°C (approx. 68°F)
- **Specific end use(s)** No further relevant information available.

— UST —
(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/25/2017

Reviewed on 08/25/2017

Trade name: Total Nitrogen Acid LR/HR Vial

(Contd. of page 3)

8 Exposure controls/personal protection

- Control parameters

- Components with limit values that require monitoring at the workplace:

CAS: 7664-93-9 sulphuric acid

EL (Canada)	Long-term value: 0.2 mg/m ³ ACGIH A2; IARC 1
EV (Canada)	Long-term value: 0.2 mg/m ³
PEL (USA)	Long-term value: 1 mg/m ³
REL (USA)	Long-term value: 1 mg/m ³
TLV (USA)	Long-term value: 0.2* mg/m ³ *as thoracic fraction

- Additional information:** The lists that were valid during the creation were used as basis.

- Engineering measures:**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

- Personal protective equipment:**

- Breathing equipment:** Use respiratory protective device against the effects of fumes/dust/aerosol.

- Recommended filter device for short term use:** Combination filter B-P2

- Protection of hands:**

Acid resistant gloves

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

- Material of gloves**

Butyl rubber, BR

Recommended thickness of the material: ≥ 0.7 mm

- Penetration time of glove material**

Value for the permeation: Level ≤ 1 (10 min)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection:** Tightly sealed goggles

- Body protection:** Acid resistant protective clothing

- Limitation and supervision of exposure into the environment:**

Do not allow product to reach sewage system or any water course.

9 Physical and chemical properties

- Information on basic physical and chemical properties

- Appearance:**

Form / Physical state: Fluid

Color: Clear

- Odor:** Recognizable

- Odor threshold:** Not determined.

- pH-value at 20°C (68 °F):** < 1

- Melting point/freezing point:** Not determined.

- Initial boiling point and boiling range:** Not determined.

- Flash point:** Not applicable.

- Flammability (solid, gas):** Not applicable.

- Ignition temperature:** Not applicable.

- Decomposition temperature:** Not determined.

- Auto-ignition temperature:** Product is not self-igniting.

- Danger of explosion:** Product does not present an explosion hazard.

- Flammability or explosive limits:**

Lower: Not applicable.

Upper: Not applicable.

(Contd. on page 5)

— UST —

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/25/2017

Reviewed on 08/25/2017

Trade name: **Total Nitrogen Acid LR/HR Vial**

(Contd. of page 4)

· Oxidizing properties:	none
· Vapor Pressure:	Not determined.
· Density at 20°C (68 °F):	1,8g/cm ³ (15.02 lbs/gal)
· Relative density:	Not determined.
· Vapor density:	Not determined.
· Evaporation rate:	Not determined.
· Solubility(ies) Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	Not determined.
· Solvent content: Organic solvents: Water:	0,0% > 10%
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** see section "Possibility of hazardous reactions"
- **Chemical stability** Stable at ambient temperature (room temperature).
- **Possibility of hazardous reactions**
 - Corrosive action on metals.
 - Reacts with metals forming hydrogen (Danger of explosion!)
 - When diluting, always add acid to water, never vice versa.
 - Diluting or dissolving in water always causes rapid heating.
 - Reacts with reducing agents.
 - Reacts with acids and alkali (lyes).
 - Reacts with ammonia (NH₃).
- **Conditions to avoid** strong heating
- **Incompatible materials:**
 - metals
 - alkali compounds
 - halogen compounds
 - combustible materials
 - organic solvents
 - nitriles
 - peroxides
 - oxidizing agents
- **Hazardous decomposition products:**
 - Sulfur oxides (SO_x)
 - see section 5

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.
- **LD/LC50 values that are relevant for classification:**
 - The following statements refer to the individual components.

CAS: 7664-93-9 sulphuric acid		
Oral	LD50	2140 mg/kg (rat) (IUCLID)
Inhalative	LC 50	510 mg/m ³ /2h (rat) IUCLID

- **Primary irritant effect:**
 - **on the skin:** Causes severe skin burns.
 - **on the eye:** Causes serious eye damage.

(Contd. on page 6)

— UST —

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/25/2017

Reviewed on 08/25/2017

Trade name: **Total Nitrogen Acid LR/HR Vial**

(Contd. of page 5)

Risk of blindness!

- **Sensitization:** Based on available data, the classification criteria are not met.

• IARC (International Agency for Research on Cancer)	
CAS: 7664-93-9 sulphuric acid	1
• NTP (National Toxicology Program)	
CAS: 7664-93-9 sulphuric acid	K
• OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

- **Other information:**

see section 8 / 15

Cancer Status of Sulfuric acid: The International Agency for Research on Cancer (IARC) has classified "strong inorganic acid mists containing sulfuric acid" as a known human carcinogen, (IARC category 1). This classification applies only to mists containing sulfuric acid and not to sulfuric acid or sulfuric acid solutions.

A2 (Suspected for humans) by ACGIH

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):**

CAS-No. 7664-93-9:

carcinogenic: Category 4

The following statements refer to the mixture:

- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT (specific target organ toxicity) -single exposure** Based on available data, the classification criteria are not met.
- **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach. The aerosol is corrosive to the eyes, the skin and the respiratory tract. Inhalation of aerosols may cause lung oedema. Sulfuric acid: erosion of the teeth, cancer

12 Ecological information

- **Toxicity**

• Aquatic toxicity:	
CAS: 7664-93-9 sulphuric acid	
EC50	>100 mg/l/48h (Daphnia magna) (OECD 202) (ECHA)
LC50	16–29 mg/l/96h (bluegill) (Merck)

- **Bacterial toxicity:** sulfates toxic > 2.5 g/l
- **Other information:**
Toxic for fish:
sulfates > 7 g/l
- **Persistence and degradability .**
- **Other information:**
Mixture of inorganic compounds.
Does not cause biological oxygen deficit.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Remark:** neutralization possible
- **Other adverse effects**
Harmful effect due to pH shift.
Forms corrosive mixtures with water even if diluted.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

— UST —

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/25/2017

Reviewed on 08/25/2017



Trade name: Total Nitrogen Acid LR/HR Vial

(Contd. of page 6)

Hand over to hazardous waste disposers.

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· UN-Number · DOT, IMDG, IATA	UN1830
· UN proper shipping name · DOT · IMDG, IATA	Sulfuric acid SULPHURIC ACID
· Transport hazard class(es) · DOT	
	
· Class · Label	8 Corrosive substances 8
· IMDG, IATA	
	
· Class · Label	8 Corrosive substances 8
· Packing group · DOT, IMDG, IATA	II
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user · Danger code (Kemler): · EMS Number: · Segregation groups · Stowage Category · Stowage Code	Warning: Corrosive substances 80 F-A,S-B Acids E SW15 For metal drums, stowage category B.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information: · Limited quantity (LQ): · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

— UST —
(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/25/2017

Reviewed on 08/25/2017

Trade name: Total Nitrogen Acid LR/HR Vial

(Contd. of page 7)

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

Section 355 (Extremely hazardous substances):

CAS: 7664-93-9 sulphuric acid

Section 313 (Specific toxic chemical listings):

CAS: 7664-93-9 sulphuric acid

TSCA (Toxic Substances Control Act):

All ingredients are listed.

Proposition 65
Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

New Jersey Right-to-Know List:

CAS: 7664-93-9 sulphuric acid

CAS: 7440-36-0 antimony

New Jersey Special Hazardous Substance List:

CAS: 7664-93-9 sulphuric acid

CA, CO, R2

Pennsylvania Right-to-Know List:

CAS: 7664-93-9 sulphuric acid

CAS: 7440-36-0 antimony

Pennsylvania Special Hazardous Substance List:

CAS: 7664-93-9 sulphuric acid

E

CAS: 7440-36-0 antimony

E

EPA (Environmental Protection Agency)

None of the ingredients is listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- Information about limitation of use: Employment restrictions concerning young persons must be observed.

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

- Date of preparation / last revision 08/25/2017 / -

Abbreviations and acronyms:

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

EC50: effective concentration, 50 percent (in vivo)

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure

EC50: half maximal effective concentration

IC50: half maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ACGIH® - American Conference of Governmental Industrial Hygienists

•A1 - Confirmed human carcinogen

(Contd. on page 9)

— UST —

Safety Data Sheet

acc. to OSHA HCS (HazCom 2012)

Printing date 08/25/2017

Reviewed on 08/25/2017

Trade name: Total Nitrogen Acid LR/HR Vial

(Contd. of page 8)

- A2 - Suspected human carcinogen
- A3 - Confirmed animal carcinogen with unknown relevance to humans
- A4 - Not classifiable as a human carcinogen
- A5 - Not suspected as a human carcinogen
- IARC - International Agency for Research on Cancer
- Group 1 - Carcinogenic to humans
- Group 2A - Probably carcinogenic to humans
- Group 2B - Possibly carcinogenic to humans
- Group 3 - Not classifiable as to carcinogenicity to humans
- Group 4 - Probably not carcinogenic to humans
- NTP - National Toxicology Program, U.S. Department of Health and Human Services
- Group K - Known to be Human Carcinogens
- Group R - Reasonably Anticipated to be Human Carcinogens
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- Met. Corr. 1: Corrosive to metals – Category 1
- Skin Corr. 1A: Skin corrosion/irritation – Category 1A
- Eye Dam. 1: Serious eye damage/eye irritation – Category 1

• Sources

Data arise from safety data sheets, reference works and literature.
CSST (Service du répertoire toxicologique)
IUCLID (International Uniform Chemical Information Database)
International Chemical Safety Cards (ICSCs)

— UST —