






Interactive LED Range



Perfect for Whole Class Teaching







iPad, iPhone, Android, MAC & Windows Collaboration




TouchIT Notes allows you to connect to a class session with a tablet, cell phone, Windows PC or even a MAC. Cross-platform collaboration!

You can share any content that you have on the LED with the Class. The Students can interact with the content, make their own notes so personalizing the learning experience.

TouchIT Notes even allows you to work in a group and collaborate on a shared workspace.

At the end of the class, all the notes are automatically saved to the student device.









chrome collaboration

Chromebook collaboration with the TouchIT LED is simple. Start a session from the Teacher laptop (PC or MAC) then all the student Chromebooks can join via the Chrome Browser.

Students can see the screen in real time from the teacher as well as respond to interactive questions that are pushed out to them from the LED.

We take interactive lessons with Chromebooks to the next level!


Here we have a Chromebook participating in a collaboration session with the TouchIT Interactive LED.

View all the content from the LED on your own Chromebook in a browser window

Share annotations from your Chromebook with teacher at the LED and the whole class

Respond interactively on your Chromebook to questions sent

by the teacher from the LED









NI//bIBACE





TOUCH

Annotation Software



Over 70 Tools organized into subject specific toolbars. Only display the tools relevant for your lesson!
















TOUCH TECHNOLOGIES (M)

TouchIT Fusion - Interactive Table, Easel and LED, with PC, all

in one product.


The TouchIT LED Fusion is the future of interactivity. Available with a 55" LED and 32 point multi-touch, Fusion models incorporate an integrated PC, multi-touch LED and an electric mobile stand. The TouchIT Fusion is three products in one! An Interactive Easel, an Interactive Table and an Interactive LED - Choose how you want to use the product at the touch of a button!

Electric height adjustable and tilting trolley

Moveable rolling trolley

Single Power Outlet required

Page: 10















Page : 11




Page: 12



Digital Signage Doesn't Need to be Complicated

Install TouchIT Digital Signage Software on any PC and convert it into a Signage Player and connect to any monitor or LED display.

Use your school network to update the signage from any computer or tablet with an Internet Browser. Signage made simple!



DRAG AND DROP CREATION Creating the perfect welcome sign for your school is just a case of dragging and dropping content into place.

INCORPORATE ALMOST ANY FILE FORMAT If you have a school video to advertise what you offer you can easily incorporate this into your Digital Signage

REMOTE UPDATING Update the "pupil of the week" quickly and easily via the built-in web server from any browser on the network

TOUCH SCREEN COMPATIBLE TouchIT Digital
Signage is ideal for use with Touch Screens to create a wayfinder application.

UNLIMITED ZONES allow you to create signage with as much content as you need, anywhere on the screen

RESOLUTION INDEPENDENT - use any screens you have for your signage

Make Your Signage Stand Out in a Crowd



www.touchittechnologies.com | sales@touchittechnologies.com | 248 764 1084



LED Accessories

MANUAL HEIGHT ADJUSTABLE STAND

Our Mobile Stand is specifically designed for the TouchIT LED range of interactive displays and provides a mobile mounting option. The stand is manually height adjustable with five fixed positions.



ELECTRIC HEIGHT ADJUSTABLE STAND

The MotoWMKII is able to raise up to 150kgs (330lbs) 700mm (27.5") at the touch of a button and is suitable for use with the entire range of LED - 32" to 84".



Suitable for use with all sizes of LED.

Part Code - MOTOWMKII

WALL MOUNTS

Our wall mounts are specifically designed to attach the LED to a wall. Our wall mounts hold the units firmly in place. (Please be aware that other mounts may not be rated for the weight or specific use with our products.)



TABLE TOP STANDS

Our table top stands are specifically designed for the LED range so they can be used on a table or desk. The TouchIT Table Top Stand is ideal for displaying the TouchIT LED on top of a cabinet or indeed a table or shelf where wall mounting is not an option.

Part Code - DTS-42-46-55 | DTS-84 DTS-65-70

Part Codes

Interactive LEDs

0608641030075	32" TouchIT LED (Full HD)
0608641029703	42" TouchIT LED (Full HD)
0608641029710	46" TouchIT LED (Full HD)
0608641029727	55" TouchIT LED (Full HD)
0608641029734	65" TouchIT LED (Full HD)
0608641029741	70" TouchIT LED (Full HD)
0608641030211	65" 4K TouchIT LED (4K UHD)
0608641030273	75" 4K TouchIT LED (4K UHD)
0608641030297	80" TouchIT LED (Full HD)
0608641030198	84" 4K TouchIT LED (4K UHD)

Interactive LEDs with Integrated PC

0608641029765	42" TouchIT LED (Full HD & PC)
0608641029772	46" TouchIT LED (Full HD & PC)
0608641029789	55" TouchIT LED (Full HD & PC)
0608641029796	65" TouchIT LED (Full HD & PC)
0608641029802	70" TouchIT LED (Full HD & PC)
0608641030259	65" 4K TouchIT LED (4K UHD & PC)
0608641030280	75" 4K TouchIT LED (4K UHD & PC)
0608641030303	80" TouchIT LED (Full HD & PC)
0608641030235	84" 4K TouchIT LED (4K UHD & PC)
<u> </u>	<u> </u>

Additional 2 Year Warranty

0608641030396	5 Year LED Warranty

TouchIT Fusion

0608641028454	55" 32pt Touch
---------------	----------------

Digital Signage Software

0608641029999	TouchIT Digital Signage
0000041029999	Touchin Digital Signage

Stands & Mounts

	0608641029178	32" Wali Mount
	0608641029147	42" - 55" Wall Mount
	0608641029154	65" - 84" Wall Mount
	0608641029185	42" - 55" Desk Top Stand
	0608641029192	65" - 70" Desk Top Stand
	0608641029208	84" Desk Top Stand
	0608641029376	Manual LED Stand
	0608641029215	Electric LED Stand

Installation & Training

0608641030136	On Site Install for LED				
0608641030433	1 Day Training for LED				

TouchIT Software

0608641030013	Notes Presenter
0608641030020	Notes 10
0608641030037	Notes 20
0608641030044	Notes 40
0608641030051	Notes 40+
0608641030402	Oktopus
0608641030419	Oktopus 40
0608641030426	Oktopus Site License

If you are unsure about any of the part codes for the products or would like more information, please call us on +1 248 764 1084 or email sales@touchittechnologies.com





Support and Professional Development are very important at TouchIT Technologies. We offer a number of different ways that we can support you with our products from On Site Technical Support to Online Training. Here are a few key examples of what we offer.

3 Year On Site Supprt comes as standard for all Interactive LEDs. If there is a problem, we'll send out the parts and a technician to fix them at your school. (Continental USA, Canada & Australia)





At www.touchittechnologies.com we have online resources including:

Video Tutorials Online Chat
FAQs Online Training

PDF Guides Online Support Ticket System

Demonstration Videos

If you need Technical Support on our products, please either dial 248 764 1084 and select the support option, or email support@touchittechnologies.com



www.touchittechnologies.com | sales@touchittechnologies.com | 248 764 1084

www.touchittechnologies.com | sales@touchittechnologies.com | 248 764 1084

Page : 17

Model Name	TouchIT 32" LED	TouchIT 42" LED	TouchIT 46" LED	TouchIT 55" LED	TouchIT 65" LED	TouchIT 70" LED	TouchIT 80" LED	TouchIT 4K 65" LED	TouchIT 4k 75" LED	TouchIT 4K 84" LED	55" Fusion 32 Point
Part Code	0608641030075	0608641029703	0608641029710	0608641029727	0608641029734	0608641029741	0608641030297	0608641030211	0608641030273	0608641030198	0608641028454
Panel Size (Dia.)	32 inch	42inch	46 inch	55 inch	65 inch	70 inch	80 inch	65 inch	75 inch	84 inch	55 inch
Resolution				1920 x 1080					3840 x 2160		1920 x 1080
Brightness	350 cd/m2	400 cd/m2	500 cd/m2	400 cd/m2	350 cd/m2	350 cd/m2	350 cd/m2	350 cd/m2	450 cd/m2	350 cd/m2	400 cd/m2
Contrast	3000:1	4000:1	4000:1	4000:1	4000:1	4000:1	5000:1	4000:1	4000:1	1600:1	4000:1
Viewing Angle			,	178°/178°	,				178°/178°		178°/178°
Response Time	8ms	6.5 ms	6.5 ms	6.5 ms	5.5 ms	4 ms	4 ms	6.5 ms	8 ms	5 ms	6.5 ms
Backlight				LED					LED	LED	
Backlight Life	50,000 Hours	30,000 Hours	50,000 Hours	30,000 Hours	30,000 Hours	60,000 Hours	50,000 Hours	30,000 Hours	50,000 Hours	50,000 Hours	60,000 Hours
Operating Temp.				0-50°C					0-50°C		0-50°C
Operating Humid.				10-90% RH					10-90% RH		10-90% RH
Input Voltage				AC 100-240V, 50/60Hz					AC 100-240V, 50/60Hz		AC 100-240V, 50/60Hz
Power Consump.	< 65 Watts	< 70 Watts	< 120 Watts	< 135 Watts	< 160 Watts	< 195 Watts	< 280 Watts	< 220 Watts	< 370 Watts	< 430 Watts	< 135 Watts
Standby Power	< 0.5 Watts	< 0.5 Watts	< 0.5 Watts	< 0.5 Watts	< 0.5 Watts	< 0.5 Watts	< 0.8 Watts	< 0.5 Watts	< 0.5 Watts	< 0.75 Watts	< 0.5 Watts
Input Connector			VGA x1, HDMI x3, U	SB for Media x2, USB for Tou	ch x2, Audio in x1			VGA x1, DVI x1, HDMI (UHD) x1, HDMI (FHD) x2, Display Port x1, Audio in x1, USB for Media x1, USB for Touch x1			VGA x1, DVI x1, HDMI x2, Audio in x1, mini-Din x1, USB for Media x2, USB for Touch x1
Output Connector	VGA x1, HDMI x1, Audio out x1							N/A			VGA x1, Audio out x1
Screen Control				RS-232 & Remote Handset				RS-232 & Remote Handset			RS-485 & Remote Handset
Ambient Detection			A	uto Ambient Light Detection				Auto Ambient Light Detection			Auto Ambient Light Detection
Touch Technology				SLW 10-Point Touch				SLW 10-Point Touch			SLW 32-Point Touch
AG Tempered Glass		4m	nm			5mm		5mm			4mm
Speakers				10W x2			10W x2				10W x2
VESA	200 x 200	440 x 300	400 x 440	440 x 400	440 x 400	440 x 500	400 x 400	400 x 400	400 x 400	400 x 400	440 x 400
Unit Dimension (WxHxD) mm	798.54 x 498.35 x 138.3	1028.74 x 631.21 x 109.3	1114.64 x 678.55 x 113.6	1305.94 x 786.95 x 110.3	1524.24 x 909.55 x 114.8	1633.74 x 976.75 x 115.8	1866.44 x 1098.75 x 134.7	1524.24 x 909.55 x 121	1742 x 1032 x 134.7	1960.54 x 1156.75 x 118.1	1300 x 772 x 104.2 (Monitor)
Unit Dimension Inches	31.38" x 19.58" x 5.45"	40.42" x 24.80" x 4.29"	43.80" x 26.66" x 4.46"	51.32" x 30.92" x 4.33"	59.90" x 35.74" x 4.51"	64.20" x 38.38" x 4.55"	74.38" x 43.26" x 5.3"	59.90" x 35.74" x 4.75"	68.46" x 40.55" x 5.28"	76.46" x 45.46" x 4.64"	51.09" x 30.33" x 4.09"
Net Weight KG	23.2 KG	28 KG	30.4 KG	47.2 KG	58.65 KG	86.10 KG	92.6 KG	58.65 KG	87 KG	103.56 KG	42.2 KG (Monitor)
Net Weight LBS	51.15 LBS	61.73 LBS	67.02 LBS	104.06 LBS	129.30 LBS	189.82 LBS	204.15 LBS	129.30 LBS	191.4 LBS	228.31 LBS	93.04 LBS (Monitor) 158.4lbs (Trolley)
Optional PC	N/A			Intel i5 + 8G RAN				Intel i5 + 8G RAM + 500G HDD			Intel i5 + 8G RAM + 500G HDD
Pro (with PC) Part Code	N/A	0608641029765	0608641029772	0608641029789	0608641029796	0608641029802	0608641030303	0608641030259	0608641030280	0608641030235	Included
Packaged Dimensions (mm)	934 x 322 x 710	1152 x 238 x 783	1243 x 238 x 841	1426 x 238 x 948	1629 x 252 x 1036	1745 x 238 x 1120	2100 x 290 x 1386	1629 x 252 x 1036	1995 x 292 x 1381	2120 x 310 x 1430	1440 x 250 x1070 (Monitor) 1130 x 820 x 920 (Trolley)
(inches)	36.77" x 12.67" x 27.95"	45.35" x 9.37" x 30.82"	48.94" x 9.37" x 33.11"	56.14" x 9.37" x 37.32"	64.13" x 9.92" x 40.78"	68.70" x 9.37" x 44.09"	82.68" x 11.7" x 54.6"	64.13" x 9.92" x 40.78"	78.58" x 11.50" x 54.40"	83.46" x 12.20" x 56.30"	56.69"x9.84"x42.04" (Monitor) 44.48"x32.28"x36.22"(Trolley)
Packaged Weight (KG)	26.2kg	39kg	43.25kg	50.15kg	76 kg	94.6 kg	107 kg	76 kg	106 kg	116.2 kg	47kg (Monitor) 83kg (Trolley)
(lbs)	57.64lbs	85.8lbs	95.15 lbs	110.33 lbs	167.2 lbs	208.12 lbs	235.4 lbs	167.2 lbs	233.2 lbs	255.64 lbs	121lbs (Monitor) 182.6 LBS (Trolley)



TouchIT Technologies 2051 Villa, Suite 104 Birmingham, MI 48009 USA sales@touchittechnologies.com

USA - 248 764 1084 UK - 0208 819 9641 AUSTRALIA - 0290 370 130 ASIA PAC Sales +85 258 083 087

Who are TouchIT Technologies?

TouchIT Technologies was founded in 2008 and began manufacturing Interactive Whiteboards. Today, we are a US company that focuses almost exclusively on the manufacturing of Interactive LED's. We sell products to over 30 countries worldwide to a variety of vertical markets and have offices not only in the US but also in Europe and Asia.