



# TouchIT Y Series



205 Westwood Ave, Long Branch, NJ 07740  
Phone: 866-94 BOARDS (26273) / (732)-222-1511  
Fax: (732)-222-7088 | E-mail: sales@touchboards.com

The Y Series from TouchIT Technologies incorporates the latest in Interactive Flat Panel Technology without a high price tag.

"PC-Free" operation thanks to the onboard Android operating system makes for a true plug and play experience. Annotate, take notes, save - all without having to connect a computer to the LED.

The TouchIT Y Series comes with its own App Store so you can install on the onboard operating system only the Apps that you want. All Apps available in the TouchIT Store are Free of charge and have been tested for compatibility and suitability on the large format LED.

Available in 4 sizes, 55", 65", 75" and 85"



10 point touch



Anti glare glass



Slim Profile



Front control & input buttons



Integrated speakers 2 x 10W



On Board Android



3 Year On Site Warranty (USA, Canada, Australia)



Plug and Play



Annotation software



Collaboration software



Android "PC-Free" Note Taking

## TouchIT Y Series



**TOUCHIT55Z10**



**TOUCHIT65Z10**



**TOUCHIT75Z10**



**TOUCHIT85Z10**

| UPC Code                                | 0608641030471   | 0608641030488                 | 0608641030495             | 0608641030501             |
|---|---|-------------------------------|---------------------------|---------------------------|
| Panel Size (Dia.)                       | 55 inches   | 65 inches                     | 75 inches                 | 85 inches                 |
| Native Resolution                       | 1920 x 1080   | 1920 x 1080                   | 3840 x 2160               | 3840 x 2160               |
| Max. Display Mode                       | 1920 x 1080   | 1920 x 1080                   | 3840 x 2160               | 3840 x 2160               |
| Brightness                              | 350 nits  | 350 nits                      | 350 nits                  | 350 nits                  |
| Contrast                                | 5000:1  | 5000:1                        | 5000:1                    | 5000:1                    |
| View Angle                              | 178°/178°   | 178°/178°                     | 178°/178°                 | 178°/178°                 |
| Response Time                           | 6 m/s   | 6 m/s                         | 6 m/s                     | 6 m/s                     |
| Backlight Life                          | 60 000 Hours  | 60 000 Hours                  | 60 000 Hours              | 60 000 Hours              |
| Operating Temp.                         | 0-50 C  | 0-50 C                        | 0-50 C                    | 0-50 C                    |
| Operating Humid.                        | 10-90 %   | 10-90 %                       | 10-90 %                   | 10-90 %                   |
| Input Voltage                           | 110-240V (auto)   | 110-240V (auto)               | 110-240V (auto)           | 110-240V (auto)           |
| Power Consump.                          | < 135 Watts   | < 160 Watts                   | < 370 Watts               | < 430 Watts               |
| Standby Power                           | < 0.5 Watts   | < 0.5 Watts                   | < 0.5 Watts               | < 0.75 Watts              |
| CPU                                     | CORTEX A53x2 1.5GHz   | CORTEX A53x2 1.5GHz           | CORTEX A53x2 1.5GHz       | CORTEX A53x2 1.5GHz       |
| GPU                                     | MALI450MP4 600MHz   | MALI450MP4 600MHz             | MALI450MP4 (4+2) 600MHz   | MALI450MP4 (4+2) 600MHz   |
| Memory                                  | 1G  | 1G                            | 1.5G                      | 1.5G                      |
| Flash                                   | 8G  | 8G                            | 8G                        | 8G                        |
| Android                                 | Android 5.0   | Android 5.0                   | Android 5.0               | Android 5.0               |
| Input Connector                         | VGA x2, HDMI x2, YPbPr x1, AV x1, USB for Touch x2, USB for PC x1, RJ45 x1, |                               |                           |                           |
|   | USB for Android x2,<br>Mic x1   | USB for Android x2,<br>Mic x1 | USB for Android x3        | USB for Android x3        |
| Output Connector                        | AV x1, SPDIF x1, Audio x1   |                               | AV x1, SPDIF x1, Audio x1 |                           |
| Screen Control                          | RS232 & Remote  | RS232 & Remote                | RS232 & Remote            | RS232 & Remote            |
| Tempered Glass                          | YES   | YES                           | YES                       | YES                       |
| Multi-Touch Points?                     | 10  | 10                            | 10                        | 10                        |
| Touch Panel                             | IR, 10 Points   | IR, 10 Points                 | IR, 10 Points             | IR, 10 Points             |
| Built-in Speakers                       | 10W x 2   | 10W x 2                       | 10W x 2                   | 10W x 2                   |
| VESA Mounting Pattern                   | 400 x 400 (M6 bolts)  | 400 x 400 (M8 bolts)          | 600 x 400 (M8 bolts)      | 600 x 400 (M8 bolts)      |
| NET Weight KG                           | 47.2 KG   | 58.65 KG                      | 87 KG                     | 103.56 KG                 |
| NET Weight LBS                          | 104.06 LBS  | 129.30 LBS                    | 191.4 LBS                 | 228.31 LBS                |
| Dimension (WxHxD)<br>(mm)               | 1305.94 x 786.95 x<br>110.3   | 1524.24 x 909.55 x<br>114.8   | 1742 x 1032 x 134.7       | 1960.54 x 1156.75 x 118.1 |
| Dimension (WxHxD)<br>(inches)           | 51.32" x 30.92" x 4.33"   | 59.90" x 35.74" x 4.51"       | 68.46" x 40.55" x 5.28"   | 76.46" x 45.46" x 4.64"   |
| Gross Weight KG                         | 50.15kg   | 76 kg                         | 106 kg                    | 116.2 kg                  |
| Gross Weight LBS                        | 110.33 lbs  | 167.2 lbs                     | 233.2 lbs                 | 255.64 lbs                |
| Packaged Dimensions<br>(WxHxD) (mm)     | 1426 x 238 x 948  | 1629 x 252 x 1036             | 1995 x 292 x 1381         | 2120 x 310 x 1430         |
| Packaged Dimensions<br>(WxHxD) (inches) | 56.14" x 9.37" x 37.32"   | 64.13" x 9.92" x 40.78"       | 78.58" x 11.50" x 54.40"  | 83.46" x 12.20" x 56.30"  |
| Frame Color                             | Silver  | Silver                        | Silver                    | Silver                    |
| OPS Docking Slot                        | No  | No                            | No                        | No                        |



| Package Contents            | 55"            | 65"            | 75"            | 85"            |
|-----------------------------|----------------|----------------|----------------|----------------|
| 1 x LED                     | Yes            | Yes            | Yes            | Yes            |
| 1 x Power Cord              | Yes 5ft (1.5m) | Yes 5ft (1.5m) | Yes 5ft (1.5m) | Yes 5ft (1.5m) |
| 1 x HDMI V1.4               | Yes 5ft (1.5m) | Yes 5ft (1.5m) | Yes 5ft (1.5m) | Yes 5ft (1.5m) |
| 1 x VGA Cable               | Yes 5ft (1.5m) | Yes 5ft (1.5m) | Yes 5ft (1.5m) | Yes 5ft (1.5m) |
| 1 x USB Cable A(m) to B(m)  | Yes 5ft (1.5m) | Yes 5ft (1.5m) | Yes 5ft (1.5m) | Yes 5ft (1.5m) |
| 1 x Audio Cable (3.5E)      | Yes 5ft (1.5m) | Yes 5ft (1.5m) | Yes 5ft (1.5m) | Yes 5ft (1.5m) |
| 1 x Remote & Batteries      | Yes            | Yes            | Yes            | Yes            |
| 1 x Stylus                  | Yes            | Yes            | Yes            | Yes            |
| 1 x Cleaning Cloth          | Yes            | Yes            | Yes            | Yes            |
| Mounting Screws             | Yes (M6 x 4)   | Yes (M8 x 4)   | Yes (M8 x 4)   | Yes (M8 x 4)   |
| Software                    |                |                |                |                |
| 1 x TouchIT Notes Presenter | Yes            | Yes            | Yes            | Yes            |
| 1 x Oktopus Single User     | Yes            | Yes            | Yes            | Yes            |

Please note, you will need to register with a valid email address and your product serial number to receive your TouchIT Notes & Oktopus licenses. TouchIT App Store and the Contribute Software will need to be installed separately on the on board Android OS. (Specifications subject to change without notice)