



Technical Data

Color	Blue
Sizes Available	XS-5XL
Packaging	Case
Packed	1/Case
Case Dimensions (in)	--
Case Weight (lbs)	0.00
Country of Origin	Mexico
Clothing Type	Lab Coats
Closure	Snap
Construction	ESD Safe
Certifications	TAA Compliant
Product Circularity	Reusable / Launderable

Uniform Technology™

Stacion Long ESD Labcoat

- Stacion Fabric - 98% Polyester / 2% Carbon
- Lapel collar
- Three patch pockets
- Snaps at front opening
- Grounding snap on waist pocket
- Pen slot on breast pocket
- Side slits on the bottom of each side for pocket access
- Standard hem closure
- ESD safe compliance to ANSI/ESD S20.20-2014 - Groundable Static Control Garment

Performance Data

ISO Cleanroom	--
ANSI/ESD S20.20	Groundable Static Control Garment < 1x10 ⁹ Ω Point to groundable point
Temperature Resistant	--
Static Control Property	Static Dissipative

Care Instructions

Make sure all zippers and snaps are closed. Use less harsh soap (milk alkaline or neutral soaps) or detergents. Wash at 120°F for colors and 140°F for whites. Rinse cold. No bleach. Tumble dry moderate (140°F). After drying tumble dry cold for 5 minutes. No iron. Our garments do not come wearer ready-meaning they need to be laundered before an employee wears them in an ISO class cleanroom. Average wear and tear live span is 50-100 washes.

KEY: Made from recycled or bio-based Launderable Recyclable via TerraCycle®

PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobalsafety.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2023-07-10



SPECIFICATION SHEET

STYLE: BR59N-45RB

SKU Information

SKU	COLOR	SIZE	UPC	UPC (INNER)	UPC (CASE)
BR59N-45RB-XS	Blue	XS	616314491047	10616314491044	20616314491041
BR59N-45RB-S	Blue	S	616314491023	10616314491020	20616314491027
BR59N-45RB-M	Blue	M	616314491016	10616314491013	20616314491010
BR59N-45RB-L	Blue	L	616314491009	10616314491006	20616314491003
BR59N-45RB-XL	Blue	XL	616314491030	10616314491037	10616314491037
BR59N-45RB-2XL	Blue	2XL	616314490927	10616314490924	20616314490921
BR59N-45RB-3XL	Blue	3XL	616314490941	10616314490948	20616314490945
BR59N-45RB-4XL	Blue	4XL	616314490958	10616314490955	20616314490952
BR59N-45RB-5XL	Blue	5XL	616314490965	10616314490962	20616314490969

PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobalsafety.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2023-07-10



Technical Data

Color	White
Sizes Available	XS-5XL
Packaging	Case
Packed	1/Case
Case Dimensions (in)	24.02 x 15.98 x 12.01
Case Weight (lbs)	2.01
Country of Origin	Mexico
Clothing Type	Lab Coats
Closure	Snap
Construction	ESD Safe
Certifications	TAA Compliant
Product Circularity	Reusable / Launderable

Uniform Technology™

Stacion Long ESD Labcoat

- Stacion Fabric - 98% Polyester / 2% Carbon
- Lapel collar
- Three patch pockets
- Snaps at front opening
- Grounding snap on waist pocket
- Pen slot on breast pocket
- Side slits on the bottom of each side for pocket access
- Standard hem closure
- ESD safe compliance to ANSI/ESD S20.20-2014 - Groundable Static Control Garment

Performance Data

ISO Cleanroom	--
ANSI/ESD S20.20	Groundable Static Control Garment < 1x10 ⁹ Ω Point to groundable point
Temperature Resistant	--
Static Control Property	Static Dissipative

Care Instructions

Make sure all zippers and snaps are closed. Use less harsh soap (milk alkaline or neutral soaps) or detergents. Wash at 120°F for colors and 140°F for whites. Rinse cold. No bleach. Tumble dry moderate (140°F). After drying tumble dry cold for 5 minutes. No iron. Our garments do not come wearer ready-meaning they need to be laundered before an employee wears them in an ISO class cleanroom. Average wear and tear live span is 50-100 washes.

KEY: Made from recycled or bio-based Launderable Recyclable via TerraCycle®

PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobalsafety.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2023-07-10



SPECIFICATION SHEET

STYLE: BR59N-45WH

SKU Information

SKU	COLOR	SIZE	UPC	UPC (INNER)	UPC (CASE)
BR59N-45WH-XS	White	XS	616314491160	10616314491167	20616314491164
BR59N-45WH-S	White	S	616314491146	10616314491143	20616314491140
BR59N-45WH-M	White	M	616314491139	10616314491136	20616314491133
BR59N-45WH-L	White	L	616314491122	10616314491129	20616314491126
BR59N-45WH-XL	White	XL	616314491153	10616314491150	20616314491157
BR59N-45WH-2XL	White	2XL	616314491054	10616314491051	20616314491058
BR59N-45WH-3XL	White	3XL	616314491078	10616314491075	20616314491072
BR59N-45WH-4XL	White	4XL	616314491085	10616314491082	20616314491089
BR59N-45WH-5XL	White	5XL	616314491092	10616314491099	20616314491096

PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobalsafety.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2023-07-10