

PRODUCT REFERENCE GUIDE:

COMMERCIAL DISPLAYS

Connect and Collaborate.



IFP - ViewBoard Interactive Series: Connect, Collaborate, Share

Product	Screen Size	Resolution	Touch Points	Dimensions W x H x D (in.)	Operation Rating	Embedded Media Player	Slot-in PC Slot	Connectivity
IFP9850	98"	3840 x 2160	20-Point Touch	88.4 x 52.1 x 3.6	-	-	Yes	HDMI Out, VGA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x3), USB 2.0(x2), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP8650	86"	3840 x 2160	20-Point Touch	77.1 x 45.7 x 3.5	-	-	Yes	HDMI Out, VGA, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP8650 - GEN 1	86"	3840 x 2160	20-Point Touch	78.3 x 46.7 x 3.9	-	-	Yes	HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), Ethernet LAN (RJ45), WIFI Module Slot, Expansion Slot
IFP8650-E1	86"	3840 x 2160	20-Point Touch	69.4 x 41.0 x 5.7	-	-	Yes	HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot

Product	Screen Size	Resolution	Touch Points	Dimensions W x H x D (in.)	Operation Rating	Embedded Media Player	Slot-in PC Slot	Connectivity
IFP8650-E2	86"	3840 x 2160	20-Point Touch	78.3 x 46.7 x 29.5	-	-	Yes	HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP8650-E3	86"	3840 x 2160	20-Point Touch	69.4 x 41.0 x 5.7	-	-	Yes	HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP8650-M1	86"	3840 x 2160	20-Point Touch	58.6 x 35.3 x 3.5	-	-	Yes	HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP8650-M2	86"	3840 x 2160	20-Point Touch	49.9 x 30.4 x 3.3	-	-	Yes	HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP7550	75"	3840 x 2160	20-Point Touch	67.3 x 40.2 x 3.5	-	-	Yes	HDMI Out, VGA, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP7550 - GEN 1	75"	3840 x 2160	20-Point Touch	69.4 x 41.0 x 3.9	-	-	Yes	HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), Ethernet LAN (RJ45), WIFI Module Slot, Expansion Slot
IFP7550-E1	75"	3840 x 2160	20-Point Touch	69.4 x 41.0 x 5.7	-	-	Yes	HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP7550-E2	75"	3840 x 2160	20-Point Touch	69.4 x 41.0 x 29.5	-	-	Yes	HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP7550-E3	75"	3840 x 2160	20-Point Touch	69.4 x 41.0 x 5.7	-	-	Yes	HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP7550-LA-V1	75"	3840 x 2160	20-Point Touch	67.3 x 40.2 x 3.5	-	-	Yes	HDMI 1.4 In(x2), HDMI 2.0 In, HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), Ethernet LAN (RJ45), WIFI Module Slot, Expansion Slot
IFP7550-LA-V2	75"	3840 x 2160	20-Point Touch	67.3 x 40.2 x 3.5	-	-	Yes	HDMI 1.4 In(x2), HDMI 2.0 In, HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), Ethernet LAN (RJ45), WIFI Module Slot, Expansion Slot

Product	Screen Size	Resolution	Touch Points	Dimensions W x H x D (in.)	Operation Rating	Embedded Media Player	Slot-in PC Slot	Connectivity
IFP7550-LA-V3	75"	3840 x 2160	20-Point Touch	67.3 x 40.2 x 3.5	-	-	Yes	HDMI Out, VGA, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP7550-LA-V4	75"	3840 x 2160	20-Point Touch	67.3 x 40.2 x 3.5	-	-	Yes	HDMI Out, VGA, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP7550-M1	75"	3840 x 2160	20-Point Touch	67.3 x 40.2 x 3.5	-	-	Yes	HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP7550-M2	75"	3840 x 2160	20-Point Touch	67.3 x 40.2 x 3.5	-	-	Yes	HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP6550	65"	3840 x 2160	20-Point Touch	58.6 x 35.3 x 3.5	-	-	Yes	HDMI Out, VGA, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP6550 - GEN 1	65"	3840 x 2160	20-Point Touch	59.9 x 36.3 x 3.9	-	-	Yes	HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), Ethernet LAN (RJ45), WIFI Module Slot, Expansion Slot
IFP6550-E1	65"	3840 x 2160	20-Point Touch	58.6 x 35.3 x 3.5	-	-	Yes	HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP6550-E2	65"	3840 x 2160	20-Point Touch	59.9 x 36.3 x 29.5	-	-	Yes	HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP6550-E3	65"	3840 x 2160	20-Point Touch	59.9 x 36.3 x 5.7	-	-	Yes	HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP6550-LA-V1	65"	3840 x 2160	20-Point Touch	58.6 x 35.3 x 3.5	-	-	Yes	HDMI 1.4 In(x2), HDMI 2.0 In, HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), Ethernet LAN (RJ45), WIFI Module Slot, Expansion Slot
IFP6550-LA-V2	65"	3840 x 2160	20-Point Touch	59.9 x 36.3 x 29.5	-	-	Yes	HDMI 1.4 In(x2), HDMI 2.0 In, HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), Ethernet LAN (RJ45), WIFI Module Slot, Expansion Slot

Product	Screen Size	Resolution	Touch Points	Dimensions W x H x D (in.)	Operation Rating	Embedded Media Player	Slot-in PC Slot	Connectivity
IFP6550-LA-V3	65"	3840 x 2160	20-Point Touch	58.6 x 35.3 x 3.5	-	-	Yes	HDMI Out, VGA, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP6550-LA-V4	65"	3840 x 2160	20-Point Touch	59.9 x 36.3 x 29.5	-	-	Yes	HDMI Out, VGA, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP6550-M1	65"	3840 x 2160	20-Point Touch	58.6 x 35.3 x 3.5	-	-	Yes	HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP6550-M2	65"	3840 x 2160	20-Point Touch	49.9 x 30.4 x 3.3	-	-	Yes	HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP5550	55"	3840 x 2160	20-Point Touch	49.9 x 30.4 x 3.3	-	-	Yes	HDMI Out, VGA, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP5550 - GEN 1	55"	3840 x 2160	20-Point Touch	51.3 x 31.5 x 3.8	-	-	Yes	HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP5550-E1	55"	3840 x 2160	20-Point Touch	51.3 x 31.5 x 5.6	-	-	Yes	HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP5550-E2	55"	3840 x 2160	20-Point Touch	51.3 x 31.5 x 29.4	-	-	Yes	HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP5550-E3	55"	3840 x 2160	20-Point Touch	51.3 x 31.5 x 5.6	-	-	Yes	HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP5550-M1	55"	3840 x 2160	20-Point Touch	49.9 x 30.4 x 3.3	-	-	Yes	HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot
IFP5550-M2	55"	3840 x 2160	20-Point Touch	49.9 x 30.4 x 3.3	-	-	Yes	HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot

CDE - Value Series: Large Format, Affordable Price

Product	Screen Size	Resolution	Touch Points	Dimensions W x H x D (in.)	Operation Rating	Embedded Media Player	Slot-in PC Slot	Connectivity
CDE9800	98"	3840 x 2160	-	86.5 x 49.4 x 4.3	16/7	-	-	HDMI 2.0 Out, VGA, Display Port, 3.5mm Audio In, 3.5mm Audio Out, USB 2.0, OPS PC Slot, RS232, Ethernet LAN (RJ45), SDM Slot
CDE8600	86"	3840 x 2160	-	77.2 x 44.6 x 4.0	16/7	-	-	HDMI 1.4 Out, VGA, Composite RCA, Component RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0, OPS PC Slot, RS232, RS232 Out, Ethernet LAN (RJ45), Micro SD Card Slot
CDE7500	75"	3840 x 2160	-	68.3 x 39.9 x 3.7	16/7	-	-	HDMI In(x4), HDMI Out, VGA, YPbPr, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 2.0(x2), OPS PC Slot, RS232 Out, Ethernet LAN (RJ45)
CDE6502	65"	1920 x 1080	-	59.5 x 35.0 x 3.4	16/7	-	-	HDMI In, HDMI MHL, VGA, USB 2.0
CDE6510	65"	3840 x 2160	-	57.4 x 32.9 x 3.2	16/7	-	-	VGA, Display Port, 3.5mm Audio In, 3.5mm Audio Out, USB 3.0, USB 2.0(x3), OPS PC Slot, RS232, RS232 Out, Ethernet LAN (RJ45), Micro SD Card Slot, IR in, IR out
CDE5510	55"	3840 x 2160	-	48.8 x 30.0 x 13.0	16/7	-	-	DVI-I, 3.5mm Audio Out, USB 3.0, USB 2.0, RS232, RS232 Out, Ethernet LAN (RJ45), Micro SD Card Slot, IR in, IR out
CDE5010	50"	3840 x 2160	-	44.2 x 27.0 x 13.0	-	-	-	DVI-D, VGA, RCA Audio Out, 3.5mm Audio In, USB 3.0, USB 2.0, RS232, RS232 Out, Ethernet LAN (RJ45), Micro SD Card Slot, IR in, IR out
CDE4803-H	48"	1920 x 1080	-	42.6 x 26.1 x 13.0	16/7	-	-	HDMI In(x2), VGA, 3.5mm Audio In, SPDIF Audio Out, USB 2.0, RS232, HDBT
CDE4302	43"	1920 x 1080	-	38.1 x 22.0 x 2.4	16/7	-	-	HDMI In(x2), VGA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 2.0, RS232
CDE4320	43"	3840 x 2160	-	38.2 x 3.3 x 21.9	-	-	-	HDMI 2.0 In(x2), DVI-D, RCA Audio Out, 3.5mm Audio In, USB 2.0(x2), RS232, Ethernet LAN (RJ45), Micro SD Card Slot, IR in, IR out
CDE3204	32"	1920 x 1080	-	28.8 x 18.5 x 7.5	16/7	-	-	DVI-D, VGA, YPbPr, 3.5mm Audio In, 3.5mm Audio Out, SPDIF, USB 2.0, IR out

CDP - Professional Series: 24/7 Reliability

Product	Screen Size	Resolution	Touch Points	Dimensions W x H x D (in.)	Operation Rating	Embedded Media Player	Slot-in PC Slot	Connectivity
CDP9800	98"	3840 x 2160	-	86.4 x 49.1 x 3.5	24/7	-	-	HDMI In(x3), VGA, RCA Audio In, 3.5mm Audio In, 3.5mm Audio Out, RS232 Out, Ethernet LAN (RJ45)

CDX - Custom Series: High-impact Messaging

Product	Screen Size	Resolution	Touch Points	Dimensions W x H x D (in.)	Operation Rating	Embedded Media Player	Slot-in PC Slot	Connectivity
CDX5552	55"	1920 x 1080	-	47.8 x 26.9 x 3.7	24/7	-	-	DVI-D Out, VGA, Display Port, Display Port Out, YPbPr, Composite RCA, RCA Audio In, RCA Audio Out, USB 2.0, RS232 Out, Ethernet LAN (RJ45)
CDX5552-B4	55"	1920 x 1080	-	47.8 x 26.9 x 3.7	24/7	-	-	HDMI CEC(x2), DVI-D, DVI-D Out, VGA, Display Port, Display Port Out, Composite RCA, Component RCA, Audio Output (Mini Jack), RCA Audio In, RCA Audio Out, Speaker Out(x2), USB 2.0, RS232, RS232 Out, Ethernet LAN (RJ45), IR in, IR out
CDX5552-B9	55"	1920 x 1080	-	47.8 x 26.9 x 3.7	24/7	-	-	HDMI CEC(x2), DVI-D, DVI-D Out, VGA, Display Port, Display Port Out, Composite RCA, Component RCA, Audio Output (Mini Jack), RCA Audio In, RCA Audio Out, Speaker Out(x2), USB 2.0, RS232, RS232 Out, Ethernet LAN (RJ45), IR in, IR out
CDX5562	55"	1920 x 1080	-	47.7 x 26.9 x 3.9	24/7	-	-	DVI-D, DVI-D Out, VGA, Display Port, Display Port Out, Composite RCA, Component RCA, 3.5mm Audio In, 3.5mm Audio Out, Speaker Out, USB 2.0, RS232, RS232 Out, Ethernet LAN (RJ45)
CDX5562-B4	55"	1920 x 1080	-	47.7 x 26.9 x 3.8	24/7	-	-	HDMI CEC(x2), DVI-D, DVI-D Out, VGA, Display Port, Display Port Out, Composite RCA, Component RCA, Audio Output (Mini Jack), RCA Audio In, RCA Audio Out, Speaker Out(x2), USB 2.0, RS232, RS232 Out, Ethernet LAN (RJ45), IR in, IR out
CDX5562-B9	55"	1920 x 1080	-	47.7 x 26.9 x 3.8	24/7	-	-	HDMI CEC(x2), DVI-D, DVI-D Out, VGA, Display Port, Display Port Out, Composite RCA, Component RCA, Audio Output (Mini Jack), RCA Audio In, RCA Audio Out, Speaker Out(x2), USB 2.0, RS232, RS232 Out, Ethernet LAN (RJ45), IR in, IR out
CDX4952	49"	1920 x 1080	-	42.3 x 23.9 x 3.7	24/7	-	-	DVI-D Out, VGA, Display Port, Display Port Out, YPbPr, Composite RCA, RCA Audio In, RCA Audio Out, USB 2.0, RS232 Out, Ethernet LAN (RJ45)
CDX4952-B4	49"	1920 x 1080	-	42.3 x 23.9 x 3.7	24/7	-	-	HDMI CEC(x2), DVI-D, DVI-D Out, VGA, Display Port, Display Port Out, Composite RCA, Component RCA, Audio Output (Mini Jack), RCA Audio In, RCA Audio Out, Speaker Out(x2), USB 2.0, RS232, RS232 Out, Ethernet LAN (RJ45), IR in, IR out
CDX4952-B9	49"	1920 x 1080	-	42.3 x 23.9 x 3.7	24/7	-	-	HDMI CEC(x2), DVI-D, DVI-D Out, VGA, Display Port, Display Port Out, Composite RCA, Component RCA, Audio Output (Mini Jack), RCA Audio In, RCA Audio Out, Speaker Out(x2), USB 2.0, RS232, RS232 Out, Ethernet LAN (RJ45), IR in, IR out

CDM - Commercial Grade Series: All-in-One Commercial Displays

Product	Screen Size	Resolution	Touch Points	Dimensions W x H x D (in.)	Operation Rating	Embedded Media Player	Slot-in PC Slot	Connectivity
CDM5500R	55"	1920 x 1080	-	48.5 x 27.9 x 1.8	24/7	-	-	DVI-I, DVI-I Out, Display Port, Display Port Out, RCA Audio In, RCA Audio Out, Speaker Out(x2), USB 2.0(x2), RS232 Out, Ethernet LAN (RJ45), SD Card Reader
CDM5500T	55"	1920 x 1080	10-Point Touch	50 x 29.2 x 3.6	24/7	-	-	DVI-I, DVI-I Out, Display Port, Display Port Out, 3.5mm Audio In, 3.5mm Audio Out, Speaker Out(x2), USB 2.0(x2), RS232 Out, Ethernet LAN (RJ45)
CDM4900R	49"	1920 x 1080	-	43.2 x 24.9 x 1.8	24/7	-	-	DVI-I, DVI-I Out, Display Port, Display Port Out, RCA Audio In, RCA Audio Out, Speaker Out(x2), USB 2.0(x2), RS232 Out, Ethernet LAN (RJ45), SD Card Reader
CDM4300R	43"	1920 x 1080	-	38.0 x 22 x 1.8	24/7	-	-	DVI-I, DVI-I Out, Display Port, Display Port Out, RCA Audio In, RCA Audio Out, Speaker Out(x2), USB 2.0(x2), RS232 Out, Ethernet LAN (RJ45), SD Card Reader
CDM4300T	43"	1920 x 1080	10-Point Touch	39.5 x 28.5 x 15.8	24/7	-	-	DVI-I, DVI-I Out, Display Port, Display Port Out, 3.5mm Audio In, 3.5mm Audio Out, Speaker Out(x2), USB 2.0(x2), USB 2.0 Type B, Micro USB, RS232, RS232 Out, Ethernet LAN (RJ45), Micro SD Card Slot, IR in, IR out

ePoster Series: Digital Kiosks & Billboards

Product	Screen Size	Resolution	Touch Points	Dimensions W x H x D (in.)	Operation Rating	Embedded Media Player	Slot-in PC Slot	Connectivity
EP5500D-1	55"	1920 x 1080	10-Point Touch	32.5 x 75.4 x 23.9	24/7	-	-	3.5mm Audio In, 3.5mm Audio Out, DVI-I, DVI-I Out, Display Port, Display Port Out, Ethernet LAN (RJ45), IR in, IR out, RS232 In, RS232 Out, USB 2.0 Type A(x2), Micro USB, Micro SD Card Slot
EP5500D-2	55"	1920 x 1080	10-Point Touch	32.5 x 75.4 x 23.9	24/7	-	-	3.5mm Audio In, 3.5mm Audio Out, DVI-I, DVI-I Out, Display Port, Display Port Out, Ethernet LAN (RJ45), IR in, IR out, RS232 In, RS232 Out, USB 2.0 Type A(x2), Micro USB, Micro SD Card Slot
EP5500D-4	55"	1920 x 1080	-	32.5 x 75.4 x 23.9	24/7	-	-	3.5mm Audio In, 3.5mm Audio Out, DVI-I, DVI-I Out, Display Port, Display Port Out, Ethernet LAN (RJ45), IR in, IR out, USB 2.0 Type A, Micro USB, Micro SD Card Slot
EP5540	55"	3840 x 2160	-	32.0 x 75.0 x 18.0	-	-	-	3.5mm Audio In, 3.5mm Audio Out, Ethernet LAN (RJ45), HDMI CEC, VGA, RS232 In, USB 2.0 Type A, USB 3.0 Type A(x2)
EP5540T	55"	3840 x 2160	10-Point Touch	32.2 x 74.8 x 17.7	-	-	-	3.5mm Audio In, 3.5mm Audio Out, Ethernet LAN (RJ45), HDMI CEC, VGA, RS232 In, USB 2.0 Type A, USB 2.0 Type B, USB 3.0 Type A(x2)

Product	Screen Size	Resolution	Touch Points	Dimensions W x H x D (in.)	Operation Rating	Embedded Media Player	Slot-in PC Slot	Connectivity
EP4320-2	43"	1920 x 1080	-	25.4 x 70.8 x 17.7	-	-	-	3.5mm Audio In, 3.5mm Audio Out, Ethernet LAN (RJ45), HDMI MHL, VGA, RS232 In, USB 2.0 Type A(x2), USB 3.0 Type A
EP4330T	43"	1920 x 1080	10-Point Touch	27.0 x 72.5 x 18.0	24/7	-	-	3.5mm Audio In, 3.5mm Audio Out, DVI-I, DVI-I Out, Display Port, Display Port Out, Ethernet LAN (RJ45), HDMI 1.4 In(x2), IR in, IR out, RS232 In, RS232 Out, USB 2.0 Type A(x2), Micro USB, Micro SD Card Slot
EP3220T	32"	1920 x 1080	10-Point Touch	29.6 x 17.6 x 2.17	-	-	-	Ethernet LAN (RJ45), HDMI MHL, VGA, Control (RS232), USB 2.0 Type A, USB 2.0 Type B, USB 3.0 Type A(x2)
EP1042T	10"	1280 x 800	10-Point Touch	10.6 x 6.7 x 1.1	-	-	-	3.5mm Audio In, HDMI Out, Micro USB

Network Media Players: Stream & Deliver

Product	Player Type	Processor	Graphics	RAM Internal Memory	Operating System	Network	Dimensions W x H x D (in.)
NMP-302W	Media Player	Rockchip RK3188	Mali-400 MP4	1GB	Android™ 4.4	10/100 BASE-T	4.2 x 1.0 x 2.7
NMP-302WX	Media Player	Rockchip RK3188	Mali-400 MP4	1GB	Android™ 4.4	10/100 Gigabit	4.2 x 1.0 x 2.7
NMP012	Video Wall Player	Sigma Design ARM	Sigma Design	1GB	Linux	GbE LAN Port with POE	5.1 x 5.0 x 1.4
NMP520-W	Media Player	Rockchip RK3368 Octa-Core Cortex-A53 64-bit	PowerVR SGX6110 GPU (Supports H.265 4K@60fps)	2GB	Android™ 5.1.1	Gigabit ethernet	5.6 x 1.1 x 5.6
NMP520-WX	Media Player	Rockchip RK3368 Octa-Core Cortex-A53 64-bit	PowerVR SGX6110 GPU (Supports H.265 4K@60fps)	2GB	Android™ 8.1	Gigabit ethernet	5.6 x 1.1 x 5.6
NMP580-W	Media Player	Rockchip RK3188	Mali-400 MP4	1GB	Android™ 4.4	10/100 BASE-T	5.45 x 5.04 x 1.19
NMP620-P10	Media Player	Intel® Celeron® N3350	Intel® HD Graphics 500	2GB	Microsoft® Windows® 10 IOT Enterprise (64-bit)	Gigabit ethernet	2.8 x 1.2 x 2.8
NMP620-P10X	Media Player	Intel® Celeron® N3350	Intel® HD Graphics 500	2GB	Microsoft® Windows® 10 IOT Enterprise (64-bit)	Gigabit ethernet	2.76 x 1.24 x 2.76
NMP660	Media Player	Intel Kaby Lake 3867U	Intel® HD Graphics 610	4GB	Google Chrome OS	Gigabit ethernet	5.8 x 1.7 x 6.0

Slot-In PCs: More Computing Power

Product	Player Type	Processor	Graphics	RAM Internal Memory	Operating System	Network	Dimensions W x H x D (in.)
VPC10-WP-2	Slot-in PC	Intel i5-6400	Intel HD Graphics 530	8GB	Windows® 10 Pro	10/100/1000 Gigabit Ethernet	10.4 x 1.3 x 9.7
VPC10-WP-8	Slot-in PC	Intel i5-6400	Intel HD Graphics 530	16GB	Windows® 10 Pro	Gigabit ethernet	9.7 x 10.4 x 1.3
VPC12-WPO-6	Slot-in PC	Intel i7-7600U with vPro Technology	Intel HD Graphics 620	8GB	Windows® 10 Pro	Gigabit ethernet	7.1 x 4.7 x 1.2
VPC14-WP-2	Slot-in PC	Intel i5-6500 with vPro Technology	Intel HD Graphics 530	8GB	Windows® 10 Pro	10/100/1000 Gigabit Ethernet	10.4 x 1.3 x 9.7
VPC15-WP-4	Slot-in PC	Intel i5-8400 2.8GHz	Intel UHD Graphics 630	8GB	Windows® 10 Pro	Gigabit ethernet	9.7 x 10.4 x 1.3
VPC15-WP-6	Slot-in PC	Intel i5-8400	Intel UHD Graphics 630	16GB	Windows® 10 Pro	Gigabit ethernet	9.7 x 10.4 x 1.3
VPC16-WP-4	Slot-in PC	Intel i5-8500 3.0GHz with vPro Technology	Intel UHD Graphics 630	8GB	Windows® 10 Pro	Gigabit ethernet	9.7 x 10.4 x 1.3
VPC17-WP-6	Slot-in PC	Intel i7-8700 3.2GHz with vPro Technology	Intel UHD Graphics 630	16GB	Windows® 10 Pro	Gigabit ethernet	9.7 x 10.4 x 1.3