



CDE - Value Series: Large Format, Affordable Price

Product	Screen Size	Resolution	Touch Points	Dimensions W x H x D (in.)	Operation Rating	Embedded Media Player	Slot-in PC Slot	Connectivity
CDE3205	32"	1920 x 1080	-	28.6 x 18.2 x 9.4	16/7	Yes	-	HDMI 1.4 In, DVI-D, VGA, YPbPr, Composite RCA, 3.5mm Audio In, USB 2.0, RS232, RS232 Out, Ethernet LAN (RJ45), IR in, IR out
CDE4302	43"	1920 x 1080	-	38.1 x 22.0 x 2.4	16/7	Yes	-	HDMI In(x2), VGA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 2.0, RS232
CDE4320	43"	3840 x 2160	-	38.2 x 21.9 x 3.3	24/7	Yes	-	HDMI 2.0 In(x2), DVI-D, RCA Audio Out, 3.5mm Audio In, USB 2.0(x2), RS232, Ethernet LAN (RJ45), Micro SD Card Slot, IR in, IR out
CDE4803	48"	1920 x 1080	-	42.6 x 24.5 x 2.4	16/7	-	-	HDMI In(x2), VGA, RCA Audio In, RCA Audio Out, USB 2.0
CDE4803-H	48"	1920 x 1080	-	42.6 x 26.1 x 13.0	16/7	-	-	HDMI In(x2), VGA, 3.5mm Audio In, SPDIF Audio Out, USB 2.0, RS232, HDBT
CDE5010	50"	3840 x 2160	-	44.2 x 27.0 x 13.0	16/7	Yes	-	HDMI 2.0 In(x2), DVI-D, VGA, RCA Audio Out, 3.5mm Audio In, USB 3.0, USB 2.0, RS232, RS232 Out, Ethernet LAN (RJ45), Micro SD Card Slot, IR in, IR out
CDE5502	55"	1920 x 1080	-	48.8 x 28.0 x 2.4	16/7	-	-	HDMI In(x2), VGA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out

Product	Screen Size	Resolution	Touch Points	Dimensions W x H x D (in.)	Operation Rating	Embedded Media Player	Slot-in PC Slot	Connectivity
CDE5520	55"	3840 x 2160	-	48.9 x 28.1 x 2.9	24/7	Yes	-	HDMI 2.0 In (With CEC, HDCP 2.2)(x2), DVI-D, RCA Audio Out, SPDIF Audio Out, USB 2.0(x2), RS232, Ethernet LAN (RJ45), IR in, IR out
CDE6520-W	65"	3840 x 2160	-	57.11 x 32.60 x 3.09	24/7	Yes	Yes	HDMI 2.0 In (With CEC, HDCP 2.2)(x2), VGA, DisplayPort, RCA Audio Out, SPDIF Audio Out, USB 3.0, USB 2.0(x2), Slot-in PC Slot, RS232, Ethernet LAN (RJ45), WIFI Module Slot
CDE7061T	70"	1920 x 1080	10-Point Touch	65.6 x 40.0 x 3.9	-	-	-	HDMI In(x3), VGA(x3), VGA Out, RCA Audio In(x3), 3.5mm Audio Out, SPDIF, USB 3.0, USB 2.0(x3), RS232, CVBS, Ethernet LAN (RJ45)
CDE7520-W	75"	3840 x 2160	-	65.83 x 37.59 x 2.76	24/7	Yes	Yes	HDMI 2.0 In (With CEC, HDCP 2.2)(x2), VGA, DisplayPort, RCA Audio Out, SPDIF Audio Out, USB 3.0, USB 2.0(x2), Slot-in PC Slot, RS232, Ethernet LAN (RJ45), WIFI Module Slot
CDE8620-W	86"	3840 x 2160	-	76.02 x 43.67 x 3.24	24/7	Yes	Yes	HDMI 2.0 In (With CEC, HDCP 2.2)(x2), VGA, DisplayPort, RCA Audio Out, SPDIF Audio Out, USB 3.0, USB 2.0(x2), Slot-in PC Slot, RS232, Ethernet LAN (RJ45), WIFI Module Slot
CDE9800	98"	3840 x 2160	-	86.5 x 49.4 x 4.3	16/7	Yes	Yes	HDMI 2.0 In(x2), HDMI 2.0 Out, VGA, DisplayPort, 3.5mm Audio In, 3.5mm Audio Out, USB 2.0, Slot-in PC Slot, RS232, Ethernet LAN (RJ45), SDM Slot

CDP - Professional Series: 24/7 Reliability

Product	Screen Size	Resolution	Touch Points	Dimensions W x H x D (in.)	Operation Rating	Embedded Media Player	Slot-in PC Slot	Connectivity
CDP9800	98"	3840 x 2160	-	86.4 x 49.1 x 3.5	24/7	-	Yes	HDMI In(x3), VGA, RCA Audio In, 3.5mm Audio In, 3.5mm Audio Out, Slot-in PC Slot, RS232 Out, Ethernet LAN (RJ45)

CDX - Custom Series: High-impact Messaging

Product	Screen Size	Resolution	Touch Points	Dimensions W x H x D (in.)	Operation Rating	Embedded Media Player	Slot-in PC Slot	Connectivity
CDX5562	55"	1920 x 1080	-	47.7 x 26.9 x 3.9	24/7	-	Yes	HDMI 1.4 In(x2), DVI-D, DVI-D Out, VGA, DisplayPort, DisplayPort Out, Composite RCA, Component RCA, 3.5mm Audio In, 3.5mm Audio Out, Speaker Out, USB 2.0, Slot-in PC Slot, RS232, RS232 Out, Ethernet LAN (RJ45)
CDX5562-B4	55"	1920 x 1080	-	47.7 x 26.9 x 3.8	24/7	-	Yes	HDMI 1.4 In(x2), HDMI CEC(x2), DVI-D, DVI-D Out, VGA, DisplayPort, DisplayPort Out, Composite RCA, Component RCA, Audio Output (Mini Jack), RCA Audio In, RCA Audio Out, Speaker Out(x2), USB 2.0, Slot-in PC Slot, RS232, RS232 Out, Ethernet LAN (RJ45), IR in, IR out
CDX5562-B9	55"	1920 x 1080	-	47.7 x 26.9 x 3.8	24/7	-	Yes	HDMI 1.4 In(x2), HDMI CEC(x2), DVI-D, DVI-D Out, VGA, DisplayPort, DisplayPort Out, Composite RCA, Component RCA, Audio Output (Mini Jack), RCA Audio In, RCA Audio Out, Speaker Out(x2), USB 2.0, Slot-in PC Slot, RS232, RS232 Out, Ethernet LAN (RJ45), IR in, IR out

CDM - Commercial Grade Series: All-in-One Commercial Displays

Product	Screen Size	Resolution	Touch Points	Dimensions W x H x D (in.)	Operation Rating	Embedded Media Player	Slot-in PC Slot	Connectivity
CDM4300R	43"	1920 x 1080	-	38.0 x 22 x 1.8	24/7	Yes	-	HDMI 1.4 In(x2), DVI-I, DVI-I Out, DisplayPort, DisplayPort Out, RCA Audio In, RCA Audio Out, Speaker Out(x2), USB 2.0(x2), RS232 Out, Ethernet LAN (RJ45), SD Card Reader
CDM4300T	43"	1920 x 1080	10-Point Touch	39.5 x 28.5 x 15.8	24/7	Yes	-	HDMI 1.4 In(x2), DVI-I, DVI-I Out, DisplayPort, DisplayPort Out, 3.5mm Audio In, 3.5mm Audio Out, Speaker Out(x2), USB 2.0(x2), USB 2.0 Type B, Micro USB, RS232, RS232 Out, Ethernet LAN (RJ45), Micro SD Card Slot, IR in, IR out
CDM4900R	49"	1920 x 1080	-	43.2 x 24.9 x 1.8	24/7	Yes	-	HDMI 1.4 In(x2), DVI-I, DVI-I Out, DisplayPort, DisplayPort Out, RCA Audio In, RCA Audio Out, Speaker Out(x2), USB 2.0(x2), RS232 Out, Ethernet LAN (RJ45), SD Card Reader
CDM5500R	55"	1920 x 1080	-	48.5 x 27.9 x 1.8	24/7	Yes	-	HDMI 1.4 In(x2), DVI-I, DVI-I Out, DisplayPort, DisplayPort Out, RCA Audio In, RCA Audio Out, Speaker Out(x2), USB 2.0(x2), RS232 Out, Ethernet LAN (RJ45), SD Card Reader
CDM5500T	55"	1920 x 1080	10-Point Touch	50 x 29.2 x 3.6	24/7	Yes	-	HDMI 1.4 In(x2), DVI-I, DVI-I Out, DisplayPort, DisplayPort Out, 3.5mm Audio In, 3.5mm Audio Out, Speaker Out(x2), USB 2.0(x2), RS232 Out, Ethernet LAN (RJ45)

ePoster Series: Digital Kiosks & Billboards

Product	Screen Size	Resolution	Touch Points	Dimensions W x H x D (in.)	Operation Rating	Embedded Media Player	Slot-in PC Slot	Connectivity
EP1042T	10"	1280 x 800	10-Point Touch	10.6 x 6.7 x 1.1	16/7	Yes	-	3.5mm Audio In, HDMI Out, Micro USB
EP2410-B1	24"	1920 x 1080	-	60.0 x 16.0 x 16.0	16/7	Yes	-	3.5mm Audio Out, DisplayPort, DisplayPort Out, USB 3.0 Type B, HDMI 1.4 In(x2), USB 3.0 Type A(x4)
EP2410T-B1	24"	1920 x 1080	-	60.0 x 16.0 x 16.0	16/7	Yes	-	3.5mm Audio Out, 3.5mm Mic In, Ethernet LAN (RJ45), HDMI 1.4 In, HDMI 1.4 Out, USB 2.0 Type A(x4), USB 2.0 Type B, SD Card Slot, DC Jack (12V/4A)
EP2710-B1	27"	1920 x 1080	-	60.0 x 16.0 x 16.0	16/7	Yes	-	3.5mm Audio Out, DisplayPort, DisplayPort Out, USB 3.0 Type B, HDMI 1.4 In(x2), USB 3.0 Type A(x4)
EP4320-2	43"	1920 x 1080	-	25.4 x 70.8 x 17.7	16/7	Yes	-	3.5mm Audio In, 3.5mm Audio Out, Ethernet LAN (RJ45), HDMI 1.4 In(x2), HDMI MHL, VGA, RS232 In, USB 2.0 Type A(x2), USB 3.0 Type A
EP4330T	43"	1920 x 1080	10-Point Touch	27.0 x 72.5 x 18.0	24/7	Yes	-	3.5mm Audio In, 3.5mm Audio Out, DVI-I, DVI-I Out, DisplayPort, DisplayPort Out, Ethernet LAN (RJ45), HDMI 1.4 In(x2), IR in, IR out, RS232 In, RS232 Out, USB 2.0 Type A(x2), Micro USB, Micro SD Card Slot
EP5500D-1	55"	1920 x 1080	10-Point Touch	32.5 x 75.4 x 23.9	24/7	Yes	-	3.5mm Audio In, 3.5mm Audio Out, DVI-I, DVI-I Out, DisplayPort, DisplayPort Out, Ethernet LAN (RJ45), HDMI 1.4 In(x2), IR in, IR out, RS232 In, RS232 Out, USB 2.0 Type A(x2), Micro USB, Micro SD Card Slot
EP5500D-2	55"	1920 x 1080	10-Point Touch	32.5 x 75.4 x 23.9	24/7	Yes	-	3.5mm Audio In, 3.5mm Audio Out, DVI-I, DVI-I Out, DisplayPort, DisplayPort Out, Ethernet LAN (RJ45), HDMI 1.4 In(x2), IR in, IR out, RS232 In, RS232 Out, USB 2.0 Type A(x2), Micro USB, Micro SD Card Slot
EP5500D-4	55"	1920 x 1080	-	32.5 x 75.4 x 23.9	24/7	Yes	-	3.5mm Audio In, 3.5mm Audio Out, DVI-I, DVI-I Out, DisplayPort, DisplayPort Out, Ethernet LAN (RJ45), HDMI 1.4 In(x2), IR in, IR out, USB 2.0 Type A, Micro USB, Micro SD Card Slot
EP5520	55"	1920 x 1080	-	32.2 x 74.8 x 17.7	-	-	-	3.5mm Audio In, Ethernet LAN (RJ45), HDMI 1.4 In(x2), VGA, Control (RS232), USB 2.0 Type A(x3), USB 2.0 Type B
EP5520T	55"	1920 x 1080	10-Point Touch	32.2 x 74.8 x 17.7	-	-	-	3.5mm Audio In, Ethernet LAN (RJ45), HDMI 1.4 In(x2), VGA, Control (RS232), USB 2.0 Type A(x3), USB 2.0 Type B
EP5540	55"	3840 x 2160	-	32.0 x 75.0 x 18.0	16/7	Yes	-	3.5mm Audio In, 3.5mm Audio Out, Ethernet LAN (RJ45), HDMI 2.0 In(x2), HDMI CEC, VGA, RS232 In, USB 2.0 Type A, USB 3.0 Type A(x2)
EP5540T	55"	3840 x 2160	10-Point Touch	32.2 x 74.8 x 17.7	16/7	Yes	-	3.5mm Audio In, 3.5mm Audio Out, Ethernet LAN (RJ45), HDMI 2.0 In(x2), HDMI CEC, VGA, RS232 In, USB 2.0 Type A, USB 2.0 Type B, USB 3.0 Type A(x2)
EP5542	55"	3840 x 2160	-	30.3 x 73.6 x 17.7	16/7	-	-	3.5mm Audio In, 3.5mm Audio Out, HDMI 2.0 (with HDCP 2.2)(x3), DisplayPort, Ethernet LAN (RJ45), VGA, RS232 In, USB 2.0 Type A(x3)

Network Media Players: Stream & Deliver

Product	Player Type	Processor	Graphics	RAM Internal Memory	Operating System	Network	Dimensions W x H x D (in.)
NMP-302WX	Media Player	Rockchip RK3188	Mali-400 MP4	1GB	Android™ 4.4	10/100 Gigabit	4.2 x 1.0 x 2.7
NMP012	Video Wall Player	Sigma Design ARM	Sigma Design	1GB	Linux	GbE LAN Port with POE	5.1 x 5.0 x 1.4
NMP309-W	Media Player	Rockchip RK3188 Quad-Core	MALI400MP4	1.5GB	Android™ 7.1	-	4.2 x 1.0 x 2.7
NMP520-W	Media Player	Rockchip RK3368 Octa-Core Cortex-A53 64-bit	PowerVR SGX6110 GPU (Supports H.265 4K@60fps)	2GB	Android™ 8.1	Gigabit ethernet	5.6 x 1.1 x 5.6
NMP520-WX	Media Player	Rockchip RK3368 Octa-Core Cortex-A53 64-bit	PowerVR SGX6110 GPU (Supports H.265 4K@60fps)	2GB	Android™ 8.1	Gigabit ethernet	5.6 x 1.1 x 5.6
NMP589-W	Media Player	Rockchip RK3188 Quad-Core	MALI400MP4	1.5GB	Android™ 7.1	-	5.5 x 5.0 1.2
NMP620-P10	Media Player	Intel® Celeron® N3350	Intel® HD Graphics 500	2GB	Microsoft® Windows® 10 IOT Enterprise (64-bit)	Gigabit ethernet	2.8 x 1.2 x 2.8
NMP620-P10X	Media Player	Intel® Celeron® N3350	Intel® HD Graphics 500	2GB	Microsoft® Windows® 10 IOT Enterprise (64-bit)	Gigabit ethernet	2.76 x 1.24 x 2.76
NMP660	Media Player	Intel Kaby Lake 3867U	Intel® HD Graphics 610	4GB	Google Chrome OS	Gigabit ethernet	5.8 x 1.7 x 6.0
NMP709-P10_1	Media Player	Intel Kaby Lake Celeron 3865U	Intel® HD Graphics 610	8GB	Microsoft® Windows 10 Pro Full Licenses	Gigabit ethernet	5.6 x 1.7 x 5.6
NMP709-P10_3	Media Player	Intel Kaby Lake i3-7100U	Intel® HD Graphics 620	8GB	Microsoft® Windows 10 Pro Full Licenses	Gigabit ethernet	5.6 x 1.7 x 5.6
NMP760	-	Intel Celeron 5205U	Intel UHD Graphics	8GB	Google Chrome OS	10/100/1000 Gigabit Ethernet	5.9 x 5.8 x 1.6

LD Series: Premium all-in-one Direct View LED

Product	Screen Size	Resolution	Touch Points	Dimensions W x H x D (in.)	Operation Rating	Embedded Media Player	Slot-in PC Slot	Connectivity
LD108-121	108"	1920 x 1080	-	95.3 x 57.8 x 1.4	24/7	Yes	-	HDMI 1.4 In, HDMI 1.4 (with HDCP 1.4), HDMI 1.4 Out (with HDCP 1.4), 3.5mm Audio Out, USB 3.0, USB 2.0(x2), USB 2.0 Type B, RS232, Ethernet LAN (RJ45), IR in
LD135-151	135"	1920 x 1080	-	118.9 x 71.1 x 1.4	24/7	Yes	-	HDMI In(x2), HDMI 1.4 Out (with HDCP 1.4), HDMI 1.4 Out, 3.5mm Audio Out, USB 3.0, USB 2.0(x2), USB 2.0 Type B, RS232, Ethernet LAN (RJ45), IR in
LD163-181	163"	1920 x 1080	-	142.6 x 84.4 x 1.4	24/7	Yes	-	HDMI In(x2), HDMI 1.4 Out (with HDCP 1.4), HDMI 1.4 Out, 3.5mm Audio Out, USB 3.0, USB 2.0(x2), USB 2.0 Type B, RS232, Ethernet LAN (RJ45), IR in

Product	Screen Size	Resolution	Touch Points	Dimensions W x H x D (in.)	Operation Rating	Embedded Media Player	Slot-in PC Slot	Connectivity
LD216-251	216"	1920 x 1080	-	189.8 x110.9 x 1.38	24/7	Yes	-	HDMI 1.4 In, HDMI 1.4 (with HDCP 1.4), HDMI 1.4 Out (with HDCP 1.4), HDMI 1.4 Out, 3.5mm Audio Out, USB 3.0, USB 2.0(x2), USB 2.0 Type B, RS232, Ethernet LAN (RJ45), IR in