

PRODUCT REFERENCE GUIDE:

MONITORS

Beauty is in the details.



VA - Value Series: Rock-solid Dependability

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
VA2855SMH	28"	1920 x 1080	MVA	300 cd/m ²	7ms	Yes	Tilt	26.0 x 17.8 x 9.8	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA
VA2718-SH	27"	1920 x 1080	IPS	300 cd/m ²	5ms	-	Tilt	24.4 x 17.5 x 9.4	3.5mm Audio Out, VGA, HDMI 1.4 In
VA2719-2K-SMHD	27"	2560 x 1440	IPS	300 cd/m ²	5ms	Yes	Tilt	24.4 x 17.5 x 9.8	3.5mm Audio In, 3.5mm Audio Out, HDMI 1.4 In(x2), Display Port
VA2719-SMH	27"	1920 x 1080	IPS	300 cd/m ²	14ms	Yes	Tilt	24.4 x 17.5 x 9.8	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In
VA2746M-LED	27"	1920 x 1080	TN	300 cd/m ²	5ms	Yes	Tilt	25.4 x 17.4 x 9.8	3.5mm Audio In, VGA, DVI-D
VA2746MH-LED	27"	1920 x 1080	TN	300 cd/m ²	5ms	Yes	Tilt	25.4 x 17.4 x 9.8	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In
VA2756-MHD	27"	1920 x 1080	IPS	250 cd/m ²	7ms	Yes	Tilt	24.1 x 16.9 x 9.2	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, Display Port
VA2759-SMH	27"	1920 x 1080	IPS	250 cd/m ²	7ms	Yes	Tilt	24.5 x 17.6 x 9.3	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, 3-pin plug (CEE22)
VA2405-H	24"	1920 x 1080	MVA	250 cd/m ²	4ms	Yes	Tilt	21.6 x 16.0 x 7.0	VGA, HDMI 1.4 In
VA2446M-LED	24"	1920 x 1080	TN	300 cd/m ²	5ms	Yes	Tilt	22.5 x 15.8 x 8.3	3.5mm Audio In, VGA, DVI-D

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
VA2446MH-LED	24"	1920 x 1080	MVA	300 cd/m²	5ms	Yes	Tilt	22.3 x 15.7 x 8.3	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In
VA2452SM	24"	1920 x 1080	MVA	250 cd/m²	7ms	Yes	Tilt	22.2 x 16.6 x 7.8	3.5mm Audio In, 3.5mm Audio Out, VGA, DVI-D, Display Port
VA2452SM_H2	24"	1920 x 1080	MVA	250 cd/m²	6.5ms	Yes	-	22.2 x 13.2 x 2.0	3.5mm Audio In, VGA, DVI-D, Display Port
VA2456-MHD	24"	1920 x 1080	IPS	250 cd/m²	5ms	Yes	Tilt	21.3 x 15.3 x 7.8	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, Display Port
VA2456-MHD_H2	24"	1920 x 1080	IPS	250 cd/m²	5ms	Yes	-	21.3 x 12.8 x 1.9	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, Display Port
VA2459-SMH	24"	1920 x 1080	IPS	250 cd/m²	7ms	Yes	Tilt	21.3 x 15.4 x 7.9	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In
VA2465SMH	24"	1920 x 1080	MVA	250 cd/m²	7ms	Yes	Tilt	22.2 x 16.1 x 7.6	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA
VA2359-SMH	23"	1920 x 1080	IPS	250 cd/m²	7ms	Yes	Tilt	21.0 x 15.4 x 7.9	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, 3-pin plug (CEE22)
VA2232WM-LED	22"	1680 x 1050	TN	250 cd/m²	5ms	Yes	Tilt	20.1 x 16.4 x 7.7	3.5mm Audio In, VGA, DVI-D
VA2246M-LED	22"	1920 x 1080	TN	250 cd/m²	5ms	Yes	Tilt	20.1 x 14.4 x 7.8	3.5mm Audio In, VGA, DVI-I
VA2246MH-LED	22"	1920 x 1080	TN	250 cd/m²	5ms	Yes	Tilt	20.1 x 14.4 x 7.8	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In
VA2252SM	22"	1920 x 1080	MVA	250 cd/m²	6.5ms	Yes	Tilt	22.5 x 15.7 x 7.8	3.5mm Audio In, 3.5mm Audio Out, VGA, DVI-D, Display Port
VA2252SM_H2	22"	1920 x 1080	MVA	250 cd/m²	6.5ms	Yes	-	22.5 x 12.2 x 2.0	3.5mm Audio In, VGA, DVI-D, Display Port
VA2256-MHD	22"	1920 x 1080	IPS	250 cd/m²	7ms	Yes	Tilt	19.3 x 14.3 x 7.8	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, Display Port
VA2259-SMH	22"	1920 x 1080	IPS	250 cd/m²	7ms	Yes	Tilt	19.7 x 14.8 x 7.9	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, 3-pin plug (CEE22)
VA2261H-2	22"	1920 x 1080	TN	200 cd/m²	5ms	Yes	-	19.9 x 15 x 7.1	3.5mm Audio Out, VGA, HDMI 1.4 In
VA2055SA	20"	1920 x 1080	MVA	250 cd/m²	25ms	Yes	Tilt	18.6 x 13.7 x 8.3	VGA
VA2055SM	20"	1920 x 1080	MVA	250 cd/m²	25ms	Yes	Tilt	18.6 x 13.7 x 8.3	3.5mm Audio In, 3.5mm Audio Out, VGA, DVI-D
VA1901-A	19"	1366 x 768	TN	200 cd/m²	5ms	Yes	Tilt	17.4 x 13.7 x 7.2	VGA
VA1903H	19"	1366 x 768	TN	200 cd/m²	5ms	Yes	Tilt	17.2 x 13.5 x 6.7	3.5mm Audio Out, VGA, HDMI 1.4 In
VA951S	19"	1280 x 1024	IPS	250 cd/m²	14ms	Yes	Tilt	16.4 x 15.8 x 7.8	VGA, DVI-D
VA708A	17"	1280 x 1024	TN	250 cd/m²	5ms	Yes	Tilt	14.4 x 15.4 x 7.5	VGA

VG - Graphics Series: Maximum Productivity

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
VG3448	34"	3440 x 1440	MVA	300 cd/m ²	5ms	Yes	Height, Swivel, Tilt	32.5 x 16.1 x 9.3	USB 3.1 Type A(x4), USB 3.1 Type B, HDMI 1.4 In(x2), Display Port, Mini Display Port
VG2860MHL-4K	28"	3840 x 2160	TN	300 cd/m ²	2ms	Yes	Pivot, Height, Swivel, Tilt	26.0 x 19.0 x 10.5	USB 2.0 Type A(x2), USB 2.0 Type B, USB 3.0 Type A(x2), 3.5mm Audio In, 3.5mm Audio Out, HDMI In(x2), DVI-D, Display Port(x2)
VG2748	27"	1920 x 1080	IPS	300 cd/m ²	7ms	Yes	Pivot, Height, Swivel, Tilt	24.5 x 16.0 x 8.0	USB 3.0 Type A(x4), USB 3.0 Type B, VGA, HDMI 1.4 In, Display Port
VG2753	27"	1920 x 1080	IPS	250 cd/m ²	7ms	Yes	Pivot, Height, Swivel, Tilt	24.5 x 21.4 x 9.2	USB 3.0 Type A(x2), USB 3.0 Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, Display Port, Mini Display Port
VG2753_H2	27"	1920 x 1080	IPS	250 cd/m ²	7ms	Yes	-	24.5 x 14.7 x 2.1	USB 3.0 Type A(x2), USB 3.0 Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, Display Port, Mini Display Port
VG2755	27"	1920 x 1080	IPS	250 cd/m ²	5ms	Yes	Pivot, Height, Swivel, Tilt	24.1 x 21.0 x 8.0	USB 3.0 Type A(x3), USB 3.0 Type B, USB 3.1 Type C, VGA, HDMI 1.4 In, Display Port
VG2755-2K	27"	2560 x 1440	IPS	250 cd/m ²	5ms	Yes	Pivot, Height, Swivel, Tilt	24.1 x 16.0 x 8.0	USB 3.0 Type A(x3), USB 3.0 Type B, USB 3.1 Type C, HDMI 1.4 In, Display Port
VG2765	27"	2560 x 1440	IPS	350 cd/m ²	5ms	Yes	Pivot, Height, Swivel, Tilt	24.1 x 21.3 x 9.2	USB 3.0 Type A(x2), USB 3.0 Type B, 3.5mm Audio Out, HDMI 1.4 In, Display Port, Mini Display Port
VG2437SMC	24"	1920 x 1080	MVA	250 cd/m ²	7ms	Yes	Pivot, Height, Swivel, Tilt	21.9 x 17.8 x 9.4	USB 2.0 Type A(x2), USB 2.0 Type B, 3.5mm Mic In, 3.5mm Mic Out, 3.5mm Audio In, 3.5mm Audio Out, VGA, DVI-D, Display Port
VG2438SM	24"	1920 x 1200	IPS	250 cd/m ²	5ms	Yes	Pivot, Height, Swivel, Tilt	21.9 x 15.5 x 8.0	USB 3.0 Type A(x4), 3.5mm Audio In, VGA, DVI-D, Display Port
VG2439M-LED	24"	1920 x 1080	TN	300 cd/m ²	5ms	Yes	Pivot, Height, Swivel, Tilt	22.1 x 17.1 x 9.4	USB 2.0 Type A(x2), USB 2.0 Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, DVI-D, Display Port
VG2439SMH	24"	1920 x 1080	MVA	250 cd/m ²	5ms	Yes	Pivot, Height, Swivel, Tilt	22.1 x 17.1 x 9.4	USB 2.0 Type A(x2), USB 2.0 Type B, 3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, Display Port
VG2448	24"	1920 x 1080	IPS	250 cd/m ²	5ms	Yes	Pivot, Height, Swivel, Tilt	21.7 x 15.2 x 8.0	USB 3.0 Type A(x4), USB 3.0 Type B, VGA, HDMI 1.4 In, Display Port
VG2448-PF	24"	1920 x 1080	IPS	250 cd/m ²	5ms	Yes	Pivot, Height, Swivel, Tilt	21.7 x 15.2 x 8.0	USB 3.0 Type A(x4), USB 3.0 Type B, VGA, HDMI 1.4 In, Display Port
VG2448_H2	24"	1920 x 1080	IPS	250 cd/m ²	5ms	Yes	-	21.7 x 12.8 x 2.0	USB 3.0 Type A(x4), USB 3.0 Type B, VGA, HDMI 1.4 In, Display Port
VG2449	24"	1920 x 1080	MVA	250 cd/m ²	7ms	Yes	Pivot, Height, Swivel, Tilt	22.1 x 17x1 x 9.4	USB 3.0 Type A(x2), USB 3.0 Type B, VGA, HDMI 1.4 In, Display Port, Display Port Out, Mini Display Port
VG2449_H2	24"	1920 x 1080	MVA	250 cd/m ²	7ms	-	-	22.1 x 13.1 x 2.3	USB 3.0 Type A(x2), USB 3.0 Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, Display Port, Display Port Out, Mini Display Port

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
VG2453	24"	1920 x 1080	IPS	250 cd/m²	7ms	Yes	Pivot, Height, Swivel, Tilt	21.3 x 16.3 x 9.2	USB 3.0 Type A(x2), USB 3.0 Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, Display Port, Mini Display Port
VG2453_H2	24"	1920 x 1080	IPS	250 cd/m²	7ms	Yes	-	21.3 x 12.8 x 1.8	USB 3.0 Type A(x2), USB 3.0 Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, Display Port, Mini Display Port
VG2455	24"	1920 x 1080	IPS	250 cd/m²	5ms	Yes	Pivot, Height, Swivel, Tilt	21.2 x 16.0 x 8.0	USB 3.0 Type A(x3), USB 3.0 Type B, USB 3.1 Type C, VGA, HDMI 1.4 In, Display Port
VG2455-2K	24"	2560 x 1440	IPS	300 cd/m²	5ms	Yes	Pivot, Height, Swivel, Tilt	21.2 x 16.0 x 8.0	USB 3.0 Type A(x3), USB 3.0 Type B, USB 3.1 Type C, HDMI 1.4 In, Display Port
VG2456	24"	1920 x 1080	IPS	250 cd/m²	5ms	Yes	Pivot, Height, Swivel, Tilt	21.2 x 16.0 x 8.0	USB 3.2 Gen 1 Type A(x2), USB 3.2 Gen 1 Type B, USB 3.2 Gen 1 Type C, Ethernet LAN (RJ45), HDMI 1.4 In, Display Port, Display Port Out
VG2239SMH	22"	1920 x 1080	MVA	250 cd/m²	5ms	Yes	Pivot, Height, Swivel, Tilt	20.2 x 16.5 x 9.4	USB 2.0 Type A(x2), USB 2.0 Type B, 3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, Display Port
VG2248	22"	1920 x 1080	IPS	250 cd/m²	7ms	Yes	Pivot, Height, Swivel, Tilt	19.6 x 14.7 x 8.0	USB 3.0 Type A(x4), USB 3.0 Type B, VGA, HDMI 1.4 In, Display Port
VG2248_H2	22"	1920 x 1080	IPS	250 cd/m²	5ms	Yes	-	19.6 x 11.7 x 2.0	USB 3.0 Type A, USB 3.0 Type B(x4), VGA, HDMI 1.4 In, Display Port
VG2249	22"	1920 x 1080	MVA	250 cd/m²	7ms	Yes	Pivot, Height, Swivel, Tilt	20.2 x 16.5 x 9.4	USB 3.0 Type A(x2), USB 3.0 Type B, VGA, HDMI 1.4 In, Display Port, Display Port Out, Mini Display Port
VG2249_H2	22"	1920 x 1080	MVA	250 cd/m²	7ms	Yes	-	20.2 x 12.0 x 2.1	USB 3.0 Type A(x2), USB 3.0 Type B, VGA, HDMI 1.4 In, Display Port, Display Port Out, Mini Display Port
VG2253	22"	1920 x 1080	IPS	250 cd/m²	7ms	Yes	Pivot, Height, Swivel, Tilt	19.7 x 16.3 x 9.2	USB 3.0 Type A(x2), USB 3.0 Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, Display Port, Mini Display Port
VG2039M-LED	20"	1600 x 900	TN	250 cd/m²	5ms	Yes	Height, Swivel, Tilt	18.5 x 15.2 x 9.9	USB 2.0 Type A(x2), USB 2.0 Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, DVI-D, Display Port
VG939SM	19"	1280 x 1024	IPS	250 cd/m²	14ms	Yes	Pivot, Height, Swivel, Tilt	16.4 x 14.8 x 8.0	USB 2.0 Type B, USB 3.0 Type A(x2), 3.5mm Audio In, VGA, DVI-D

VP - Professional Series: The Art & Science of Color

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
---------	-------------	------------	------	------------------	---------------	-----------------------	------------	----------------------------	--------------

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
VP3881	38"	3840 x 1600	IPS	300 cd/m ²	7ms	Yes	Height, Swivel, Tilt	35.3 x 24.8 x 11.8	USB 3.0 Type A(x3), USB 3.0 Type B, USB 3.1 Type C, 3.5mm Audio In, 3.5mm Audio Out, HDMI 2.0 (with HDCP 2.2)(x2), Display Port
VP3481	34"	3440 x 1440	MVA	400 cd/m ²	5ms	Yes	Height, Swivel, Tilt	31.9 x 24.0 x 11.8	USB 3.1 Type A(x2), USB 3.1 Type B, USB 3.1 Type C, 1 (15W), 3.5mm Audio Out, HDMI 2.0 In(x2), Display Port
VP3268-4K	32"	3840 x 2160	IPS	350 cd/m ²	7ms	Yes	Pivot, Height, Swivel, Tilt	28.1 x 25.0 x 10.5	USB 3.0 Type A(x4), USB 3.0 Type B, 3.5mm Audio In, 3.5mm Audio Out, HDMI 2.0 (with HDCP 2.2)(x2), Display Port, Mini Display Port
VP2768	27"	2560 x 1440	IPS	350 cd/m ²	14ms	Yes	Pivot, Height, Swivel, Tilt	24.1 x 21.3 x 8.5	USB 3.0 Type A(x4), USB 3.0 Type B, 3.5mm Audio Out, HDMI 1.4 In(x2), Display Port, Display Port Out, Mini Display Port
VP2768-4K	27"	3840 x 2160	IPS	350 cd/m ²	7ms	Yes	Pivot, Height, Swivel, Tilt	24.2 x 21.3 x 8.5	USB 3.1 Type A(x4), USB 3.1 Type B, 3.5mm Audio Out, HDMI 2.0 In(x2), Display Port, Mini Display Port
VP2771	27"	2560 x 1440	IPS	350 cd/m ²	7ms	Yes	Pivot, Height, Swivel, Tilt	24.1 x 21.5 x 8.5	USB 3.1 Type A(x3), USB 3.1 Type B, USB 3.1 Type C, 3.5mm Audio Out, HDMI 1.4 In, Display Port, Display Port Out, Mini Display Port
VP2780-4K	27"	3840 x 2160	IPS	350 cd/m ²	14ms	Yes	Pivot, Height, Swivel, Tilt	25.3 x 18.5 x 13.7	USB 3.0 Type A(x4), 3.5mm Audio Out, HDMI In(x2), HDMI 2.0 In, Display Port, Mini Display Port
VP2785-2K	27"	2560 x 1440	IPS	300 cd/m ²	5ms	Yes	Pivot, Height, Swivel, Tilt	24.1 x 21.5 x 8.5	USB 3.1 Type A(x2), USB 3.1 Type B, USB 3.1 Type C, 1 (15W), 3.5mm Audio Out, HDMI 1.4 In, Display Port, Display Port Out
VP2785-4K	27"	3840 x 2160	IPS	350 cd/m ²	7ms	Yes	Pivot, Height, Swivel, Tilt	24.1 x 21.5 x 8.5	USB 3.1 Type A(x3), USB 3.1 Type B, USB 3.1 Type C, 3.5mm Audio Out, HDMI 2.0 (with HDCP 2.2)(x2), Display Port, Mini Display Port
VP2458	24"	1920 x 1080	IPS	250 cd/m ²	7ms	Yes	Pivot, Height, Swivel, Tilt	21.2 x 16.7 x 8.5	USB 3.1 Type A(x2), USB 3.1 Type B, VGA, HDMI 1.4 In, Display Port
VP2468	24"	1920 x 1080	IPS	250 cd/m ²	7ms	Yes	Pivot, Height, Swivel, Tilt	21.2 x 20.5 x 8.5	USB 3.0 Type A(x4), USB 3.0 Type B, 3.5mm Audio Out, HDMI 1.4 In(x2), Display Port, Display Port Out, Mini Display Port, 3-pin plug (CEE22)
VP2468_H2	24"	1920 x 1080	IPS	250 cd/m ²	7ms	Yes	-	21.2 x 12.2 x 1.9	USB 3.0 Type A(x4), USB 3.0 Type B, HDMI 1.4 In(x2), Display Port, Display Port Out, Mini Display Port

VX - Entertainment Series: Stunning Resolution & Performance

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
---------	-------------	------------	------	------------------	---------------	-----------------------	------------	----------------------------	--------------

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
VX4380-4K	43"	3840 x 2160	IPS	350 cd/m²	12ms	Yes	Tilt	38 x 25.7 x 9.5	USB 3.0 Type A(x3), USB 3.0 Type B, 3.5mm Audio Out, HDMI 2.0 In(x2), Display Port, Display Port Out, Mini Display Port
VX3211-2K-MHD	32"	2560 x 1440	IPS	250 cd/m²	3ms	Yes	Tilt	28.7 x 19.5 x 9.1	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, Display Port
VX3211-4K-MHD	32"	3840 x 2160	MVA	300 cd/m²	3ms	Yes	Tilt	28.7 x 19.5 x 9.1	3.5mm Audio Out, HDMI 2.0 In(x2), Display Port
VX3216-SCMH-W	32"	1920 x 1080	MVA	280 cd/m²	5ms	-	Tilt	28.0 x 19.8 x 6.9	3.5mm Audio In, 3.5mm Audio Out, VGA, DVI-D, HDMI 1.4 In
VX3258-2KC-MHD	32"	2560 x 1440	MVA	250 cd/m²	5ms	-	Tilt	28.1 x 19.4 x 8.5	3.5mm Audio Out, HDMI 2.0 In(x2), Display Port(x2)
VX3258-PC-MHD	32"	1920 x 1080	MVA	250 cd/m²	5ms/1ms MPRT	-	Tilt	28.1 x 19.3 x 8.6	3.5mm Audio Out, HDMI 1.4 In(x2), Display Port
VX3276-2K-MHD	32"	2560 x 1440	IPS	250 cd/m²	4ms	-	Tilt	28.1 x 19.8 x 9.1	3.5mm Audio Out, HDMI 1.4 In(x2), Display Port, Mini Display Port
VX3276-4K-MHD	32"	3840 x 2160	MVA	300 cd/m²	3ms	Yes	Tilt	28.1 x 19.9 x 9.1	3.5mm Audio Out, HDMI 2.0 In(x2), Display Port, Mini Display Port
VX3276-MHD	32"	1920 x 1080	IPS	250 cd/m²	8ms	Yes	Tilt	28.1 x 19.8 x 9.1	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, Display Port
VX2757-MHD	27"	1920 x 1080	TN	300 cd/m²	2ms	Yes	Tilt	25.2 x 19.3 x 9.8	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, Display Port
VX2758-2KP-MHD	27"	2560 x 1440	IPS	350 cd/m²	3ms/1ms MPRT	Yes	Tilt	24.2 x 17.7 x 7.4	3.5mm Audio Out, HDMI 1.4 In, HDMI 2.0 In, Display Port
VX2758-C-MH	27"	1920 x 1080	MVA	280 cd/m²	4ms	-	Tilt	24.0 x 17.2 x 7.6	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, HDMI 2.0 In
VX2758-P-MHD	27"	1920 x 1080	TN	300 cd/m²	1ms/1ms MPRT	Yes	Tilt	24.2 x 17.7 x 7.4	3.5mm Audio Out, HDMI 1.4 In, HDMI 2.0 In, Display Port
VX2776-4K-MHD	27"	3840 x 2160	IPS	350 cd/m²	4ms	Yes	Tilt	24.3 x 17.8 x 7.2	3.5mm Audio Out, HDMI 2.0 In(x2), Display Port
VX2776-SMHD	27"	1920 x 1080	IPS	250 cd/m²	7ms	-	Tilt	24.5 x 18.2 x 8.2	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, Display Port
VX2778-SMHD	27"	2560 x 1440	IPS	350 cd/m²	7ms	Yes	Tilt	24.1 x 17.9 x 7.5	3.5mm Audio Out, HDMI 1.4 In, Display Port, Mini Display Port
VX2785-2K-MH DU	27"	2560 x 1440	IPS	300 cd/m²	5ms	-	Swivel, Tilt	24.1 x 17.6 x 9.8	USB 3.2 Gen 1 Type C, 3.5mm Audio Out, HDMI 1.4 (with HDCP 1.4), Display Port
VX2452MH	24"	1920 x 1080	TN	300 cd/m²	2ms	Yes	Tilt	22.0 x 17.0 x 8.8	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, DVI-D
VX2457-MHD	24"	1920 x 1080	TN	300 cd/m²	2ms	Yes	Tilt	23.2 x 16.6 x 9.0	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, Display Port, 3-pin plug (CEE22)
VX2458-C-MHD	24"	1920 x 1080	MVA	280 cd/m²	3ms/1ms MPRT	-	Tilt	21.5 x 15.9 x 7.6	3.5mm Audio Out, DVI-D, HDMI 1.4 In, Display Port
VX2458-MHD	24"	1920 x 1080	TN	300 cd/m²	1ms	Yes	-	23.2 x 16.6 x 9.0	3.5mm Audio Out, HDMI 1.4 In(x2), Display Port
VX2476-SMHD	24"	1920 x 1080	IPS	250 cd/m²	7ms	-	Tilt	21.3 x 16.3 x 8.2	3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, Display Port

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
VX2478-SMHD	24"	2560 x 1440	IPS	300 cd/m ²	4ms	Yes	Tilt	21.3 x 16.6 x 7.5	3.5mm Audio Out, HDMI 1.4 In, Display Port, Mini Display Port
VX2485-MHU	24"	1920 x 1080	IPS	250 cd/m ²	5ms	Yes	Swivel, Tilt	21.2 x 15.9 x 9.8	USB 3.2 Gen 1 Type C, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In
VX2370SMH-LED	23"	1920 x 1080	IPS	250 cd/m ²	7ms	-	Tilt	21.0 x 16.1 x 7.1	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, DVI-D
VX2376-SMHD	23"	1920 x 1080	IPS	250 cd/m ²	7ms	-	-	20.9 x 16.2 x 8.2	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, Display Port, External Power Adapter
VX2252MH	22"	1920 x 1080	TN	250 cd/m ²	2ms	Yes	Tilt	20.1 x 15.8 x 8.8	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, DVI-D
VX2257-MHD	22"	1920 x 1080	TN	250 cd/m ²	2ms	Yes	Tilt	20.1 x 15.5 x 9.0	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, Display Port, 3-pin plug (CEE22)
VX2270SMH-LED	22"	1920 x 1080	IPS	250 cd/m ²	7ms	-	Tilt	19.7 x 15.4 x 7.1	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, DVI-D
VX2276-SMHD	22"	1920 x 1080	IPS	250 cd/m ²	7ms	-	Tilt	19.6 x 15.5 x 8.2	3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, Display Port

XG - Gaming Series: For Enthusiasts, Diehards & Pros

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
XG350R-C	35"	3440 x 1440	MVA	300 cd/m ²	3ms	Yes	Height, Swivel, Tilt	33.4 x 17.1 x 12.0	USB 3.0 Type A(x3), USB 3.0 Type B, 3.5mm Audio Out, HDMI 2.0 In(x2), Display Port
XG3220	32"	3840 x 2160	MVA	300 cd/m ²	5ms	Yes	Pivot, Height, Swivel, Tilt	28.6 x 18.1 x 10.3	USB 3.0 Type A(x4), USB 3.0 Type B, 3.5mm Audio Out, HDMI 2.0 In(x2), Display Port
XG270	27"	1920 x 1080	IPS	400 cd/m ²	1ms	Yes	Pivot, Height, Swivel, Tilt	24.2 x 18.06~22.5 x 10.4	USB 3.1 Type A(x3), USB 3.1 Type B, 3.5mm Audio Out, HDMI 2.0 In(x2), Display Port
XG2702	27"	1920 x 1080	TN	400 cd/m ²	1ms	Yes	Pivot, Height, Swivel, Tilt	25.3 x 17.2 x 9.4	USB 3.0 Type A(x4), USB 3.0 Type B, 3.5mm Audio Out, HDMI 1.4 In, HDMI 2.0 In, Display Port
XG2705	27"	1920 x 1080	IPS	250 cd/m ²	2ms	Yes	Pivot, Height, Swivel, Tilt	24.1 x 17.08~21.35 x 9.4	3.5mm Audio Out, HDMI 1.4 In(x2), Display Port
XG270QC	27"	2560 x 1440	MVA	550 cd/m ²	3ms	-	Height, Swivel, Tilt	24.1 x 18.97~23.69 x 14.0	USB 3.2 Gen 1 Type A(x3), USB 3.2 Gen 1 Type B, Micro USB, 3.5mm Audio Out, HDMI 2.0 In(x2), Display Port
XG270QG	27"	2560 x 1440	IPS	350 cd/m ²	1ms	Yes	Pivot, Height, Swivel, Tilt	24.2 x 18.1~22.5 x 10.4	USB 3.1 Type A(x3), USB 3.1 Type B, 3.5mm Audio Out, HDMI 1.4 In, Display Port
XG2760	27"	2560 x 1440	TN	350 cd/m ²	1ms	Yes	Pivot, Height, Swivel, Tilt	24.6 x 17.1 x 10.3	USB 2.0 Type A(x2), USB 3.0 Type A(x2), USB 3.0 Type B, 3.5mm Audio Out, HDMI 1.4 In, Display Port

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
XG2530	25"	1920 x 1080	TN	400 cd/m ²	1ms	Yes	Pivot, Height, Swivel, Tilt	22.3 x 17.1 x 9.4	USB 3.0 Type A(x2), USB 3.0 Type B, 3.5mm Audio Out, HDMI 1.4 In, HDMI 2.0 In, Display Port
XG2560	25"	1920 x 1080	TN	400 cd/m ²	1ms	Yes	Pivot, Height, Swivel, Tilt	22.3 x 16.1 x 10.2	USB 3.0 Type A(x4), USB 3.0 Type B, 3.5mm Audio Out, HDMI 1.4 In, Display Port
XG2402	24"	1920 x 1080	TN	350 cd/m ²	1ms	Yes	Pivot, Height, Swivel, Tilt	22.3 x 17.1 x 9.4	USB 3.0 Type A(x2), USB 3.0 Type B, 3.5mm Audio Out, HDMI 1.4 In(x2), Display Port
XG2405	24"	1920 x 1080	IPS	250 cd/m ²	2ms	Yes	Pivot, Height, Swivel, Tilt	21.3 x 17.08~20.51 x 9.4	3.5mm Audio Out, HDMI 1.4 In(x2), Display Port
XG240R	24"	1920 x 1080	TN	350 cd/m ²	1ms	Yes	Pivot, Height, Swivel, Tilt	22.3 x 17.1 x 9.4	USB 3.0 Type A(x2), USB 3.0 Type B, 3.5mm Audio Out, HDMI 1.4 In(x2), Display Port

TD - Touch Display Series: Intuitive Touch

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
TD2760	27"	1920 x 1080	MVA	230 cd/m ²	6ms	Yes	Height, Tilt	26.0 x 17.5 x 9.4	USB 3.1 Type A(x2), USB 3.1 Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 In, Display Port, RS232
TD2421	24"	1920 x 1080	MVA	250 cd/m ²	5ms	Yes	Tilt	22.5 x 15.4 x 9.5	USB 2.0 Type A(x2), USB 2.0 Type B, VGA, HDMI 1.4 In, DVI-I
TD2430	24"	1920 x 1080	MVA	250 cd/m ²	25ms	Yes	Tilt	22.6 x 13.9 x 1.9	USB 3.0 Type A(x2), USB 3.0 Type B, VGA, HDMI 1.4 In, Display Port
TD2455	24"	1920 x 1080	IPS	250 cd/m ²	6ms	Yes	Tilt	21.2 x 16.8 x 11.3	USB 3.2 Gen 1 Type A(x2), USB 3.2 Gen 1 Type B, USB 3.2 Gen 1 Type C, HDMI 1.4 In, Display Port, Display Port Out
TD2210	22"	1920 x 1080	TN	250 cd/m ²	5ms	Yes	Tilt	20.1 x 14.3 x 9.5	USB 2.0 Type A, USB 2.0 Type B, VGA, DVI-I
TD2220	22"	1920 x 1080	TN	200 cd/m ²	5ms	Yes	Tilt	20.1 x 14.4 x 9.5	USB 2.0 Type A(x2), 3.5mm Audio In, VGA, DVI-D
TD2230	22"	1920 x 1080	IPS	250 cd/m ²	14ms	Yes	Tilt	19.3 x 11.8 x 5.1	USB 3.0 Type A(x2), USB 3.0 Type B, 3.5mm Audio In, 3.5mm Audio Out, HDMI In, VGA, Display Port, DC 19V/2.37A
TD1711	17"	1280 x 1024	TN	250 cd/m ²	5ms	Yes	Tilt	14.5 x 13.7 x 8.2	USB 2.0 Type A(x2), USB 2.0 Type B, 3.5mm Audio In, 3.5mm Audio Out, VGA, HDMI 1.4 (with CEC), RS232 In

Product	Screen Size	Resolution	Type	Brightness (typ)	Response Time	VESA Compatible Mount	Ergonomics	Dimensions W x H x D (in.)	Connectivity
TD1655	15.6"	1920 x 1080	IPS	250 cd/m ²	6.5ms	-	Tilt	14.0 x 8.8 x 0.6	USB 3.2 Gen 1 Type C(x2), Mini HDMI