

Weller® WXS Line Card



NEW

WXsmart

300 W Soldering power unit with 2 channels

T0053451299 (NAM)
T0053451699 (EMEA)

NEW

WXair

Rework Module with 1 Air and 1 Vacuum channel

T0053452299 (NAM)
T0053452699 (EMEA)

SOLDERING IRONS		COMPATIBLE TIPS
WXP65, T0052921199N	65 W 24 V - SOLDERING IRON WITH POWER-RESPONSE HEATING TECHNOLOGY For small and medium components with average energy demand.	 XNT
WXP80, T0052920999N	80 W 24 V - SOLDERING IRON WITH SILVER LINE HEATING TECHNOLOGY For medium components with high energy demand.	 LT
WXP90, T0052922599N	90 W 24 V - HYBRID SOLDERING IRON WITH POWER RESPONSE HEATING TECHNOLOGY For small and medium components with high energy demand.	 XNT XH
WXP120, T0052920299N	120 W 24 V - SOLDERING IRON WITH POWER RESPONSE HEATING TECHNOLOGY For small and large components (High Mass) with high energy demand.	 XT
WXP200, T0052920699N	200 W 24 V - SOLDERING IRON WITH POWER RESPONSE HEATING TECHNOLOGY For very large components (Shielding) with high/ medium energy demand.	 XHT
WXPP, T0052922699 WXPP MS (MIL SPEC) T0052923299	40 W, 12 V - PICO SOLDERING IRON WITH ACTIVE HEATING TECHNOLOGY For very small and small components and miniature works under a microscope with high energy demand. MS version according to Military Standard.	 RTP RTPMS
WXMP T0052920499N WXMP MS (MIL SPEC) T0052921799N T0052921799NT0052923299	40 W, 12 V - MICRO SOLDERING IRON WITH ACTIVE HEATING TECHNOLOGY. 40 W, 12 V For medium to large components with high energy demand. MS version according to Military Standard	 RTM RTMMS
WXMPS MS (MIL SPEC) T0052923699	40 W, 12 V - COMBINED PICO & MICRO SOLDERING IRON WITH SMART TIP (INTEGRATED CHIP) WITH ACTIVE HEATING TECHNOLOGY Perfect for Pico, Micro and Standard Soldering Applications (XS to L Component Sizes). According to military standard	 NEW RTPS MS RTMS MS
WXUP MS (MIL SPEC) T0052923399	150 W, 24 V - ULTRA SOLDERING IRON WITH ACTIVE HEATING TECHNOLOGY For heavy-duty soldering applications and largest components (XL to XXL Component Sizes). According to military standard.	 RTU
WXUPS MS (ML SPEC) T0052923599	150 W, 24 V - ULTRA SOLDERING IRON WITH SMART TIP (INTEGRATED CHIP) WITH ACTIVE HEATING TECHNOLOGY For heavy-duty soldering applications and largest components. Component size XL to XXL. According to military standard.	 NEW RTUP MS
WXMT, T0051317899N WXMT MS (MIL SPEC), T0051320899	2 x 40 W - MICRO DESOLDERING TWEEZERS WITH ACTIVE HEATING TECHNOLOGY. For soldering and desoldering. MS version according to Military Standard.	 RTW RTW MS (MIL SPEC)
WXMTS, T0051320999	2 x 40 W – SMART PICO & MICRO DESOLDERING TWEEZERS WITH ACTIVE HEATING TECHNOLOGY For soldering and desoldering of pico and micro components (XS to L component size)	 NEW RTWMS (MIL SPEC)
WXUTS, T0051321099	2 x 75 W – SMART ULTRA DESOLDERING TWEEZERS WITH ACTIVE HEATING TECHNOLOGY For soldering and desoldering of large components (XL to XXL component size) with high energy requirement	 NEW RTWUS (MIL SPEC)

Weller® WXS Line Card






NEW **WXsmart**
300 W Soldering power
unit with 2 channels

T0053451299 (NAM)
T0053451699 (EMEA)










NEW **WXair**
Rework Module with 1 Air
and 1 Vacuum channel

T0053452299 (NAM)
T0053452699 (EMEA)

DESOLDERING & HOT AIR TOOLS TO BE USED IN COMBINATION WITH WXair COMPATIBLE TIPS

WXDP120, T0051320299N	120 W 24 V - DESOLDERING IRON FOR HORIZONTAL USE WITH DESOLDERING NOZZLE		XDS XDSL
WXDV120, T0051320599N	120 W 24 V - DESOLDERING IRON FOR VERTICAL USE WITH DESOLDERING NOZZLE		XDS XDSL
WXHAP200, T0052712099N	200 W, 24 V - HOT AIR IRON WITH HOT AIR NOZZLE		F/R/D/Q

ACCESSORIES

WCU, T0053452699 (EMEA), T0053452299 (US)	TEMPERATURE MEASURING DEVICE AND AUTO CALIBRATION UNIT	
WCU SENSOR, T0058771712	WCU SENSOR (10 PCS)	
WXHP120, T0052702999N	120 W PREHEATING PLATE	
WHP1000, T0053364899N (EMEA), WHP1000N (US)	1000 W PREHEATING PLATE	
WHP3000, T0053338699N (EMEA), WHP3000N (US)	600 W PREHEATING PLATE	
WHP3000, T0053364699N (EMEA)	1200 W PREHEATING PLATE	
WXSB200, T0052704399N	200 W SOLDER BATH	
WXSF120, T0051391199	FLOWIN SMART SOLDER FEEDER SYSTEM	
2M T0058764710	CONNECTION CABLE	

FILTRATION SYSTEMS

ZERO SMOG 4V, T0053662699N (EMEA), T0053662299N (US)	VOLUME EXTRACTION UNIT FOR 4 WORKPLACES - ESD-SAFE	
ZERO SMOG 6V, T0053666699N (EMEA), T0053666299N (US)	VOLUME EXTRACTION UNIT FOR 6 WORKPLACES - ESD-SAFE	
WFV 60 A AUTOMATIC STOP VALVE, T0058762746N	WX SOLDERING STATION CONTROLLED AUTOMATIC STOP VALVE	
ZERO SMOG 20T, T0053670699N (EMEA)	TIP EXTRACTION UNIT FOR 20 WORKPLACES - ESD-SAFE	