



ESD Safe Flush Side Cutter Oval Head for 1500BSF Cutter

Item No: 1522N

ESD Safe Flush Side Cutter Oval
Head for 1500BSF Cutter

1500 Weller Erem pneumatic side cutters are light and precise. Thanks to a selection of different cutting heads they can operate extremely versatile. The cutters are suitable for cutting conventional components, soft metals or small plastic parts. The cutting heads can be interchanged easily.

KEY FEATURES

- + This is the standard head shape.
- + It is used for all cutting jobs in easy-to-reach areas.
- + The oval head provides for a high cutting capacity and is characterized by its robustness.

TECHNICAL DATA

Application	Microelectronic
Cut Type	Flush
Cutting Capacity - Copper	0.062 in
Cutting Edge Length	0.3 in
ESD Safe	Yes
UPC	037103204462



ESD Safe Flush Side Cutter Pointed Head for 1500BSF Cutter

Item No: 1522NB

ESD Safe Flush Side Cutter Pointed
Head for 1500BSF Cutter

1500 Weller Erem pneumatic side cutters are light and precise. Thanks to a selection of different cutting heads they can operate extremely versatile. The cutters are suitable for cutting conventional components, soft metals or small plastic parts. The cutting heads can be interchanged easily.

KEY FEATURES

- + This is the narrowest head shape.
- + The underside is relieved and facilitates optimum access even to extremely hard-to-reach areas.

TECHNICAL DATA

Application	Microelectronic
Cut Type	Flush
Cutting Capacity - Copper	0.047 in
Cutting Edge Length	0.3 in
ESD Safe	Yes
UPC	037103204486



ESD Safe Semi-Flush Side Cutter Oval Head for 1500BSF Cutter

Item No: 1512N

ESD Safe Semi-Flush Side Cutter
Oval Head for 1500BSF Cutter

1500 Weller Erem pneumatic side cutters are light and precise. Thanks to a selection of different cutting heads they can operate extremely versatile. The cutters are suitable for cutting conventional components, soft metals or small plastic parts. The cutting heads can be interchanged easily.

KEY FEATURES

- + This is the standard head shape.
- + It is used for all cutting jobs in easy-to-reach areas.
- + The oval head provides for a high cutting capacity and is characterized by its robustness.

TECHNICAL DATA

Application	Microelectronic
Cut Type	Semi-Flush
Cutting Capacity - Copper	0.062 in
Cutting Edge Length	0.3 in
ESD Safe	Yes
UPC	037103344366



1595TF

Product no.: 1595TF

Cutting head for 1500BSF pneumatic cutter, hard metal blades



Pointed head, flush cut



same characteristics as handtool 595TF

source images

The Perfect Cut - Strong, sharp and precise, every time

Weller Erem pneumatic side cutters are light and precise. Thanks to a selection of different cutting heads they can operate extremely versatile. The cutters are suitable for cutting conventional components, soft metals or small plastic parts. The cutting heads can be interchanged easily.

THE PERFECT CUT

Strong, sharp and precise - every time

+ 1 Million Movements
Magic Spring™ design enables maximum durability with constant spring force movements

+ Quality
Uncompromising Swiss quality created to be strong, durable and sharp

+ Precision
Experience precise cuts from the high-precision screw joint that enables a smooth action with no jaw overlap

+ Strong and Sharp
Hand-crafted cutting edges for superior strength and sharpness

+ Comfort, Security and Grip
Ergonomically-shaped handles provide superior comfort and fatigue-free handling with Maximum Opening Stop Technology

ESD Safe
Made from ESD-safe material to prevent damage to sensitive components

Swiss Made

weller-tools.com **Weller**
Erem





Technical Data

Length mm	69
Length of cutting edges mm	10
Head width mm	11
Head thickness mm	6
Head length mm	18
Max. cutting capability – hard wire mm	0.6
Weight in oz	1.171
Length of cutting edges Inches	0.394
Head width Inches	0.433
Head thickness Inches	0.236
Head length Inches	0.709
ESD-safe	on
Cut	Flush
Max. cutting capability – medium hardness mm	0.8
Max. cutting capability – copper wire mm	1.5
Length inches	2.717
Weight in g	33.2
Erem applications	Microelectronic