











**EAN:** 4013288214171 **Size:** 295x105x40 mm

Part number:05020230001Weight:663 gArticle number:6003 Joker 5 Set 1Country of origin:CZ

Customs tariff 82041100

number:

- Especially suitable for tight spaces
- The special mouth geometry expands the placement possibilities of the tool
- The low return angle in the mouth "takes" the screw every 15°
- Slim ring side with 15° crank
- Suitable for docking with the Wera 2go system













**EAN:** 4013288214195 **Size:** 295x105x80 mm

Part number:05020231001Weight:1305 gArticle number:6003 Joker 11 Set 1Country of origin:CZ

Customs tariff 82041100

number:

- Especially suitable for tight spaces
- The special mouth geometry expands the placement possibilities of the tool
- The low return angle in the mouth "takes" the screw every 15°
- Slim ring side with 15° crank
- Suitable for docking with the Wera 2go system













**EAN:** 4013288214188 **Size:** 300x108x43 mm

Part number:05020240001Weight:604 gArticle number:6003 Joker 5 Imperial Set 1 Country of origin:CZ

Customs tariff 82041100

number:

- Especially suitable for tight spaces
- The special mouth geometry expands the placement possibilities of the tool
- The low return angle in the mouth "takes" the screw every 15°
- Slim ring side with 15° crank
- Suitable for docking with the Wera 2go system













**EAN:** 4013288214201 **Size:** 297x100x65 mm

Part number:05020241001Weight:962 gArticle number:6003 Joker 8 Imperial Set 1 Country of origin:CZ

Customs tariff 82041100

number:

- Especially suitable for tight spaces
- The special mouth geometry expands the placement possibilities of the tool
- The low return angle in the mouth "takes" the screw every 15°
- Slim ring side with 15° crank
- Suitable for docking with the Wera 2go system

## For very tight spaces





The Joker 6003 ring spanner with its special mouth geometry mouth side pivoted by 7.5° and the double hexagon profile doubles the placement possibilities when repeatedly turning the wrench 180° around the longitudinal axis. Bolts and screw heads can be "accessed" every 15°. The Joker 6003 will automatically find the respective placement point after every turn.

# Joker 6003: For pivoting angles under 30°



Thanks to the mouth side pivoted by 7.5°, double hexagon geometry and an adjusted application method (placement - screwdriving - turning - replacement - screwdriving - turning, etc), even screwdriving challenges allowing a pivoting angle of less than 30° can be solved.

## Double-hex geometry



The double hexagon geometry on the mouth and ring sides secures the positive connection with the screw head or bolt and reduces the risk of slipping.

## Joker 6003: Angled ring side



The ring side is cranked at 15° to the tool axis to prevent injury.

#### "Take it easy" tool finder



Take it easy tool finder system - with profile and size colour-coding for quick and easy tool selection. Colour-coded system for hexagon drive screws (L-Keys, Zyklop bit sockets), external hex drive screws and nuts (Joker wrenches, Zyklop sockets and Zyklop bit sockets with holding function), and TORX® drive screws (L-Keys, Zyklop bit sockets).

## Suitable for docking with the Wera 2go system



The Joker pouches are suitable for attachment to walls, shelves, workshop trolleys and the Wera 2go system thanks to the hook and loop fastener system on the back.

#### Set contents:

## 6003 Joker combination wrench, Imperial, 5/16" x 115 mm



1x 5/16" x 115 mm 05020211001 1x 3/8" x 125 mm 05020212001 05020213001 1x 7/16" x 135 mm 05020214001 1x 1/2" x 160 mm 05020215001 1x 9/16" x 167 mm 1x 5/8" x 182 mm 05020216001 05020217001 1x 11/16" x 210 mm 05020218001 1x 3/4" x 230 mm

## Hook and Loop Fastener Strip 240, 50 x 240 mm



