



EAN:	4013288094537	Size:	89x7x6 mm
Part number:	05060050001	Weight:	12 g
Article number:	867/4 Z TORX® B0	Country of origin:	CZ
		Customs tariff number:	82079030

- For recessed TORX® screws with securing pin
- TORX® bit with bore hole on the output side
- Tough for hard materials
- 1/4" hexagon drive (Wera connecting series 4)

Premium bits for TORX® socket screws. TORX® B0 screws have a protruding pin in their drive profile. This prevents unauthorized loosening, as these screws cannot be operated with "normal" TORX® tools. Only special TORX® B0 tools have a bore which can mount the pin. Tough, for universal use. 1/4" hexagonal, suitable for holders as per DIN ISO 1173-F 6.3.

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_tamper-proof_torx_bo_screws_with_safety_pin_867_4_z_torx_bo.html

Wera - 867/4 Z TORX® B0
05060050001 - 4013288094537

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de



EAN:	4013288094544	Size:	89x7x6 mm
Part number:	05060051001	Weight:	12 g
Article number:	867/4 Z TORX® B0	Country of origin:	CZ
		Customs tariff number:	82079030

- For recessed TORX® screws with securing pin
- TORX® bit with bore hole on the output side
- Tough for hard materials
- 1/4" hexagon drive (Wera connecting series 4)

Premium bits for TORX® socket screws. TORX® B0 screws have a protruding pin in their drive profile. This prevents unauthorized loosening, as these screws cannot be operated with "normal" TORX® tools. Only special TORX® B0 tools have a bore which can mount the pin. Tough, for universal use. 1/4" hexagonal, suitable for holders as per DIN ISO 1173-F 6.3.

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_tamper-proof_torx_bo_screws_with_safety_pin_867_4_z_torx_bo.html

Wera - 867/4 Z TORX® B0
05060051001 - 4013288094544

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de



EAN:	4013288094551	Size:	89x7x6 mm
Part number:	05060052001	Weight:	13 g
Article number:	867/4 Z TORX® B0	Country of origin:	CZ
		Customs tariff number:	82079030

- For recessed TORX® screws with securing pin
- TORX® bit with bore hole on the output side
- Tough for hard materials
- 1/4" hexagon drive (Wera connecting series 4)

Premium bits for TORX® socket screws. TORX® B0 screws have a protruding pin in their drive profile. This prevents unauthorized loosening, as these screws cannot be operated with "normal" TORX® tools. Only special TORX® B0 tools have a bore which can mount the pin. Tough, for universal use. 1/4" hexagonal, suitable for holders as per DIN ISO 1173-F 6.3.

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_tamper-proof_torx_bo_screws_with_safety_pin_867_4_z_torx_bo.html

Wera - 867/4 Z TORX® B0
05060052001 - 4013288094551

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de



EAN:	4013288094568	Size:	89x7x6 mm
Part number:	05060053001	Weight:	19 g
Article number:	867/4 Z TORX® B0	Country of origin:	CZ
		Customs tariff number:	82079030

- For recessed TORX® screws with securing pin
- TORX® bit with bore hole on the output side
- Tough for hard materials
- 1/4" hexagon drive (Wera connecting series 4)

Premium bits for TORX® socket screws. TORX® B0 screws have a protruding pin in their drive profile. This prevents unauthorized loosening, as these screws cannot be operated with "normal" TORX® tools. Only special TORX® B0 tools have a bore which can mount the pin. Tough, for universal use. 1/4" hexagonal, suitable for holders as per DIN ISO 1173-F 6.3.

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_tamper-proof_torx_bo_screws_with_safety_pin_867_4_z_torx_bo.html

Wera - 867/4 Z TORX® B0
05060053001 - 4013288094568

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de



EAN:	4013288094643	Size:	89x7x6 mm
Part number:	05060057001	Weight:	19 g
Article number:	867/4 Z TORX® B0	Country of origin:	CZ
		Customs tariff number:	82079030

- For recessed TORX® screws with securing pin
- TORX® bit with bore hole on the output side
- Tough for hard materials
- 1/4" hexagon drive (Wera connecting series 4)

Premium bits for TORX® socket screws. TORX® B0 screws have a protruding pin in their drive profile. This prevents unauthorized loosening, as these screws cannot be operated with "normal" TORX® tools. Only special TORX® B0 tools have a bore which can mount the pin. Tough, for universal use. 1/4" hexagonal, suitable for holders as per DIN ISO 1173-F 6.3.

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_tamper-proof_torx_bo_screws_with_safety_pin_867_4_z_torx_bo.html

Wera - 867/4 Z TORX® B0
05060057001 - 4013288094643

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

867/4 Z TORX® B0 bits with bore hole, TX 8 x 70 mm

Bits for Tamper-proof TORX® B0 Screws with safety pin



EAN:	4013288030733	Size:	70x7x6 mm
Part number:	05060139001	Weight:	8 g
Article number:	867/4 Z TORX® B0	Country of origin:	CZ
		Customs tariff number:	82079030

- For recessed TORX® screws with securing pin
- TORX® bit with bore hole on the output side
- Tough for hard materials
- 1/4" hexagon drive (Wera connecting series 4)

Premium bits for TORX® socket screws. TORX® B0 screws have a protruding pin in their drive profile. This prevents unauthorized loosening, as these screws cannot be operated with "normal" TORX® tools. Only special TORX® B0 tools have a bore which can mount the pin. Tough, for universal use. 1/4" hexagonal, suitable for holders as per DIN ISO 1173-F 6.3.

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_tamper-proof_torx_bo_screws_with_safety_pin_867_4_z_torx_bo.html

Wera - 867/4 Z TORX® B0
05060139001 - 4013288030733

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de



EAN:	4013288026903	Size:	70x7x6 mm
Part number:	05060142001	Weight:	11 g
Article number:	867/4 Z TORX® B0	Country of origin:	CZ
		Customs tariff number:	82079030

- For recessed TORX® screws with securing pin
- TORX® bit with bore hole on the output side
- Tough for hard materials
- 1/4" hexagon drive (Wera connecting series 4)

Premium bits for TORX® socket screws. TORX® B0 screws have a protruding pin in their drive profile. This prevents unauthorized loosening, as these screws cannot be operated with "normal" TORX® tools. Only special TORX® B0 tools have a bore which can mount the pin. Tough, for universal use. 1/4" hexagonal, suitable for holders as per DIN ISO 1173-F 6.3.

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_tamper-proof_torx_bo_screws_with_safety_pin_867_4_z_torx_bo.html

Wera - 867/4 Z TORX® B0
05060142001 - 4013288026903

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de



EAN:	4013288026910	Size:	70x7x6 mm
Part number:	05060143001	Weight:	15 g
Article number:	867/4 Z TORX® B0	Country of origin:	CZ
		Customs tariff number:	82079030

- For recessed TORX® screws with securing pin
- TORX® bit with bore hole on the output side
- Tough for hard materials
- 1/4" hexagon drive (Wera connecting series 4)

Premium bits for TORX® socket screws. TORX® B0 screws have a protruding pin in their drive profile. This prevents unauthorized loosening, as these screws cannot be operated with "normal" TORX® tools. Only special TORX® B0 tools have a bore which can mount the pin. Tough, for universal use. 1/4" hexagonal, suitable for holders as per DIN ISO 1173-F 6.3.

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_tamper-proof_torx_bo_screws_with_safety_pin_867_4_z_torx_bo.html

Wera - 867/4 Z TORX® B0
05060143001 - 4013288026910

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de



EAN:	4013288026927	Size:	70x7x6 mm
Part number:	05060144001	Weight:	15 g
Article number:	867/4 Z TORX® B0	Country of origin:	CZ
		Customs tariff number:	82079030

- For recessed TORX® screws with securing pin
- TORX® bit with bore hole on the output side
- Tough for hard materials
- 1/4" hexagon drive (Wera connecting series 4)

Premium bits for TORX® socket screws. TORX® B0 screws have a protruding pin in their drive profile. This prevents unauthorized loosening, as these screws cannot be operated with "normal" TORX® tools. Only special TORX® B0 tools have a bore which can mount the pin. Tough, for universal use. 1/4" hexagonal, suitable for holders as per DIN ISO 1173-F 6.3.

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_tamper-proof_torx_bo_screws_with_safety_pin_867_4_z_torx_bo.html

Wera - 867/4 Z TORX® B0
05060144001 - 4013288026927

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de



EAN:	4013288026934	Size:	70x7x6 mm
Part number:	05060145001	Weight:	15 g
Article number:	867/4 Z TORX® B0	Country of origin:	CZ
		Customs tariff number:	82079030

- For recessed TORX® screws with securing pin
- TORX® bit with bore hole on the output side
- Tough for hard materials
- 1/4" hexagon drive (Wera connecting series 4)

Premium bits for TORX® socket screws. TORX® B0 screws have a protruding pin in their drive profile. This prevents unauthorized loosening, as these screws cannot be operated with "normal" TORX® tools. Only special TORX® B0 tools have a bore which can mount the pin. Tough, for universal use. 1/4" hexagonal, suitable for holders as per DIN ISO 1173-F 6.3.

Web link


https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_tamper-proof_torx_bo_screws_with_safety_pin_867_4_z_torx_bo.html

Wera - 867/4 Z TORX® B0
05060145001 - 4013288026934


Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

TORX® with borehole (BO)

Tough-absorbing bits (Z)



TORX® tools with a borehole prevent the unauthorised unfastening of safety screws. The screws contain a pin that protrudes into the drive profile so that "normal" TORX® tools cannot be used. This pin fits into the borehole of TORX® BO tools allowing safety screws to be unfastened.



Tough-absorbing Wera bits (Z) prevent any premature breakage of the drive tip.

Further versions in this product family:

		 mm	 inch	 mm
05060139001	TX 8	70	2 3/4"	3.0
05060048001	TX 8	89	3 1/2"	3.0
05060049001	TX 9	89	3 1/2"	3.0
05060140001	TX 10	70	2 3/4"	4.0
05060050001	TX 10	89	3 1/2"	4.0
05060141001	TX 15	70	2 3/4"	4.0
05060051001	TX 15	89	3 1/2"	4.0
05060142001	TX 20	70	2 3/4"	4.5
05060052001	TX 20	89	3 1/2"	4.5
05060143001	TX 25	70	2 3/4"	6.0
05060053001	TX 25	89	3 1/2"	6.0
05060144001	TX 27	70	2 3/4"	6.0
05060057001	TX 27	89	3 1/2"	6.0
05060145001	TX 30	70	2 3/4"	6.0
05060054001	TX 30	89	3 1/2"	6.0
05060146001	TX 40	70	2 3/4"	-
05060056001	TX 40	89	3 1/2"	-

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_tamper-proof_torx_bo_screws_with_safety_pin_867_4_z_torx_bo.html

Wera - 867/4 Z TORX® BO
05060145001 - 4013288026934

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de