

3950 PKL L-key, metric, stainless, 1.5 x 90 mm

L-Keys for Hexagon Socket Screws



EAN:	4013288111265	Size:	90x14x3 mm
Part number:	05022700001	Weight:	5 g
Article number:	3950 PKL	Country of origin:	CZ
		Customs tariff number:	82041100

- L-keys for hexagonal socket screws
- Hex-Plus allows socket head screws to live longer
- Stainless L-keys prevent extraneous rust on stainless screws
- Hexagonal ballpoint on the long arm
- Metric

High quality L-keys out of stainless steel for hexagonal socket screws by Wera. Stainless steel prevents the formation of extraneous rust. The Hex-Plus profile offers a larger contact surface within the screw head. This reduces the notching effects to a minimum and almost completely eliminates the risk of destroying the screw recess. Hexagonal ballpoint end on the long arm: the ballpoint drive profile means that it is possible to swivel the tool axis away from the screwdriving axis, thus enabling "round the corner" screwdriving.

Web link

https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_pkl.html

Wera - 3950 PKL
05022700001 - 4013288111265

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

L-Keys for Hexagon Socket Screws

Stainless L-keys



Stainless L-keys are hardened to the same strength as conventional (carbon) steel tools, and prevent extraenous rust forming.

Vacuum ice-hardened



The stainless steel tools from Wera are vacuum ice-hardened and have the hardness and strength needed for screw connections. There are no limitations to the industrial applications they are suitable for.

Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

Ball tip



The spherical drive profile means that it is possible to swivel the axis of the tool to that of the screw, and therefore enable angled, "around-the-corner" screwdriving jobs.

Size identification



The size of each L-keys has been engraved by a laser. In addition Take it easy L-keys have a colour coding according to sizes - for simple and rapid accessing of the required tool. Making it easy to find the right tool.

Web link






https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_pkl.html

Wera - 3950 PKL
05022700001 - 4013288111265

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

L-Keys for Hexagon Socket Screws

Further versions in this product family:

	 mm	 mm	 mm	 inch	 inch
05022700001	1.5	90	14	3 1/2"	9/16"
05022701001	2.0	101	16	4"	5/8"
05022702001	2.5	112	19	4 7/16"	3/4"
05022703001	3.0	123	21	4 7/8"	27/32"
05022704001	4.0	137	24	5 3/8"	1"
05022705001	5.0	154	27	6 1/16"	1 1/16"
05022706001	6.0	172	31	6 3/4"	1 1/4"
05022708001	8.0	195	37	7 11/16"	1 7/16"
05022709001	10.0	224	42	9"	1 11/16"

Web link

https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_pkl.html

Wera - 3950 PKL
05022700001 - 4013288111265

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

3950 PKL L-key, metric, stainless, 2 x 101 mm

L-Keys for Hexagon Socket Screws



EAN:	4013288111272	Size:	101x16x3 mm
Part number:	05022701001	Weight:	6 g
Article number:	3950 PKL	Country of origin:	CZ
		Customs tariff number:	82041100

- L-keys for hexagonal socket screws
- Hex-Plus allows socket head screws to live longer
- Stainless L-keys prevent extraneous rust on stainless screws
- Hexagonal ballpoint on the long arm
- Metric

High quality L-keys out of stainless steel for hexagonal socket screws by Wera. Stainless steel prevents the formation of extraneous rust. The Hex-Plus profile offers a larger contact surface within the screw head. This reduces the notching effects to a minimum and almost completely eliminates the risk of destroying the screw recess. Hexagonal ballpoint end on the long arm: the ballpoint drive profile means that it is possible to swivel the tool axis away from the screwdriving axis, thus enabling "round the corner" screwdriving.

Web link

https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_pkl.html

Wera - 3950 PKL
05022701001 - 4013288111272

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

L-Keys for Hexagon Socket Screws

Stainless L-keys



Stainless L-keys are hardened to the same strength as conventional (carbon) steel tools, and prevent extraenous rust forming.

Vacuum ice-hardened



The stainless steel tools from Wera are vacuum ice-hardened and have the hardness and strength needed for screw connections. There are no limitations to the industrial applications they are suitable for.

Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

Ball tip



The spherical drive profile means that it is possible to swivel the axis of the tool to that of the screw, and therefore enable angled, "around-the-corner" screwdriving jobs.

Size identification



The size of each L-keys has been engraved by a laser. In addition Take it easy L-keys have a colour coding according to sizes - for simple and rapid accessing of the required tool. Making it easy to find the right tool.

Web link






https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_pkl.html

Wera - 3950 PKL
05022701001 - 4013288111272

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

L-Keys for Hexagon Socket Screws

Further versions in this product family:

	 mm	 mm	 mm	 inch	 inch
05022700001	1.5	90	14	3 1/2"	9/16"
05022701001	2.0	101	16	4"	5/8"
05022702001	2.5	112	19	4 7/16"	3/4"
05022703001	3.0	123	21	4 7/8"	27/32"
05022704001	4.0	137	24	5 3/8"	1"
05022705001	5.0	154	27	6 1/16"	1 1/16"
05022706001	6.0	172	31	6 3/4"	1 1/4"
05022708001	8.0	195	37	7 11/16"	1 7/16"
05022709001	10.0	224	42	9"	1 11/16"

Web link

https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_pkl.html

Wera - 3950 PKL

05022701001 - 4013288111272

Wera Werkzeuge GmbH

Korzter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: info@wera.de

3950 PKL L-key, metric, stainless, 2.5 x 112 mm

L-Keys for Hexagon Socket Screws



EAN:	4013288111289	Size:	112x19x3 mm
Part number:	05022702001	Weight:	7 g
Article number:	3950 PKL	Country of origin:	CZ
		Customs tariff number:	82041100

- L-keys for hexagonal socket screws
- Hex-Plus allows socket head screws to live longer
- Stainless L-keys prevent extraneous rust on stainless screws
- Hexagonal ballpoint on the long arm
- Metric

High quality L-keys out of stainless steel for hexagonal socket screws by Wera. Stainless steel prevents the formation of extraneous rust. The Hex-Plus profile offers a larger contact surface within the screw head. This reduces the notching effects to a minimum and almost completely eliminates the risk of destroying the screw recess. Hexagonal ballpoint end on the long arm: the ballpoint drive profile means that it is possible to swivel the tool axis away from the screwdriving axis, thus enabling "round the corner" screwdriving.



Web link

https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_pkl.html

Wera - 3950 PKL
05022702001 - 4013288111289

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

L-Keys for Hexagon Socket Screws

Stainless L-keys



Stainless L-keys are hardened to the same strength as conventional (carbon) steel tools, and prevent extraenous rust forming.

Vacuum ice-hardened



The stainless steel tools from Wera are vacuum ice-hardened and have the hardness and strength needed for screw connections. There are no limitations to the industrial applications they are suitable for.

Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

Ball tip



The spherical drive profile means that it is possible to swivel the axis of the tool to that of the screw, and therefore enable angled, "around-the-corner" screwdriving jobs.

Size identification



The size of each L-keys has been engraved by a laser. In addition Take it easy L-keys have a colour coding according to sizes - for simple and rapid accessing of the required tool. Making it easy to find the right tool.

Web link






https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_pkl.html

Wera - 3950 PKL
05022702001 - 4013288111289

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

L-Keys for Hexagon Socket Screws

Further versions in this product family:

	 mm	 mm	 mm	 inch	 inch
05022700001	1.5	90	14	3 1/2"	9/16"
05022701001	2.0	101	16	4"	5/8"
05022702001	2.5	112	19	4 7/16"	3/4"
05022703001	3.0	123	21	4 7/8"	27/32"
05022704001	4.0	137	24	5 3/8"	1"
05022705001	5.0	154	27	6 1/16"	1 1/16"
05022706001	6.0	172	31	6 3/4"	1 1/4"
05022708001	8.0	195	37	7 11/16"	1 7/16"
05022709001	10.0	224	42	9"	1 11/16"

Web link

https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_pkl.html

Wera - 3950 PKL

05022702001 - 4013288111289

Wera Werkzeuge GmbH

Korzter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: info@wera.de

3950 PKL L-key, metric, stainless, 3 x 123 mm

L-Keys for Hexagon Socket Screws



EAN:	4013288111296	Size:	123x21x4 mm
Part number:	05022703001	Weight:	13 g
Article number:	3950 PKL	Country of origin:	CZ
		Customs tariff number:	82041100

- L-keys for hexagonal socket screws
- Hex-Plus allows socket head screws to live longer
- Stainless L-keys prevent extraneous rust on stainless screws
- Hexagonal ballpoint on the long arm
- Metric

High quality L-keys out of stainless steel for hexagonal socket screws by Wera. Stainless steel prevents the formation of extraneous rust. The Hex-Plus profile offers a larger contact surface within the screw head. This reduces the notching effects to a minimum and almost completely eliminates the risk of destroying the screw recess. Hexagonal ballpoint end on the long arm: the ballpoint drive profile means that it is possible to swivel the tool axis away from the screwdriving axis, thus enabling "round the corner" screwdriving.



Web link

https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_pkl.html

Wera - 3950 PKL
05022703001 - 4013288111296

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

L-Keys for Hexagon Socket Screws

Stainless L-keys



Stainless L-keys are hardened to the same strength as conventional (carbon) steel tools, and prevent extraenous rust forming.

Vacuum ice-hardened



The stainless steel tools from Wera are vacuum ice-hardened and have the hardness and strength needed for screw connections. There are no limitations to the industrial applications they are suitable for.

Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

Ball tip



The spherical drive profile means that it is possible to swivel the axis of the tool to that of the screw, and therefore enable angled, "around-the-corner" screwdriving jobs.

Size identification



The size of each L-keys has been engraved by a laser. In addition Take it easy L-keys have a colour coding according to sizes - for simple and rapid accessing of the required tool. Making it easy to find the right tool.

Web link






https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_pkl.html

Wera - 3950 PKL
05022703001 - 4013288111296

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

L-Keys for Hexagon Socket Screws

Further versions in this product family:

					
	mm	mm	mm	inch	inch
05022700001	1.5	90	14	3 1/2"	9/16"
05022701001	2.0	101	16	4"	5/8"
05022702001	2.5	112	19	4 7/16"	3/4"
05022703001	3.0	123	21	4 7/8"	27/32"
05022704001	4.0	137	24	5 3/8"	1"
05022705001	5.0	154	27	6 1/16"	1 1/16"
05022706001	6.0	172	31	6 3/4"	1 1/4"
05022708001	8.0	195	37	7 11/16"	1 7/16"
05022709001	10.0	224	42	9"	1 11/16"

Web link

https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_pkl.html

Wera - 3950 PKL

05022703001 - 4013288111296

Wera Werkzeuge GmbH

Korzter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: info@wera.de

3950 PKL L-key, metric, stainless, 4 x 137 mm

L-Keys for Hexagon Socket Screws



EAN:	4013288111302	Size:	137x24x6 mm
Part number:	05022704001	Weight:	28 g
Article number:	3950 PKL	Country of origin:	CZ
		Customs tariff number:	82041100

- L-keys for hexagonal socket screws
- Hex-Plus allows socket head screws to live longer
- Stainless L-keys prevent extraneous rust on stainless screws
- Hexagonal ballpoint on the long arm
- Metric

High quality L-keys out of stainless steel for hexagonal socket screws by Wera. Stainless steel prevents the formation of extraneous rust. The Hex-Plus profile offers a larger contact surface within the screw head. This reduces the notching effects to a minimum and almost completely eliminates the risk of destroying the screw recess. Hexagonal ballpoint end on the long arm: the ballpoint drive profile means that it is possible to swivel the tool axis away from the screwdriving axis, thus enabling "round the corner" screwdriving.

Web link

https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_pkl.html

Wera - 3950 PKL
05022704001 - 4013288111302

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

L-Keys for Hexagon Socket Screws

Stainless L-keys



Stainless L-keys are hardened to the same strength as conventional (carbon) steel tools, and prevent extraenous rust forming.

Vacuum ice-hardened



The stainless steel tools from Wera are vacuum ice-hardened and have the hardness and strength needed for screw connections. There are no limitations to the industrial applications they are suitable for.

Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

Ball tip



The spherical drive profile means that it is possible to swivel the axis of the tool to that of the screw, and therefore enable angled, "around-the-corner" screwdriving jobs.

Size identification



The size of each L-keys has been engraved by a laser. In addition Take it easy L-keys have a colour coding according to sizes - for simple and rapid accessing of the required tool. Making it easy to find the right tool.

Web link






https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_pkl.html

Wera - 3950 PKL
05022704001 - 4013288111302

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

L-Keys for Hexagon Socket Screws

Further versions in this product family:

					
	mm	mm	mm	inch	inch
05022700001	1.5	90	14	3 1/2"	9/16"
05022701001	2.0	101	16	4"	5/8"
05022702001	2.5	112	19	4 7/16"	3/4"
05022703001	3.0	123	21	4 7/8"	27/32"
05022704001	4.0	137	24	5 3/8"	1"
05022705001	5.0	154	27	6 1/16"	1 1/16"
05022706001	6.0	172	31	6 3/4"	1 1/4"
05022708001	8.0	195	37	7 11/16"	1 7/16"
05022709001	10.0	224	42	9"	1 11/16"

Web link

https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_pkl.html

Wera - 3950 PKL

05022704001 - 4013288111302

Wera Werkzeuge GmbH

Korzerter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: info@wera.de

3950 PKL L-key, metric, stainless, 5 x 154 mm

L-Keys for Hexagon Socket Screws



EAN:	4013288111319	Size:	154x27x6 mm
Part number:	05022705001	Weight:	39 g
Article number:	3950 PKL	Country of origin:	CZ
		Customs tariff number:	82041100

- L-keys for hexagonal socket screws
- Hex-Plus allows socket head screws to live longer
- Stainless L-keys prevent extraneous rust on stainless screws
- Hexagonal ballpoint on the long arm
- Metric

High quality L-keys out of stainless steel for hexagonal socket screws by Wera. Stainless steel prevents the formation of extraneous rust. The Hex-Plus profile offers a larger contact surface within the screw head. This reduces the notching effects to a minimum and almost completely eliminates the risk of destroying the screw recess. Hexagonal ballpoint end on the long arm: the ballpoint drive profile means that it is possible to swivel the tool axis away from the screwdriving axis, thus enabling "round the corner" screwdriving.

Web link

https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_pkl.html

Wera - 3950 PKL
05022705001 - 4013288111319

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

L-Keys for Hexagon Socket Screws

Stainless L-keys



Stainless L-keys are hardened to the same strength as conventional (carbon) steel tools, and prevent extraenous rust forming.

Vacuum ice-hardened



The stainless steel tools from Wera are vacuum ice-hardened and have the hardness and strength needed for screw connections. There are no limitations to the industrial applications they are suitable for.

Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

Ball tip



The spherical drive profile means that it is possible to swivel the axis of the tool to that of the screw, and therefore enable angled, "around-the-corner" screwdriving jobs.

Size identification



The size of each L-keys has been engraved by a laser. In addition Take it easy L-keys have a colour coding according to sizes - for simple and rapid accessing of the required tool. Making it easy to find the right tool.

Web link






https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_pkl.html

Wera - 3950 PKL
05022705001 - 4013288111319

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

L-Keys for Hexagon Socket Screws

Further versions in this product family:

	 mm	 mm	 mm	 inch	 inch
05022700001	1.5	90	14	3 1/2"	9/16"
05022701001	2.0	101	16	4"	5/8"
05022702001	2.5	112	19	4 7/16"	3/4"
05022703001	3.0	123	21	4 7/8"	27/32"
05022704001	4.0	137	24	5 3/8"	1"
05022705001	5.0	154	27	6 1/16"	1 1/16"
05022706001	6.0	172	31	6 3/4"	1 1/4"
05022708001	8.0	195	37	7 11/16"	1 7/16"
05022709001	10.0	224	42	9"	1 11/16"

Web link

https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_pkl.html

Wera - 3950 PKL

05022705001 - 4013288111319

Wera Werkzeuge GmbH

Korzter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: info@wera.de

3950 PKL L-key, metric, stainless, 6 x 172 mm

L-Keys for Hexagon Socket Screws



EAN:	4013288111326	Size:	172x31x7 mm
Part number:	05022706001	Weight:	59 g
Article number:	3950 PKL	Country of origin:	CZ
		Customs tariff number:	82041100

- L-keys for hexagonal socket screws
- Hex-Plus allows socket head screws to live longer
- Stainless L-keys prevent extraneous rust on stainless screws
- Hexagonal ballpoint on the long arm
- Metric

High quality L-keys out of stainless steel for hexagonal socket screws by Wera. Stainless steel prevents the formation of extraneous rust. The Hex-Plus profile offers a larger contact surface within the screw head. This reduces the notching effects to a minimum and almost completely eliminates the risk of destroying the screw recess. Hexagonal ballpoint end on the long arm: the ballpoint drive profile means that it is possible to swivel the tool axis away from the screwdriving axis, thus enabling "round the corner" screwdriving.



Web link

https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_pkl.html

Wera - 3950 PKL
05022706001 - 4013288111326

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

L-Keys for Hexagon Socket Screws

Stainless L-keys



Stainless L-keys are hardened to the same strength as conventional (carbon) steel tools, and prevent extraenous rust forming.

Vacuum ice-hardened



The stainless steel tools from Wera are vacuum ice-hardened and have the hardness and strength needed for screw connections. There are no limitations to the industrial applications they are suitable for.

Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

Ball tip



The spherical drive profile means that it is possible to swivel the axis of the tool to that of the screw, and therefore enable angled, "around-the-corner" screwdriving jobs.

Size identification



The size of each L-keys has been engraved by a laser. In addition Take it easy L-keys have a colour coding according to sizes - for simple and rapid accessing of the required tool. Making it easy to find the right tool.

Web link






https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_pkl.html

Wera - 3950 PKL
05022706001 - 4013288111326

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

L-Keys for Hexagon Socket Screws

Further versions in this product family:

					
	mm	mm	mm	inch	inch
05022700001	1.5	90	14	3 1/2"	9/16"
05022701001	2.0	101	16	4"	5/8"
05022702001	2.5	112	19	4 7/16"	3/4"
05022703001	3.0	123	21	4 7/8"	27/32"
05022704001	4.0	137	24	5 3/8"	1"
05022705001	5.0	154	27	6 1/16"	1 1/16"
05022706001	6.0	172	31	6 3/4"	1 1/4"
05022708001	8.0	195	37	7 11/16"	1 7/16"
05022709001	10.0	224	42	9"	1 11/16"

Web link

https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_pkl.html

Wera - 3950 PKL

05022706001 - 4013288111326

Wera Werkzeuge GmbH

Korzter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: info@wera.de

3950 PKL L-key, metric, stainless, 8 x 195 mm

L-Keys for Hexagon Socket Screws



EAN:	4013288111340	Size:	195x37x10 mm
Part number:	05022708001	Weight:	136 g
Article number:	3950 PKL	Country of origin:	CZ
		Customs tariff number:	82041100

- L-keys for hexagonal socket screws
- Hex-Plus allows socket head screws to live longer
- Stainless L-keys prevent extraneous rust on stainless screws
- Hexagonal ballpoint on the long arm
- Metric

High quality L-keys out of stainless steel for hexagonal socket screws by Wera. Stainless steel prevents the formation of extraneous rust. The Hex-Plus profile offers a larger contact surface within the screw head. This reduces the notching effects to a minimum and almost completely eliminates the risk of destroying the screw recess. Hexagonal ballpoint end on the long arm: the ballpoint drive profile means that it is possible to swivel the tool axis away from the screwdriving axis, thus enabling "round the corner" screwdriving.

Web link

https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_pkl.html

Wera - 3950 PKL
05022708001 - 4013288111340

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

L-Keys for Hexagon Socket Screws

Stainless L-keys



Stainless L-keys are hardened to the same strength as conventional (carbon) steel tools, and prevent extraenous rust forming.

Vacuum ice-hardened



The stainless steel tools from Wera are vacuum ice-hardened and have the hardness and strength needed for screw connections. There are no limitations to the industrial applications they are suitable for.

Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

Ball tip



The spherical drive profile means that it is possible to swivel the axis of the tool to that of the screw, and therefore enable angled, "around-the-corner" screwdriving jobs.

Size identification



The size of each L-keys has been engraved by a laser. In addition Take it easy L-keys have a colour coding according to sizes - for simple and rapid accessing of the required tool. Making it easy to find the right tool.

Web link






https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_pkl.html

Wera - 3950 PKL
05022708001 - 4013288111340

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

L-Keys for Hexagon Socket Screws

Further versions in this product family:

					
	mm	mm	mm	inch	inch
05022700001	1.5	90	14	3 1/2"	9/16"
05022701001	2.0	101	16	4"	5/8"
05022702001	2.5	112	19	4 7/16"	3/4"
05022703001	3.0	123	21	4 7/8"	27/32"
05022704001	4.0	137	24	5 3/8"	1"
05022705001	5.0	154	27	6 1/16"	1 1/16"
05022706001	6.0	172	31	6 3/4"	1 1/4"
05022708001	8.0	195	37	7 11/16"	1 7/16"
05022709001	10.0	224	42	9"	1 11/16"

Web link

https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_pkl.html

Wera - 3950 PKL

05022708001 - 4013288111340

Wera Werkzeuge GmbH

Korzter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: info@wera.de