

Adaptors



**EAN:** 4013288008008

**Part number:** 05042715001

**Article number:** 780 C

**Size:** 35x25x25 mm

**Weight:** 76 g

**Country of origin:** CZ

**Customs tariff number:** 84661038

- 1/2" adaptor
- Suitable for bits with 5/16" hexagon drive (Wera connecting series 2)
- 1/2" square socket drive
- Equipped with ball stop groove

Adaptor from square to hexagonal. Suitable for the attachment of bits with 5/16" hexagon drive as per DIN ISO 1173-C 8. Drive: 1/2" square.

**Web link**

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_and\\_sets\\_holders\\_adaptors\\_connectors\\_adaptors\\_780\\_c.html](https://products.wera.de/en/bits_holders_adaptors_and_sets_holders_adaptors_connectors_adaptors_780_c.html)

Wera - 780 C

05042715001 - 4013288008008

Wera Werkzeuge GmbH

Korzerter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: [info@wera.de](mailto:info@wera.de)

Adaptors



|                        |               |                               |             |
|------------------------|---------------|-------------------------------|-------------|
| <b>EAN:</b>            | 4013288113474 | <b>Size:</b>                  | 35x25x25 mm |
| <b>Part number:</b>    | 05344513001   | <b>Weight:</b>                | 73 g        |
| <b>Article number:</b> | 780 C         | <b>Country of origin:</b>     | CZ          |
|                        |               | <b>Customs tariff number:</b> | 84661038    |

- 1/2" adaptor
- Suitable for bits with 1/4" hexagon drive (Wera connecting series 1)
- 1/2" square socket drive
- Equipped with ball stop groove

Adaptor for square to hexagon. Suitable for the take-up of bits with 1/4" hex head drive as per DIN ISO 1173-C 6.3. Drive: 1/2" square socket.

Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_and\\_sets\\_holders\\_adaptors\\_connectors\\_adaptors\\_780\\_c.html](https://products.wera.de/en/bits_holders_adaptors_and_sets_holders_adaptors_connectors_adaptors_780_c.html)

Wera - 780 C  
05344513001 - 4013288113474

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

Adaptors



**EAN:** 4013288113481

**Part number:** 05344514001

**Article number:** 780 C

**Size:** 35x25x25 mm

**Weight:** 70 g

**Country of origin:** CZ

**Customs tariff number:** 84661038

- 1/2" adaptor
- Suitable for bits with 5/16" hexagon drive (Wera connecting series 2)
- 1/2" square socket drive
- Equipped with ball stop groove

Adaptor from square to hexagonal. Suitable for the attachment of bits with 5/16" hexagon drive as per DIN ISO 1173-C 8. Drive: 1/2" square.

**Web link**

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_and\\_sets\\_holders\\_adaptors\\_connectors\\_adaptors\\_780\\_c.html](https://products.wera.de/en/bits_holders_adaptors_and_sets_holders_adaptors_connectors_adaptors_780_c.html)

Wera - 780 C

05344514001 - 4013288113481

Wera Werkzeuge GmbH

Korzerter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: [info@wera.de](mailto:info@wera.de)

Further versions in this product family:

|                                 |                  |  |  |  |  |
|---------------------------------|------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                                 | art. no.         | inch                                                                              | mm                                                                                | inch                                                                                | inch                                                                                |
| 05042705001                     | 780 C/1          | 1/4"                                                                              | 35                                                                                | 1 3/8"                                                                              | 1/2"                                                                                |
| 05344513001                     | 780 C/1-S        | 1/4"                                                                              | 35                                                                                | 1 3/8"                                                                              | 1/2"                                                                                |
| 05042715001                     | 780 C/2          | 5/16"                                                                             | 35                                                                                | 1 3/8"                                                                              | 1/2"                                                                                |
| <b>05344514001<sup>1)</sup></b> | <b>780 C/2-S</b> | <b>5/16"</b>                                                                      | <b>35</b>                                                                         | <b>1 3/8"</b>                                                                       | <b>1/2"</b>                                                                         |

1) S = extra strong