



EAN:	4013288013781	Size:	70x7x6 mm
Part number:	05059755001	Weight:	11 g
Article number:	851/4 Z PH	Country of origin:	CZ
		Customs tariff number:	82079030

- For Phillips screws
- Tough for hard materials
- 1/4" hexagon drive (Wera connecting series 4)

Premium bits for Phillips screws. Tough, for universal use. 1/4" hexagonal, suitable for holders as per DIN ISO 1173-F 6.3.

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_phillips_screws_851_4_z_ph.html

Wera - 851/4 Z PH
05059755001 - 4013288013781

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Bits for Phillips Screws

Tough-absorbing bits



Tough-absorbing Wera bits (Z) prevent any premature breakage of the drive tip.

Further versions in this product family:

				
		mm	inch	mm
05059755001	PH 1	70	2 3/4"	4.5
05059760001	PH 1	89	3 1/2"	4.5
05059765001	PH 1	127	5"	4.5
05059766001	PH 1	152	6"	4.5
05059770001	PH 2	70	2 3/4"	6.0
05059775001	PH 2	89	3 1/2"	6.0
05059780001	PH 2	110	4 3/8"	6.0
05059785001	PH 2	127	5"	6.0
05059786001	PH 2	152	6"	6.0
05059790001	PH 3	70	2 3/4"	-
05059795001	PH 3	89	3 1/2"	-
05059800001	PH 3	110	4 3/8"	-
05059802001	PH 3	152	6"	-

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_phillips_screws_851_4_z_ph.html

Wera - 851/4 Z PH
 05059755001 - 4013288013781

Wera Werkzeuge GmbH
 Korzter Straße 21-25
 D-42349 Wuppertal
 Tel: +49 (0)2 02 / 40 45-0
 E-Mail: info@wera.de



EAN:	4013288013798	Size:	89x7x6 mm
Part number:	05059760001	Weight:	13 g
Article number:	851/4 Z PH	Country of origin:	CZ
		Customs tariff number:	82079030

- For Phillips screws
- Tough for hard materials
- 1/4" hexagon drive (Wera connecting series 4)

Premium bits for Phillips screws. Tough, for universal use. 1/4" hexagonal, suitable for holders as per DIN ISO 1173-F 6.3.

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_phillips_screws_851_4_z_ph.html

Wera - 851/4 Z PH
05059760001 - 4013288013798

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Bits for Phillips Screws

Tough-absorbing bits



Tough-absorbing Wera bits (Z) prevent any premature breakage of the drive tip.

Further versions in this product family:

				
		mm	inch	mm
05059755001	PH 1	70	2 3/4"	4.5
05059760001	PH 1	89	3 1/2"	4.5
05059765001	PH 1	127	5"	4.5
05059766001	PH 1	152	6"	4.5
05059770001	PH 2	70	2 3/4"	6.0
05059775001	PH 2	89	3 1/2"	6.0
05059780001	PH 2	110	4 3/8"	6.0
05059785001	PH 2	127	5"	6.0
05059786001	PH 2	152	6"	6.0
05059790001	PH 3	70	2 3/4"	-
05059795001	PH 3	89	3 1/2"	-
05059800001	PH 3	110	4 3/8"	-
05059802001	PH 3	152	6"	-

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_phillips_screws_851_4_z_ph.html

Wera - 851/4 Z PH
 05059760001 - 4013288013798

Wera Werkzeuge GmbH
 Korzter Straße 21-25
 D-42349 Wuppertal
 Tel: +49 (0)2 02 / 40 45-0
 E-Mail: info@wera.de



EAN:	4013288031044	Size:	127x7x6 mm
Part number:	05059765001	Weight:	18 g
Article number:	851/4 Z PH	Country of origin:	CZ
		Customs tariff number:	82079030

- For Phillips screws
- Tough for hard materials
- 1/4" hexagon drive (Wera connecting series 4)

Premium bits for Phillips screws. Tough, for universal use. 1/4" hexagonal, suitable for holders as per DIN ISO 1173-F 6.3.

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_phillips_screws_851_4_z_ph.html

Wera - 851/4 Z PH
05059765001 - 4013288031044

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Bits for Phillips Screws

Tough-absorbing bits



Tough-absorbing Wera bits (Z) prevent any premature breakage of the drive tip.

Further versions in this product family:

				
		mm	inch	mm
05059755001	PH 1	70	2 3/4"	4.5
05059760001	PH 1	89	3 1/2"	4.5
05059765001	PH 1	127	5"	4.5
05059766001	PH 1	152	6"	4.5
05059770001	PH 2	70	2 3/4"	6.0
05059775001	PH 2	89	3 1/2"	6.0
05059780001	PH 2	110	4 3/8"	6.0
05059785001	PH 2	127	5"	6.0
05059786001	PH 2	152	6"	6.0
05059790001	PH 3	70	2 3/4"	-
05059795001	PH 3	89	3 1/2"	-
05059800001	PH 3	110	4 3/8"	-
05059802001	PH 3	152	6"	-

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_phillips_screws_851_4_z_ph.html

Wera - 851/4 Z PH
 05059765001 - 4013288031044

Wera Werkzeuge GmbH
 Korzelter Straße 21-25
 D-42349 Wuppertal
 Tel: +49 (0)2 02 / 40 45-0
 E-Mail: info@wera.de



EAN:	4013288031051	Size:	152x7x6 mm
Part number:	05059766001	Weight:	21 g
Article number:	851/4 Z PH	Country of origin:	CZ
		Customs tariff number:	82079030

- For Phillips screws
- Tough for hard materials
- 1/4" hexagon drive (Wera connecting series 4)

Premium bits for Phillips screws. Tough, for universal use. 1/4" hexagonal, suitable for holders as per DIN ISO 1173-F 6.3.

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_phillips_screws_851_4_z_ph.html

Wera - 851/4 Z PH
05059766001 - 4013288031051

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Bits for Phillips Screws

Tough-absorbing bits



Tough-absorbing Wera bits (Z) prevent any premature breakage of the drive tip.

Further versions in this product family:

				
		mm	inch	mm
05059755001	PH 1	70	2 3/4"	4.5
05059760001	PH 1	89	3 1/2"	4.5
05059765001	PH 1	127	5"	4.5
05059766001	PH 1	152	6"	4.5
05059770001	PH 2	70	2 3/4"	6.0
05059775001	PH 2	89	3 1/2"	6.0
05059780001	PH 2	110	4 3/8"	6.0
05059785001	PH 2	127	5"	6.0
05059786001	PH 2	152	6"	6.0
05059790001	PH 3	70	2 3/4"	-
05059795001	PH 3	89	3 1/2"	-
05059800001	PH 3	110	4 3/8"	-
05059802001	PH 3	152	6"	-

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_phillips_screws_851_4_z_ph.html

Wera - 851/4 Z PH
 05059766001 - 4013288031051

Wera Werkzeuge GmbH
 Korzelter Straße 21-25
 D-42349 Wuppertal
 Tel: +49 (0)2 02 / 40 45-0
 E-Mail: info@wera.de



EAN:	4013288013804	Size:	70x7x6 mm
Part number:	05059770001	Weight:	15 g
Article number:	851/4 Z PH	Country of origin:	CZ
		Customs tariff number:	82079030

- For Phillips screws
- Tough for hard materials
- 1/4" hexagon drive (Wera connecting series 4)

Premium bits for Phillips screws. Tough, for universal use. 1/4" hexagonal, suitable for holders as per DIN ISO 1173-F 6.3.

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_phillips_screws_851_4_z_ph.html

Wera - 851/4 Z PH
05059770001 - 4013288013804

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Bits for Phillips Screws

Tough-absorbing bits



Tough-absorbing Wera bits (Z) prevent any premature breakage of the drive tip.

Further versions in this product family:

				
		mm	inch	mm
05059755001	PH 1	70	2 3/4"	4.5
05059760001	PH 1	89	3 1/2"	4.5
05059765001	PH 1	127	5"	4.5
05059766001	PH 1	152	6"	4.5
05059770001	PH 2	70	2 3/4"	6.0
05059775001	PH 2	89	3 1/2"	6.0
05059780001	PH 2	110	4 3/8"	6.0
05059785001	PH 2	127	5"	6.0
05059786001	PH 2	152	6"	6.0
05059790001	PH 3	70	2 3/4"	-
05059795001	PH 3	89	3 1/2"	-
05059800001	PH 3	110	4 3/8"	-
05059802001	PH 3	152	6"	-

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_phillips_screws_851_4_z_ph.html

Wera - 851/4 Z PH
 05059770001 - 4013288013804

Wera Werkzeuge GmbH
 Korzelter Straße 21-25
 D-42349 Wuppertal
 Tel: +49 (0)2 02 / 40 45-0
 E-Mail: info@wera.de



EAN:	4013288013811	Size:	89x7x6 mm
Part number:	05059775001	Weight:	19 g
Article number:	851/4 Z PH	Country of origin:	CZ
		Customs tariff number:	82079030

- For Phillips screws
- Tough for hard materials
- 1/4" hexagon drive (Wera connecting series 4)

Premium bits for Phillips screws. Tough, for universal use. 1/4" hexagonal, suitable for holders as per DIN ISO 1173-F 6.3.

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_phillips_screws_851_4_z_ph.html

Wera - 851/4 Z PH
05059775001 - 4013288013811

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Bits for Phillips Screws

Tough-absorbing bits



Tough-absorbing Wera bits (Z) prevent any premature breakage of the drive tip.

Further versions in this product family:

				
		mm	inch	mm
05059755001	PH 1	70	2 3/4"	4.5
05059760001	PH 1	89	3 1/2"	4.5
05059765001	PH 1	127	5"	4.5
05059766001	PH 1	152	6"	4.5
05059770001	PH 2	70	2 3/4"	6.0
05059775001	PH 2	89	3 1/2"	6.0
05059780001	PH 2	110	4 3/8"	6.0
05059785001	PH 2	127	5"	6.0
05059786001	PH 2	152	6"	6.0
05059790001	PH 3	70	2 3/4"	-
05059795001	PH 3	89	3 1/2"	-
05059800001	PH 3	110	4 3/8"	-
05059802001	PH 3	152	6"	-

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_phillips_screws_851_4_z_ph.html

Wera - 851/4 Z PH

05059775001 - 4013288013811

Wera Werkzeuge GmbH

Korzerter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: info@wera.de



EAN:	4013288013828	Size:	110x7x6 mm
Part number:	05059780001	Weight:	24 g
Article number:	851/4 Z PH	Country of origin:	CZ
		Customs tariff number:	82079030

- For Phillips screws
- Tough for hard materials
- 1/4" hexagon drive (Wera connecting series 4)

Premium bits for Phillips screws. Tough, for universal use. 1/4" hexagonal, suitable for holders as per DIN ISO 1173-F 6.3.

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_phillips_screws_851_4_z_ph.html

Wera - 851/4 Z PH
05059780001 - 4013288013828

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Bits for Phillips Screws

Tough-absorbing bits



Tough-absorbing Wera bits (Z) prevent any premature breakage of the drive tip.

Further versions in this product family:

				
		mm	inch	mm
05059755001	PH 1	70	2 3/4"	4.5
05059760001	PH 1	89	3 1/2"	4.5
05059765001	PH 1	127	5"	4.5
05059766001	PH 1	152	6"	4.5
05059770001	PH 2	70	2 3/4"	6.0
05059775001	PH 2	89	3 1/2"	6.0
05059780001	PH 2	110	4 3/8"	6.0
05059785001	PH 2	127	5"	6.0
05059786001	PH 2	152	6"	6.0
05059790001	PH 3	70	2 3/4"	-
05059795001	PH 3	89	3 1/2"	-
05059800001	PH 3	110	4 3/8"	-
05059802001	PH 3	152	6"	-

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_phillips_screws_851_4_z_ph.html

Wera - 851/4 Z PH
 05059780001 - 4013288013828

Wera Werkzeuge GmbH
 Korzelter Straße 21-25
 D-42349 Wuppertal
 Tel: +49 (0)2 02 / 40 45-0
 E-Mail: info@wera.de



EAN:	4013288030474	Size:	127x7x6 mm
Part number:	05059785001	Weight:	27 g
Article number:	851/4 Z PH	Country of origin:	CZ
		Customs tariff number:	82079030

- For Phillips screws
- Tough for hard materials
- 1/4" hexagon drive (Wera connecting series 4)

Premium bits for Phillips screws. Tough, for universal use. 1/4" hexagonal, suitable for holders as per DIN ISO 1173-F 6.3.

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_phillips_screws_851_4_z_ph.html

Wera - 851/4 Z PH
05059785001 - 4013288030474

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Bits for Phillips Screws

Tough-absorbing bits



Tough-absorbing Wera bits (Z) prevent any premature breakage of the drive tip.

Further versions in this product family:

				
		mm	inch	mm
05059755001	PH 1	70	2 3/4"	4.5
05059760001	PH 1	89	3 1/2"	4.5
05059765001	PH 1	127	5"	4.5
05059766001	PH 1	152	6"	4.5
05059770001	PH 2	70	2 3/4"	6.0
05059775001	PH 2	89	3 1/2"	6.0
05059780001	PH 2	110	4 3/8"	6.0
05059785001	PH 2	127	5"	6.0
05059786001	PH 2	152	6"	6.0
05059790001	PH 3	70	2 3/4"	-
05059795001	PH 3	89	3 1/2"	-
05059800001	PH 3	110	4 3/8"	-
05059802001	PH 3	152	6"	-

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_phillips_screws_851_4_z_ph.html

Wera - 851/4 Z PH
 05059785001 - 4013288030474

Wera Werkzeuge GmbH
 Korzter Straße 21-25
 D-42349 Wuppertal
 Tel: +49 (0)2 02 / 40 45-0
 E-Mail: info@wera.de



EAN:	4013288031068	Size:	152x7x6 mm
Part number:	05059786001	Weight:	33 g
Article number:	851/4 Z PH	Country of origin:	CZ
		Customs tariff number:	82079030

- For Phillips screws
- Tough for hard materials
- 1/4" hexagon drive (Wera connecting series 4)

Premium bits for Phillips screws. Tough, for universal use. 1/4" hexagonal, suitable for holders as per DIN ISO 1173-F 6.3.

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_phillips_screws_851_4_z_ph.html

Wera - 851/4 Z PH
05059786001 - 4013288031068

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Bits for Phillips Screws

Tough-absorbing bits



Tough-absorbing Wera bits (Z) prevent any premature breakage of the drive tip.

Further versions in this product family:

				
		mm	inch	mm
05059755001	PH 1	70	2 3/4"	4.5
05059760001	PH 1	89	3 1/2"	4.5
05059765001	PH 1	127	5"	4.5
05059766001	PH 1	152	6"	4.5
05059770001	PH 2	70	2 3/4"	6.0
05059775001	PH 2	89	3 1/2"	6.0
05059780001	PH 2	110	4 3/8"	6.0
05059785001	PH 2	127	5"	6.0
05059786001	PH 2	152	6"	6.0
05059790001	PH 3	70	2 3/4"	-
05059795001	PH 3	89	3 1/2"	-
05059800001	PH 3	110	4 3/8"	-
05059802001	PH 3	152	6"	-

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_phillips_screws_851_4_z_ph.html

Wera - 851/4 Z PH
 05059786001 - 4013288031068

Wera Werkzeuge GmbH
 Korzelter Straße 21-25
 D-42349 Wuppertal
 Tel: +49 (0)2 02 / 40 45-0
 E-Mail: info@wera.de



EAN:	4013288013835	Size:	70x7x6 mm
Part number:	05059790001	Weight:	17 g
Article number:	851/4 Z PH	Country of origin:	CZ
		Customs tariff number:	82079030

- For Phillips screws
- Tough for hard materials
- 1/4" hexagon drive (Wera connecting series 4)

Premium bits for Phillips screws. Tough, for universal use. 1/4" hexagonal, suitable for holders as per DIN ISO 1173-F 6.3.

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_phillips_screws_851_4_z_ph.html

Wera - 851/4 Z PH
05059790001 - 4013288013835

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Bits for Phillips Screws

Tough-absorbing bits



Tough-absorbing Wera bits (Z) prevent any premature breakage of the drive tip.

Further versions in this product family:

				
		mm	inch	mm
05059755001	PH 1	70	2 3/4"	4.5
05059760001	PH 1	89	3 1/2"	4.5
05059765001	PH 1	127	5"	4.5
05059766001	PH 1	152	6"	4.5
05059770001	PH 2	70	2 3/4"	6.0
05059775001	PH 2	89	3 1/2"	6.0
05059780001	PH 2	110	4 3/8"	6.0
05059785001	PH 2	127	5"	6.0
05059786001	PH 2	152	6"	6.0
05059790001	PH 3	70	2 3/4"	-
05059795001	PH 3	89	3 1/2"	-
05059800001	PH 3	110	4 3/8"	-
05059802001	PH 3	152	6"	-

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_phillips_screws_851_4_z_ph.html

Wera - 851/4 Z PH
 05059790001 - 4013288013835

Wera Werkzeuge GmbH
 Korzter Straße 21-25
 D-42349 Wuppertal
 Tel: +49 (0)2 02 / 40 45-0
 E-Mail: info@wera.de



EAN:	4013288013842	Size:	89x7x6 mm
Part number:	05059795001	Weight:	22 g
Article number:	851/4 Z PH	Country of origin:	CZ
		Customs tariff number:	82079030

- For Phillips screws
- Tough for hard materials
- 1/4" hexagon drive (Wera connecting series 4)

Premium bits for Phillips screws. Tough, for universal use. 1/4" hexagonal, suitable for holders as per DIN ISO 1173-F 6.3.

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_phillips_screws_851_4_z_ph.html

Wera - 851/4 Z PH
05059795001 - 4013288013842

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Bits for Phillips Screws

Tough-absorbing bits



Tough-absorbing Wera bits (Z) prevent any premature breakage of the drive tip.

Further versions in this product family:

				
		mm	inch	mm
05059755001	PH 1	70	2 3/4"	4.5
05059760001	PH 1	89	3 1/2"	4.5
05059765001	PH 1	127	5"	4.5
05059766001	PH 1	152	6"	4.5
05059770001	PH 2	70	2 3/4"	6.0
05059775001	PH 2	89	3 1/2"	6.0
05059780001	PH 2	110	4 3/8"	6.0
05059785001	PH 2	127	5"	6.0
05059786001	PH 2	152	6"	6.0
05059790001	PH 3	70	2 3/4"	-
05059795001	PH 3	89	3 1/2"	-
05059800001	PH 3	110	4 3/8"	-
05059802001	PH 3	152	6"	-

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_phillips_screws_851_4_z_ph.html

Wera - 851/4 Z PH
 05059795001 - 4013288013842

Wera Werkzeuge GmbH
 Korzelter Straße 21-25
 D-42349 Wuppertal
 Tel: +49 (0)2 02 / 40 45-0
 E-Mail: info@wera.de



EAN:	4013288031075	Size:	152x7x6 mm
Part number:	05059802001	Weight:	40 g
Article number:	851/4 Z PH	Country of origin:	CZ
		Customs tariff number:	82079030

- For Phillips screws
- Tough for hard materials
- 1/4" hexagon drive (Wera connecting series 4)

Premium bits for Phillips screws. Tough, for universal use. 1/4" hexagonal, suitable for holders as per DIN ISO 1173-F 6.3.

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_phillips_screws_851_4_z_ph.html

Wera - 851/4 Z PH
05059802001 - 4013288031075

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Bits for Phillips Screws

Tough-absorbing bits



Tough-absorbing Wera bits (Z) prevent any premature breakage of the drive tip.

Further versions in this product family:

				
		mm	inch	mm
05059755001	PH 1	70	2 3/4"	4.5
05059760001	PH 1	89	3 1/2"	4.5
05059765001	PH 1	127	5"	4.5
05059766001	PH 1	152	6"	4.5
05059770001	PH 2	70	2 3/4"	6.0
05059775001	PH 2	89	3 1/2"	6.0
05059780001	PH 2	110	4 3/8"	6.0
05059785001	PH 2	127	5"	6.0
05059786001	PH 2	152	6"	6.0
05059790001	PH 3	70	2 3/4"	-
05059795001	PH 3	89	3 1/2"	-
05059800001	PH 3	110	4 3/8"	-
05059802001	PH 3	152	6"	-

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_phillips_screws_851_4_z_ph.html

Wera - 851/4 Z PH
 05059802001 - 4013288031075

Wera Werkzeuge GmbH
 Korzter Straße 21-25
 D-42349 Wuppertal
 Tel: +49 (0)2 02 / 40 45-0
 E-Mail: info@wera.de