

932 A Screwdriver for slotted screws, 0.6 x 3.5 x 80 mm

Kraftform Plus – Series 900



EAN:	4013288018007	Size:	161x26x26 mm
Part number:	05018260001	Weight:	34 g
Article number:	932 A	Country of origin:	CZ
		Customs tariff number:	82054000

- Multi-component Kraftform handle for fast and ergonomic screwdriving
- Smooth hard zones for high speed turning, soft grip zones for high torque transfer
- The Wera Black Point tip offers an exact fit and optimum corrosion protection

Wera screwdriver to tighten or loosen screws. Multi-component Kraftform handle for fast and low-fatigue working. Kraftform Plus: hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. Hexagonal blade out of high quality bit material enables a full transfer of force. Ductile tempered material prevents any splintering or breaking of the blade. The Wera Black Point tip and a complex hardening process ensure a long service life of the tip, enhanced corrosion protection and an exact fit. The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace.



Web link

https://products.wera.de/en/screwdrivers_kraftform_plus_series_900_932_a.html


Wera - 932 A
05018260001 - 4013288018007

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Integrated impact cap



Screwdrivers are often misused as chisels. This can be dangerous. The chiseldriver is the solution when not only screwdriving is required. For fastening, chiselling and loosening seized screws. Wera chiseldriver: the screwdriver whenever the going gets tough!



An integrated impact cap lengthens the service life and reduces the danger of splintering. Nevertheless, always wear protective goggles.

Pound-thru blade



A hexagon blade made out of high-quality bit material extends right through the handle - thereby ensuring full transfer of force, even when struck with a hammer. The ductile tempered material prevents the blade from splintering or breaking.

Integrated hex bolster



Greater torque can be transferred by fitting an open-jaw or ring spanner over the integrated hex bolster.

Wera Black Point tip



The Wera Black Point tip and a refined hardening process ensure long service life of the tip, improved corrosion protection and an exact fit.

Kraftform




The basic idea for the prototype of the Kraftform handle - that the hand should dictate the design - has, right through to today, proved to be correct. In cooperation with the internationally recognised Fraunhofer IAO Institute, Wera developed a screwdriver handle designed to match the shape of the human hand as long ago as the 1960s. After a long development phase, the Wera Kraftform handle was launched to the market in 1968. It has been optimised through the years with new technologies, but has kept its proven shape. After all, the human hand has not changed either.

Rapid hand repositioning



The hard materials used for the handle ensure rapid hand repositioning without any danger of the skin "sticking" to the handle. The surrounding hard zones with large diameters glide like wheels through the hand.

Non-roll feature



The hexagonal non-roll feature prevents any rolling away at the workplace.


Web link

https://products.wera.de/en/screwdrivers_kraftform_plus_series_900_932_a.html

Wera - 932 A
05018260001 - 4013288018007

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Further versions in this product family:



	mm	mm	mm	mm	mm	mm	inch	inch
05018260001¹⁾	0.6	3.5	4	-	80	81	9/64"	3 1/8"
05018262001	0.8	4.5	5	8	90	98	0.178"	3 1/2"
05018264001	1.0	5.5	6	10	100	105	7/32"	4"
05018266001	1.2	7.0	6	10	125	105	9/32"	5"
05018268001	1.6	9.0	8	13	150	112	11/32"	6"
05018270001	1.6	10.0	8	13	175	112	3/8"	7"
05018272001 ²⁾	2.0	12.0	10	16	200	117	1/2"	8"
05018274001 ²⁾	2.5	14.0	10	16	250	117	9/16"	10"

1) No throughout blade, no impact cap and no hexagon bolster
 2) Kraftform with non-roll feature, single-component

Web link

https://products.wera.de/en/screwdrivers_kraftform_plus_series_900_932_a.html

Wera - 932 A
 05018260001 - 4013288018007

Wera Werkzeuge GmbH
 Korzter Straße 21-25
 D-42349 Wuppertal
 Tel: +49 (0)2 02 / 40 45-0
 E-Mail: info@wera.de

932 A Screwdriver for slotted screws, 0.8 x 4.5 x 90 mm

Kraftform Plus – Series 900



EAN:	4013288018014	Size:	188x33x33 mm
Part number:	05018262001	Weight:	89 g
Article number:	932 A	Country of origin:	CZ
		Customs tariff number:	82054000

- Chiseldriver for fastening, chiselling and loosening
- Hexagonal blade extending through the handle
- Multi-component Kraftform handle for fast and ergonomic screwdriving
- Impact cap and bolster for the transfer of higher torque
- The Wera Black Point tip offers an exact fit and optimum corrosion protection

Wera chiseldriver for screwdriving, chiseling, mortising and slackening stuck screws. With multi-component Kraftform handle for fast and smooth work. Kraftform Plus: Hard handle zones for high working speeds, while soft handle zones guarantee a high torque transfer. The pound-thru hexagonal blade made of premium bit material ensures power transmission without loss even at hammer blows. Tough tempered material to prevent the blade from splintering or breaking. With integrated impact cap to increase service life and reduce risk of splintering. Higher torques can be transmitted with open-end or ring spanners using the integrated hexagonal wrench aid. The Wera Black Point tip and a sophisticated hardening process guarantee a long usability for the tip, increased corrosion protection and exact fitting accuracy. With hexagonal anti-roll protection to avoid bits from rolling away annoyingly in the workplace.



Web link

https://products.wera.de/en/screwdrivers_kraftform_plus_series_900_932_a.html


Wera - 932 A
05018262001 - 4013288018014

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Integrated impact cap



Screwdrivers are often misused as chisels. This can be dangerous. The chiseldriver is the solution when not only screwdriving is required. For fastening, chiselling and loosening seized screws. Wera chiseldriver: the screwdriver whenever the going gets tough!



An integrated impact cap lengthens the service life and reduces the danger of splintering. Nevertheless, always wear protective goggles.

Pound-thru blade



A hexagon blade made out of high-quality bit material extends right through the handle - thereby ensuring full transfer of force, even when struck with a hammer. The ductile tempered material prevents the blade from splintering or breaking.

Integrated hex bolster



Greater torque can be transferred by fitting an open-jaw or ring spanner over the integrated hex bolster.

Wera Black Point tip



The Wera Black Point tip and a refined hardening process ensure long service life of the tip, improved corrosion protection and an exact fit.

Kraftform




The basic idea for the prototype of the Kraftform handle - that the hand should dictate the design - has, right through to today, proved to be correct. In cooperation with the internationally recognised Fraunhofer IAO Institute, Wera developed a screwdriver handle designed to match the shape of the human hand as long ago as the 1960s. After a long development phase, the Wera Kraftform handle was launched to the market in 1968. It has been optimised through the years with new technologies, but has kept its proven shape. After all, the human hand has not changed either.

Rapid hand repositioning



The hard materials used for the handle ensure rapid hand repositioning without any danger of the skin "sticking" to the handle. The surrounding hard zones with large diameters glide like wheels through the hand.

Non-roll feature



The hexagonal non-roll feature prevents any rolling away at the workplace.

Web link

https://products.wera.de/en/screwdrivers_kraftform_plus_series_900_932_a.html

Wera - 932 A
05018262001 - 4013288018014

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Further versions in this product family:

	 mm	 mm	 mm	 mm	 mm	 mm	 inch	 inch
05018260001 ¹⁾	0.6	3.5	4	-	80	81	9/64"	3 1/8"
05018262001	0.8	4.5	5	8	90	98	0.178"	3 1/2"
05018264001	1.0	5.5	6	10	100	105	7/32"	4"
05018266001	1.2	7.0	6	10	125	105	9/32"	5"
05018268001	1.6	9.0	8	13	150	112	11/32"	6"
05018270001	1.6	10.0	8	13	175	112	3/8"	7"
05018272001 ²⁾	2.0	12.0	10	16	200	117	1/2"	8"
05018274001 ²⁾	2.5	14.0	10	16	250	117	9/16"	10"

1) No throughout blade, no impact cap and no hexagon bolster
 2) Kraftform with non-roll feature, single-component

932 A Screwdriver for slotted screws, 1.2 x 7 x 125 mm

Kraftform Plus – Series 900



EAN:	4013288018038	Size:	230x37x37 mm
Part number:	05018266001	Weight:	128 g
Article number:	932 A	Country of origin:	CZ
		Customs tariff number:	82054000

- Chiseldriver for fastening, chiselling and loosening
- Hexagonal blade extending through the handle
- Multi-component Kraftform handle for fast and ergonomic screwdriving
- Impact cap and bolster for the transfer of higher torque
- The Wera Black Point tip offers an exact fit and optimum corrosion protection

Wera chiseldriver for screwdriving, chiseling, mortising and slackening stuck screws. With multi-component Kraftform handle for fast and smooth work. Kraftform Plus: Hard handle zones for high working speeds, while soft handle zones guarantee a high torque transfer. The pound-thru hexagonal blade made of premium bit material ensures power transmission without loss even at hammer blows. Tough tempered material to prevent the blade from splintering or breaking. With integrated impact cap to increase service life and reduce risk of splintering. Higher torques can be transmitted with open-end or ring spanners using the integrated hexagonal wrench aid. The Wera Black Point tip and a sophisticated hardening process guarantee a long usability for the tip, increased corrosion protection and exact fitting accuracy. With hexagon anti-roll protection to avoid bits from rolling away annoyingly in the workplace.



Web link

https://products.wera.de/en/screwdrivers_kraftform_plus_series_900_932_a.html


Wera - 932 A
05018266001 - 4013288018038

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Integrated impact cap



Screwdrivers are often misused as chisels. This can be dangerous. The chiseldriver is the solution when not only screwdriving is required. For fastening, chiselling and loosening seized screws. Wera chiseldriver: the screwdriver whenever the going gets tough!



An integrated impact cap lengthens the service life and reduces the danger of splintering. Nevertheless, always wear protective goggles.

Pound-thru blade



A hexagon blade made out of high-quality bit material extends right through the handle - thereby ensuring full transfer of force, even when struck with a hammer. The ductile tempered material prevents the blade from splintering or breaking.

Integrated hex bolster



Greater torque can be transferred by fitting an open-jaw or ring spanner over the integrated hex bolster.

Wera Black Point tip



The Wera Black Point tip and a refined hardening process ensure long service life of the tip, improved corrosion protection and an exact fit.

Kraftform




The basic idea for the prototype of the Kraftform handle - that the hand should dictate the design - has, right through to today, proved to be correct. In cooperation with the internationally recognised Fraunhofer IAO Institute, Wera developed a screwdriver handle designed to match the shape of the human hand as long ago as the 1960s. After a long development phase, the Wera Kraftform handle was launched to the market in 1968. It has been optimised through the years with new technologies, but has kept its proven shape. After all, the human hand has not changed either.

Rapid hand repositioning



The hard materials used for the handle ensure rapid hand repositioning without any danger of the skin "sticking" to the handle. The surrounding hard zones with large diameters glide like wheels through the hand.

Non-roll feature



The hexagonal non-roll feature prevents any rolling away at the workplace.

Web link

https://products.wera.de/en/screwdrivers_kraftform_plus_series_900_932_a.html

Wera - 932 A
05018266001 - 4013288018038

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Further versions in this product family:

	 mm	 mm	 mm	 mm	 mm	 mm	 inch	 inch
05018260001 ¹⁾	0.6	3.5	4	-	80	81	9/64"	3 1/8"
05018262001	0.8	4.5	5	8	90	98	0.178"	3 1/2"
05018264001	1.0	5.5	6	10	100	105	7/32"	4"
05018266001	1.2	7.0	6	10	125	105	9/32"	5"
05018268001	1.6	9.0	8	13	150	112	11/32"	6"
05018270001	1.6	10.0	8	13	175	112	3/8"	7"
05018272001 ²⁾	2.0	12.0	10	16	200	117	1/2"	8"
05018274001 ²⁾	2.5	14.0	10	16	250	117	9/16"	10"

1) No throughout blade, no impact cap and no hexagon bolster
 2) Kraftform with non-roll feature, single-component

Web link

https://products.wera.de/en/screwdrivers_kraftform_plus_series_900_932_a.html

Wera - 932 A
 05018266001 - 4013288018038

Wera Werkzeuge GmbH
 Korzter Straße 21-25
 D-42349 Wuppertal
 Tel: +49 (0)2 02 / 40 45-0
 E-Mail: info@wera.de

932 A Screwdriver for slotted screws, 1.6 x 9 x 150 mm

Kraftform Plus – Series 900



EAN:	4013288018045	Size:	262x40x40 mm
Part number:	05018268001	Weight:	208 g
Article number:	932 A	Country of origin:	CZ
		Customs tariff number:	82054000

- Chiseldriver for fastening, chiselling and loosening
- Hexagonal blade extending through the handle
- Multi-component Kraftform handle for fast and ergonomic screwdriving
- Impact cap and bolster for the transfer of higher torque
- The Wera Black Point tip offers an exact fit and optimum corrosion protection

Wera chiseldriver for screwdriving, chiseling, mortising and slacking stuck screws. With multi-component Kraftform handle for fast and smooth work. Kraftform Plus: Hard handle zones for high working speeds, while soft handle zones guarantee a high torque transfer. The pound-thru hexagonal blade made of premium bit material ensures power transmission without loss even at hammer blows. Tough tempered material to prevent the blade from splintering or breaking. With integrated impact cap to increase service life and reduce risk of splintering. Higher torques can be transmitted with open-end or ring spanners using the integrated hexagonal wrench aid. The Wera Black Point tip and a sophisticated hardening process guarantee a long usability for the tip, increased corrosion protection and exact fitting accuracy. With hexagon anti-roll protection to avoid bits from rolling away annoyingly in the workplace.



Web link

https://products.wera.de/en/screwdrivers_kraftform_plus_series_900_932_a.html


Wera - 932 A
05018268001 - 4013288018045

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Integrated impact cap



Screwdrivers are often misused as chisels. This can be dangerous. The chiseldriver is the solution when not only screwdriving is required. For fastening, chiselling and loosening seized screws. Wera chiseldriver: the screwdriver whenever the going gets tough!



An integrated impact cap lengthens the service life and reduces the danger of splintering. Nevertheless, always wear protective goggles.

Pound-thru blade



A hexagon blade made out of high-quality bit material extends right through the handle - thereby ensuring full transfer of force, even when struck with a hammer. The ductile tempered material prevents the blade from splintering or breaking.

Integrated hex bolster



Greater torque can be transferred by fitting an open-jaw or ring spanner over the integrated hex bolster.

Wera Black Point tip



The Wera Black Point tip and a refined hardening process ensure long service life of the tip, improved corrosion protection and an exact fit.

Kraftform




The basic idea for the prototype of the Kraftform handle - that the hand should dictate the design - has, right through to today, proved to be correct. In cooperation with the internationally recognised Fraunhofer IAO Institute, Wera developed a screwdriver handle designed to match the shape of the human hand as long ago as the 1960s. After a long development phase, the Wera Kraftform handle was launched to the market in 1968. It has been optimised through the years with new technologies, but has kept its proven shape. After all, the human hand has not changed either.

Rapid hand repositioning



The hard materials used for the handle ensure rapid hand repositioning without any danger of the skin "sticking" to the handle. The surrounding hard zones with large diameters glide like wheels through the hand.

Non-roll feature



The hexagonal non-roll feature prevents any rolling away at the workplace.

Web link

https://products.wera.de/en/screwdrivers_kraftform_plus_series_900_932_a.html

Wera - 932 A
05018268001 - 4013288018045

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Further versions in this product family:

	 mm	 mm	 mm	 mm	 mm	 mm	 inch	 inch
05018260001 ¹⁾	0.6	3.5	4	-	80	81	9/64"	3 1/8"
05018262001	0.8	4.5	5	8	90	98	0.178"	3 1/2"
05018264001	1.0	5.5	6	10	100	105	7/32"	4"
05018266001	1.2	7.0	6	10	125	105	9/32"	5"
05018268001	1.6	9.0	8	13	150	112	11/32"	6"
05018270001	1.6	10.0	8	13	175	112	3/8"	7"
05018272001 ²⁾	2.0	12.0	10	16	200	117	1/2"	8"
05018274001 ²⁾	2.5	14.0	10	16	250	117	9/16"	10"

1) No throughout blade, no impact cap and no hexagon bolster
 2) Kraftform with non-roll feature, single-component

932 A Screwdriver for slotted screws, 1.6 x 10 x 175 mm

Kraftform Plus – Series 900



EAN:	4013288018052	Size:	287x40x40 mm
Part number:	05018270001	Weight:	219 g
Article number:	932 A	Country of origin:	CZ
		Customs tariff number:	82054000

- Chiseldriver for fastening, chiselling and loosening
- Hexagonal blade extending through the handle
- Multi-component Kraftform handle for fast and ergonomic screwdriving
- Impact cap and bolster for the transfer of higher torque
- The Wera Black Point tip offers an exact fit and optimum corrosion protection

Wera chiseldriver for screwdriving, chiseling, mortising and slackening stuck screws. With multi-component Kraftform handle for fast and smooth work. Kraftform Plus: Hard handle zones for high working speeds, while soft handle zones guarantee a high torque transfer. The pound-thru hexagonal blade made of premium bit material ensures power transmission without loss even at hammer blows. Tough tempered material to prevent the blade from splintering or breaking. With integrated impact cap to increase service life and reduce risk of splintering. Higher torques can be transmitted with open-end or ring spanners using the integrated hexagonal wrench aid. The Wera Black Point tip and a sophisticated hardening process guarantee a long usability for the tip, increased corrosion protection and exact fitting accuracy. With hexagon anti-roll protection to avoid bits from rolling away annoyingly in the workplace.



IMPACT
CAP



HEXAGON
BLADE



POUND-THRU
BLADE



HEXAGON
BOLSTER



BLACK
POINT



KRAFTFORM
ERGONOMICS



ANTI
ROLL-OFF

Web link

https://products.wera.de/en/screwdrivers_kraftform_plus_series_900_932_a.html

Wera - 932 A

05018270001 - 4013288018052

Wera Werkzeuge GmbH

Korzter Straße 21-25

D-42349 Wuppertal


Tel: +49 (0)2 02 / 40 45-0

E-Mail: info@wera.de

Integrated impact cap



Screwdrivers are often misused as chisels. This can be dangerous. The chiseldriver is the solution when not only screwdriving is required. For fastening, chiselling and loosening seized screws. Wera chiseldriver: the screwdriver whenever the going gets tough!



An integrated impact cap lengthens the service life and reduces the danger of splintering. Nevertheless, always wear protective goggles.

Pound-thru blade



A hexagon blade made out of high-quality bit material extends right through the handle - thereby ensuring full transfer of force, even when struck with a hammer. The ductile tempered material prevents the blade from splintering or breaking.

Integrated hex bolster



Greater torque can be transferred by fitting an open-jaw or ring spanner over the integrated hex bolster.

Wera Black Point tip



The Wera Black Point tip and a refined hardening process ensure long service life of the tip, improved corrosion protection and an exact fit.

Kraftform




The basic idea for the prototype of the Kraftform handle - that the hand should dictate the design - has, right through to today, proved to be correct. In cooperation with the internationally recognised Fraunhofer IAO Institute, Wera developed a screwdriver handle designed to match the shape of the human hand as long ago as the 1960s. After a long development phase, the Wera Kraftform handle was launched to the market in 1968. It has been optimised through the years with new technologies, but has kept its proven shape. After all, the human hand has not changed either.

Rapid hand repositioning



The hard materials used for the handle ensure rapid hand repositioning without any danger of the skin "sticking" to the handle. The surrounding hard zones with large diameters glide like wheels through the hand.

Non-roll feature



The hexagonal non-roll feature prevents any rolling away at the workplace.

Web link

https://products.wera.de/en/screwdrivers_kraftform_plus_series_900_932_a.html

Wera - 932 A
05018270001 - 4013288018052

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

932 A Screwdriver for slotted screws, 1.6 x 10 x 175 mm

Kraftform Plus – Series 900



Further versions in this product family:

	 mm	 mm	 mm	 mm	 mm	 mm	 inch	 inch
05018260001 ¹⁾	0.6	3.5	4	-	80	81	9/64"	3 1/8"
05018262001	0.8	4.5	5	8	90	98	0.178"	3 1/2"
05018264001	1.0	5.5	6	10	100	105	7/32"	4"
05018266001	1.2	7.0	6	10	125	105	9/32"	5"
05018268001	1.6	9.0	8	13	150	112	11/32"	6"
05018270001	1.6	10.0	8	13	175	112	3/8"	7"
05018272001 ²⁾	2.0	12.0	10	16	200	117	1/2"	8"
05018274001 ²⁾	2.5	14.0	10	16	250	117	9/16"	10"

1) No throughout blade, no impact cap and no hexagon bolster
 2) Kraftform with non-roll feature, single-component

Web link

https://products.wera.de/en/screwdrivers_kraftform_plus_series_900_932_a.html

Wera - 932 A
 05018270001 - 4013288018052

Wera Werkzeuge GmbH
 Korzter Straße 21-25
 D-42349 Wuppertal
 Tel: +49 (0)2 02 / 40 45-0
 E-Mail: info@wera.de

932 A Screwdriver for slotted screws, 2 x 12 x 200 mm

Kraftform Plus – Series 900



EAN:	4013288018069	Size:	317x43x43 mm
Part number:	05018272001	Weight:	316 g
Article number:	932 A	Country of origin:	CZ
		Customs tariff number:	82054000

- Chiseldriver for fastening, chiselling and loosening
- Hexagonal blade extending through the handle
- Single-component, ergonomic Kraftform handle
- Impact cap and bolster for the transfer of higher torque
- The Wera Black Point tip offers an exact fit and optimum corrosion protection

Wera Chiseldriver for fastening, chiselling and loosening seized screws. Single-component Kraftform handle for fast and low-fatigue working. A hexagonal blade out of high quality bit material that extends right through the blade ensures full transfer of force, even when struck with a hammer. The ductile tempered material prevents the blade from splintering or breaking. Comes with an impact cap for durability and reduced risk of splintering. More torque can be transferred with the help of an open-end or ring spanner applied to the integrated hexagonal bolster. The Wera Black Point tip and a complex hardening process ensure a long service life of the tip, enhanced corrosion protection and an exact fit. The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace.



Web link

https://products.wera.de/en/screwdrivers_kraftform_plus_series_900_932_a.html


Wera - 932 A
05018272001 - 4013288018069

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Integrated impact cap



Screwdrivers are often misused as chisels. This can be dangerous. The chiseldriver is the solution when not only screwdriving is required. For fastening, chiselling and loosening seized screws. Wera chiseldriver: the screwdriver whenever the going gets tough!



An integrated impact cap lengthens the service life and reduces the danger of splintering. Nevertheless, always wear protective goggles.

Pound-thru blade



A hexagon blade made out of high-quality bit material extends right through the handle - thereby ensuring full transfer of force, even when struck with a hammer. The ductile tempered material prevents the blade from splintering or breaking.

Integrated hex bolster



Greater torque can be transferred by fitting an open-jaw or ring spanner over the integrated hex bolster.

Wera Black Point tip



The Wera Black Point tip and a refined hardening process ensure long service life of the tip, improved corrosion protection and an exact fit.

Kraftform




The basic idea for the prototype of the Kraftform handle - that the hand should dictate the design - has, right through to today, proved to be correct. In cooperation with the internationally recognised Fraunhofer IAO Institute, Wera developed a screwdriver handle designed to match the shape of the human hand as long ago as the 1960s. After a long development phase, the Wera Kraftform handle was launched to the market in 1968. It has been optimised through the years with new technologies, but has kept its proven shape. After all, the human hand has not changed either.

Rapid hand repositioning



The hard materials used for the handle ensure rapid hand repositioning without any danger of the skin "sticking" to the handle. The surrounding hard zones with large diameters glide like wheels through the hand.

Non-roll feature



The hexagonal non-roll feature prevents any rolling away at the workplace.

Web link

https://products.wera.de/en/screwdrivers_kraftform_plus_series_900_932_a.html

Wera - 932 A
05018272001 - 4013288018069

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Further versions in this product family:

	 mm	 mm	 mm	 mm	 mm	 mm	 inch	 inch
05018260001 ¹⁾	0.6	3.5	4	-	80	81	9/64"	3 1/8"
05018262001	0.8	4.5	5	8	90	98	0.178"	3 1/2"
05018264001	1.0	5.5	6	10	100	105	7/32"	4"
05018266001	1.2	7.0	6	10	125	105	9/32"	5"
05018268001	1.6	9.0	8	13	150	112	11/32"	6"
05018270001	1.6	10.0	8	13	175	112	3/8"	7"
05018272001²⁾	2.0	12.0	10	16	200	117	1/2"	8"
05018274001 ²⁾	2.5	14.0	10	16	250	117	9/16"	10"

1) No throughout blade, no impact cap and no hexagon bolster
 2) Kraftform with non-roll feature, single-component

932 A Screwdriver for slotted screws, 2.5 x 14 x 250 mm

Kraftform Plus – Series 900



EAN:	4013288018076	Size:	367x43x43 mm
Part number:	05018274001	Weight:	349 g
Article number:	932 A	Country of origin:	CZ
		Customs tariff number:	82054000

- Chiseldriver for fastening, chiselling and loosening
- Hexagonal blade extending through the handle
- Single-component, ergonomic Kraftform handle
- Impact cap and bolster for the transfer of higher torque
- The Wera Black Point tip offers an exact fit and optimum corrosion protection

Wera Chiseldriver for fastening, chiselling and loosening seized screws. Single-component Kraftform handle for fast and low-fatigue working. A hexagon blade out of high quality bit material that extends right through the blade ensures full transfer of force, even when struck with a hammer. The ductile tempered material prevents the blade from splintering or breaking. Comes with an impact cap for durability and reduced risk of splintering. More torque can be transferred with the help of an open-end or ring spanner applied to the integrated hexagonal bolster. The Wera Black Point tip and a complex hardening process ensure a long service life of the tip, enhanced corrosion protection and an exact fit. The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace.



Web link

https://products.wera.de/en/screwdrivers_kraftform_plus_series_900_932_a.html


Wera - 932 A
05018274001 - 4013288018076

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Integrated impact cap



Screwdrivers are often misused as chisels. This can be dangerous. The chiseldriver is the solution when not only screwdriving is required. For fastening, chiselling and loosening seized screws. Wera chiseldriver: the screwdriver whenever the going gets tough!



An integrated impact cap lengthens the service life and reduces the danger of splintering. Nevertheless, always wear protective goggles.

Pound-thru blade



A hexagon blade made out of high-quality bit material extends right through the handle - thereby ensuring full transfer of force, even when struck with a hammer. The ductile tempered material prevents the blade from splintering or breaking.

Integrated hex bolster



Greater torque can be transferred by fitting an open-jaw or ring spanner over the integrated hex bolster.

Wera Black Point tip



The Wera Black Point tip and a refined hardening process ensure long service life of the tip, improved corrosion protection and an exact fit.

Kraftform




The basic idea for the prototype of the Kraftform handle - that the hand should dictate the design - has, right through to today, proved to be correct. In cooperation with the internationally recognised Fraunhofer IAO Institute, Wera developed a screwdriver handle designed to match the shape of the human hand as long ago as the 1960s. After a long development phase, the Wera Kraftform handle was launched to the market in 1968. It has been optimised through the years with new technologies, but has kept its proven shape. After all, the human hand has not changed either.

Rapid hand repositioning



The hard materials used for the handle ensure rapid hand repositioning without any danger of the skin "sticking" to the handle. The surrounding hard zones with large diameters glide like wheels through the hand.

Non-roll feature



The hexagonal non-roll feature prevents any rolling away at the workplace.

Web link

https://products.wera.de/en/screwdrivers_kraftform_plus_series_900_932_a.html

Wera - 932 A
05018274001 - 4013288018076

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Further versions in this product family:

	 mm	 mm	 mm	 mm	 mm	 mm	 inch	 inch
05018260001 ¹⁾	0.6	3.5	4	-	80	81	9/64"	3 1/8"
05018262001	0.8	4.5	5	8	90	98	0.178"	3 1/2"
05018264001	1.0	5.5	6	10	100	105	7/32"	4"
05018266001	1.2	7.0	6	10	125	105	9/32"	5"
05018268001	1.6	9.0	8	13	150	112	11/32"	6"
05018270001	1.6	10.0	8	13	175	112	3/8"	7"
05018272001 ²⁾	2.0	12.0	10	16	200	117	1/2"	8"
05018274001²⁾	2.5	14.0	10	16	250	117	9/16"	10"

1) No throughout blade, no impact cap and no hexagon bolster
 2) Kraftform with non-roll feature, single-component