





EAN: 4013288182524 **Size:** 123x21x5 mm

Part number:05022632001Weight:14 gArticle number:950 SPKL inchCountry of origin:CZ

Customs tariff 82041100

number:



- · Hex-Plus allows socket head screws to live longer
- Rubber sleeve for pleasant grip
- Hexagonal ballpoint on the long arm
- BlackLaser for high corrosion protection and long service life















EAN: 4013288182548 **Size:** 154x27x8 mm

Part number:05022634001Weight:41 gArticle number:950 SPKL inchCountry of origin:CZ

Customs tariff 82041100

number:



- Hex-Plus allows socket head screws to live longer
- Rubber sleeve for pleasant grip
- · Hexagonal ballpoint on the long arm
- BlackLaser for high corrosion protection and long service life















EAN: 4013288182517 **Size:** 112x19x4 mm

Part number:05022631001Weight:8 gArticle number:950 SPKL inchCountry of origin:CZ

Customs tariff 82041100

number:



- Hex-Plus allows socket head screws to live longer
- Rubber sleeve for pleasant grip
- Hexagonal ballpoint on the long arm
- BlackLaser for high corrosion protection and long service life















EAN: 4013288182531 **Size:** 137x24x6 mm

Part number:05022633001Weight:25 gArticle number:950 SPKL inchCountry of origin:CZ

Customs tariff 82041100

number:



- · Hex-Plus allows socket head screws to live longer
- Rubber sleeve for pleasant grip
- Hexagonal ballpoint on the long arm
- BlackLaser for high corrosion protection and long service life
















EAN: 4013288182500 **Size**: 101x16x4 mm

Part number:05022630001Weight:6 gArticle number:950 SPKL inchCountry of origin:CZ

Customs tariff 82041100

number:



- · Hex-Plus allows socket head screws to live longer
- Rubber sleeve for pleasant grip
- Hexagonal ballpoint on the long arm
- BlackLaser for high corrosion protection and long service life











L-keys with a thermoplastic sleeve



L-keys made from circular material fit into the hand better and allow less strenuous work over a longer period. Additionally, the rubber sleeve provides a pleasant grip, particularly in applications at low temperatures. Colour coding and large stamp enable the desired L-key to be easily located. Moreover, the round material keys are more robust, particularly where smaller sizes are concerned.

Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from conventional tool, transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

Ball tip



The spherical drive profile means that it is possible to swivel the axis of the tool to that of the screw, and therefore enable angled, "around-the-corner" screwdriving jobs.

Take it easy tool finder system

We questioned the classic L-key

design, since all too often the

screw head recess is rounded out,

meaning screws can no longer be

tightened or loosened - and so the

user finds the L-key slipping out of

the recess. Wera Hex-Plus tools

have a larger contact surface in

the screw head. The notching

effects are reduced and thereby

the deformation of the screws. At

the same time, as much as 20 %

more torque can be applied.



Take it easy tool finder system - with profile and size colour-coding for quick and easy tool selection. Colour-coded system for hexagon drive screws (L-Keys, Zyklop bit sockets), external hex drive screws and nuts (Joker wrenches, Zyklop sockets and Zyklop bit sockets with holding function), and TORX® drive screws (L-Keys, Zyklop bit sockets).



Further versions in this product family:

	0	, A		Å	
	inch	mm	mm	inch	inch
05022630001	5/64"	101	16	4"	5/8"
05022631001	3/32"	112	19	4 7/16"	3/4"
05022632001	1/8"	123	21	4 7/8"	27/32"
05022633001	5/32"	137	24	5 3/8"	1"
05022634001	3/16"	154	27	6 1/16"	1 1/16"
05022635001	7/32"	172	31	6 3/4"	1 1/4"
05022636001	1/4"	185	34	7 1/4"	1 5/16"
05022637001	5/16"	195	37	7 11/16"	1 7/16"
05022638001	3/8"	224	42	9"	1 11/16"