

Kraftform Kompakt VDE 60 i SB, 0.4 x 2.5 x 154 mm

Kraftform Kompakt VDE



EAN:	4013288220790	Size:	230x60x13 mm
Part number:	05004400001	Weight:	24 g
Article number:	Kraftform Kompakt VDE 60 i SB	Country of origin:	CZ
		Customs tariff number:	82054000

- Kraftform Kompakt VDE interchangeable blades for slotted screws
- Insulated, individually tested as per IEC 60900
- 9 mm hex drive with with entry chamfer
- The Wera Black Point tip offers an exact fit and optimum corrosion protection
- Conical blade

VDE blades for Kraftform Kompakt handle/interchangeable blade system for rapid exchange of the blades without any special tools. Individually tested as per IEC 60900. Individual testing at 10,000 volts so as to ensure safe working at the permitted voltage of 1,000 volts.

Web link

https://products.wera.de/en/tools_for_electricians_kraftform_kompakt_vde_kraftform_kompakt_vde_60_i_sb.html

Wera - Kraftform Kompakt VDE 60 i SB
05004400001 - 4013288220790

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Kraftform Kompakt VDE 60 i SB, 0.4 x 2.5 x 154 mm

Kraftform Kompakt VDE



Set contents:

Kraftform Kompakt VDE 60 i, 0.4 x 2.5 x 154 mm



05003400001

1x 0.4 x 2.5 x 154 mm



Web link

https://products.wera.de/en/tools_for_electricians_kraftform_kompakt_vde_kraftform_kompakt_vde_60_i_sb.html

Wera - Kraftform Kompakt VDE 60 i SB
05004400001 - 4013288220790

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de



EAN:	4013288220806	Size:	230x60x12 mm
Part number:	05004401001	Weight:	25 g
Article number:	Kraftform Kompakt VDE 60 i SB	Country of origin:	CZ
		Customs tariff number:	82054000

- Kraftform Kompakt VDE interchangeable blades for slotted screws
- Insulated, individually tested as per IEC 60900
- 9 mm hex drive with with entry chamfer
- The Wera Black Point tip offers an exact fit and optimum corrosion protection
- Conical blade

VDE blades for Kraftform Kompakt handle/interchangeable blade system for rapid exchange of the blades without any special tools. Individually tested as per IEC 60900. Individual testing at 10,000 volts so as to ensure safe working at the permitted voltage of 1,000 volts.

Web link

https://products.wera.de/en/tools_for_electricians_kraftform_kompakt_vde_kraftform_kompakt_vde_60_i_sb.html

Wera - Kraftform Kompakt VDE 60 i SB
05004401001 - 4013288220806

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Kraftform Kompakt VDE 60 i SB, 0.5 x 3 x 154 mm

Kraftform Kompakt VDE



Set contents:

Kraftform Kompakt VDE 60 i, 0.5 x 3 x 154 mm



05003401001

1x 0.5 x 3 x 154 mm



Web link

https://products.wera.de/en/tools_for_electricians_kraftform_kompakt_vde_kraftform_kompakt_vde_60_i_sb.html

Wera - Kraftform Kompakt VDE 60 i SB
05004401001 - 4013288220806

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de



EAN:	4013288220813	Size:	230x60x12 mm
Part number:	05004402001	Weight:	25 g
Article number:	Kraftform Kompakt VDE 60 i SB	Country of origin:	CZ
		Customs tariff number:	82054000

- Kraftform Kompakt VDE interchangeable blades for slotted screws
- Insulated, individually tested as per IEC 60900
- 9 mm hex drive with with entry chamfer
- The Wera Black Point tip offers an exact fit and optimum corrosion protection
- Conical blade

VDE blades for Kraftform Kompakt handle/interchangeable blade system for rapid exchange of the blades without any special tools. Individually tested as per IEC 60900. Individual testing at 10,000 volts so as to ensure safe working at the permitted voltage of 1,000 volts.

Web link

https://products.wera.de/en/tools_for_electricians_kraftform_kompakt_vde_kraftform_kompakt_vde_60_i_sb.html

Wera - Kraftform Kompakt VDE 60 i SB
05004402001 - 4013288220813

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Kraftform Kompakt VDE 60 i SB, 0.6 x 3.5 x 154 mm

Kraftform Kompakt VDE



Set contents:

Kraftform Kompakt VDE 60 i, 0.6 x 3.5 x 154 mm



05003402001

1x 0.6 x 3.5 x 154 mm



Web link

https://products.wera.de/en/tools_for_electricians_kraftform_kompakt_vde_kraftform_kompakt_vde_60_i_sb.html

Wera - Kraftform Kompakt VDE 60 i SB
05004402001 - 4013288220813

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de



EAN:	4013288220820	Size:	230x60x12 mm
Part number:	05004403001	Weight:	28 g
Article number:	Kraftform Kompakt VDE 60 i SB	Country of origin:	CZ
		Customs tariff number:	82054000

- Kraftform Kompakt VDE interchangeable blades for slotted screws
- Insulated, individually tested as per IEC 60900
- 9 mm hex drive with with entry chamfer
- The Wera Black Point tip offers an exact fit and optimum corrosion protection
- Conical blade

VDE blades for Kraftform Kompakt handle/interchangeable blade system for rapid exchange of the blades without any special tools. Individually tested as per IEC 60900. Individual testing at 10,000 volts so as to ensure safe working at the permitted voltage of 1,000 volts.

Web link

https://products.wera.de/en/tools_for_electricians_kraftform_kompakt_vde_kraftform_kompakt_vde_60_i_sb.html

Wera - Kraftform Kompakt VDE 60 i SB
05004403001 - 4013288220820

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Kraftform Kompakt VDE 60 i SB, 0.8 x 4 x 154 mm

Kraftform Kompakt VDE



Set contents:

Kraftform Kompakt VDE 60 i, 0.8 x 4 x 154 mm



05003403001

1x 0.8 x 4 x 154 mm



Web link

https://products.wera.de/en/tools_for_electricians_kraftform_kompakt_vde_kraftform_kompakt_vde_60_i_sb.html

Wera - Kraftform Kompakt VDE 60 i SB
05004403001 - 4013288220820

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Kraftform Kompakt VDE 60 i SB, 1 x 5.5 x 154 mm

Kraftform Kompakt VDE



EAN:	4013288220837	Size:	230x30x12 mm
Part number:	05004404001	Weight:	38 g
Article number:	Kraftform Kompakt VDE 60 i SB	Country of origin:	CZ
		Customs tariff number:	82054000

- Kraftform Kompakt VDE interchangeable blades for slotted screws
- Insulated, individually tested as per IEC 60900
- 9 mm hex drive with with entry chamfer
- The Wera Black Point tip offers an exact fit and optimum corrosion protection
- Conical blade

VDE blades for Kraftform Kompakt handle/interchangeable blade system for rapid exchange of the blades without any special tools. Individually tested as per IEC 60900. Individual testing at 10,000 volts so as to ensure safe working at the permitted voltage of 1,000 volts.

Web link

https://products.wera.de/en/tools_for_electricians_kraftform_kompakt_vde_kraftform_kompakt_vde_60_i_sb.html

Wera - Kraftform Kompakt VDE 60 i SB
05004404001 - 4013288220837

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Kraftform Kompakt VDE 60 i SB, 1 x 5.5 x 154 mm

Kraftform Kompakt VDE



Set contents:

Kraftform Kompakt VDE 60 i, 1 x 5.5 x 154 mm



05003404001

1x 1 x 5.5 x 154 mm



Web link

https://products.wera.de/en/tools_for_electricians_kraftform_kompakt_vde_kraftform_kompakt_vde_60_i_sb.html

Wera - Kraftform Kompakt VDE 60 i SB
05004404001 - 4013288220837

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Kraftform Kompakt VDE 60 i SB, 1.2 x 6.5 x 154 mm

Kraftform Kompakt VDE



EAN:	4013288220844	Size:	230x60x12 mm
Part number:	05004405001	Weight:	42 g
Article number:	Kraftform Kompakt VDE 60 i SB	Country of origin:	CZ
		Customs tariff number:	82054000

- Kraftform Kompakt VDE interchangeable blades for slotted screws
- Insulated, individually tested as per IEC 60900
- 9 mm hex drive with with entry chamfer
- The Wera Black Point tip offers an exact fit and optimum corrosion protection
- Conical blade

VDE blades for Kraftform Kompakt handle/interchangeable blade system for rapid exchange of the blades without any special tools. Individually tested as per IEC 60900. Individual testing at 10,000 volts so as to ensure safe working at the permitted voltage of 1,000 volts.

Web link

https://products.wera.de/en/tools_for_electricians_kraftform_kompakt_vde_kraftform_kompakt_vde_60_i_sb.html

Wera - Kraftform Kompakt VDE 60 i SB
05004405001 - 4013288220844

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Kraftform Kompakt VDE 60 i SB, 1.2 x 6.5 x 154 mm

Kraftform Kompakt VDE



Set contents:

Kraftform Kompakt VDE 60 i, 1.2 x 6.5 x 154 mm



05003405001

1x 1.2 x 6.5 x 154 mm



Web link

https://products.wera.de/en/tools_for_electricians_kraftform_kompakt_vde_kraftform_kompakt_vde_60_i_sb.html

Wera - Kraftform Kompakt VDE 60 i SB
05004405001 - 4013288220844

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Individually tested



Why is the right tool so often missing at the workplace? The reason: too many tools and overly-heavy tool bags can make it bothersome to carry keep them with you. So for us it was a clear challenge: to develop a tool that is suitable for a whole host of applications and can be easily taken along to the workplace. Our solution: Kraftform Kompakt tools. A handle into which blades with a range of different profiles can be inserted. Compactly and protectively housed in a light and robust textile pouch - and they are even VDE-tested, too.




Our screwdrivers are tested for dielectric strength under a 10,000 volt load to make sure that their most important property, their insulation, has been exhaustively tested. Each individual Wera VDE screwdriver is subjected to this test to guarantee safe working up to 1,000 volts.

VDE interchangeable blades 154 mm long



Suitable for Kraftform handles 7400 VDE, 827 T i and 817 VDE .

Handle/interchangeable blade system – Kraftform Kompakt VDE



The handle/interchangeable blade system allows rapid exchange of the blades required for a wide range of applications.